



IPC/WHMA-A-620B

2012–October

# Requirements and Acceptance for Cable and Wire Harness Assemblies

Supersedes IPC/WHMA-A-620A

July 2006

*A standard developed by IPC*

Association Connecting Electronics Industries



---

## **The Principles of Standardization**

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

### **Standards Should:**

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

### **Standards Should Not:**

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

## **Notice**

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

## **IPC Position Statement on Specification Revision Change**

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

## **Why is there a charge for this document?**

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publications development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit [www.ipc.org](http://www.ipc.org) or call 847/597-2872.

Thank you for your continued support.



IPC/WHMA-A-620B



# Requirements and Acceptance for Cable and Wire Harness Assemblies

If a conflict occurs between the English and translated versions of this document, the English version will take precedence.

Developed by the IPC Task Group (7-31f) of the Product Assurance Subcommittee (7-30) and the WHMA Industry Technical Guidelines Committee (ITGC)

**Supersedes:**  
IPC/WHMA-A-620A -  
July 2006  
IPC/WHMA-A-620 -  
January 2002

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC  
3000 Lakeside Drive, Suite 309S  
Bannockburn, Illinois  
60015-1219  
Tel 847 615.7100  
Fax 847 615.7105

Wiring Harness Manufacturers Assoc.  
7500 Flying Cloud Drive, Suite 900  
Eden Prairie, Minnesota  
55344  
Tel 952 835.4180  
Fax 952 835.4774

This Page Intentionally Left Blank

# Acknowledgment

Any document involving a complex technology draws materials from a vast number of sources. While the principal members of the IPC/WHMA-A-620 joint working group comprised of IPC Task Group (7-31f) of the Product Assurance Subcommittee (7-30) and the WHMA Industry Technical Guidelines Committee (ITGC) are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of the IPC and WHMA extend their gratitude.

---

## Product Assurance Committee

Chair  
Mel Parrish  
Soldering Technology International

## Technical Liaisons of the IPC Board of Directors

Dongkai Shangguan  
Flextronics International

Shane Whiteside  
TTM Technologies

---

## IPC/WHMA-A-620 Joint Working Group

T. John Laser L-3 Communications	Brett Miller USA Harness, Inc.
Richard Rumas Honeywell Canada	Dave Scidmore Unlimited Services

---

## Members of the IPC/WHMA-A-620 Joint Working Group

Lyle Fahning  
Jon Roberts  
Mark Wood  
Bettye Causion, AAI Corporation  
Teresa Rowe, AAI Corporation  
Constantino Gonzalez, ACME Training & Consulting  
Rhonda Troutman, Actronix Inc.  
Barry Morris, Advanced Rework Technology-A.R.T  
Debbie Wade, Advanced Rework Technology-A.R.T  
John Vickers, Advanced Rework Technology-A.R.T  
Lilia Berrun, AirBorn  
Stuart Fiedelman, A-Max Wire & Cable, Inc.  
Vu Nguyen, Amphenol Canada Corp.  
Sean Keating, Amphenol Limited (UK)  
Robert Potysman, AssembleTronics LLC  
Gary Lawless, AssembleTronics LLC  
Bill Strachan, ASTA - Portsmouth University  
Agnieszka Ozarowski, BAE Systems  
Lauri Richardson, BAE Systems  
Greg Hurst, BAE Systems  
Joseph Kane, BAE Systems Platform Solutions  
Marvin Banks, Ball Aerospace & Technologies  
Jonathon Vermillion, Ball Aerospace & Technologies  
Kenneth Monroe, Barco, Inc.  
Gerald Leslie Bogert, Bechtel Plant Machinery, Inc.  
Dorothy Cornell, Blackfox Training Institute  
Thomas Carroll, Boeing Company  
Zenaida Valianu, Celestica

Marlin Shelley, Cirris Systems Corporation  
Peter Ashaolu, Cisco Systems Inc.  
Marilyn Lawrence, Conformance Technologies, Inc.  
Israel Martinez, Continental Automotive Nogales S.A. de C.V.  
Mary Muller, Crane Aerospace & Electronics  
Donna Lopez, Cristek Interconnects Inc.  
Julie Barker, Cristek Interconnects Inc.  
Cristi Cristich, Cristek Interconnects Inc.  
Dave Kelly, Daniels Manufacturing Corporation  
David Gillies, Data Cable Company, Inc.  
Christine Coapman, Delphi Electronics and Safety  
Vicki Hagen, Delta Group Electronics, Inc.  
Gary Bremer, Ducommun LaBarge Technologies, Inc.  
Jennifer Wagner, Ducommun LaBarge Technologies, Inc.  
Patti Gander, EEI Manufacturing Services  
Gabriel Rosin, Elbit Systems Ltd.  
Lars Andersen, Elfac A/S  
Helena Pasquito, EPTAC Corporation  
Leo Lambert, EPTAC Corporation  
Nancy Chism, Flextronics  
Omar Karin Hernandez, Flextronics Manufacturing de Mexico, S.A. de C.V.  
Stephen Fribbins, Fribbins Training Services  
Ray Davison, FSI  
Clarence Mitchell, GE Transportation-Infrastructure, Rail  
Deepak Pai, General Dynamics Info. Sys., Inc  
Doug Rogers, Harris Corporation, GCSD  
Cory Jenkins, Harting, Inc. of North America

## Acknowledgment (cont.)

B.J. Franco, Honeywell Aerospace  
Richard Rumas, Honeywell Canada  
John Mastorides, Honeywell International  
William Novak, Honeywell International  
Riley Northam, Honeywell Technology Solutions Inc.  
Yaakov Zissman, IAI Elta Systems Ltd.  
John Yu, I-SAC Electronic Co., Ltd.  
Minh Do, Jet Propulsion Laboratory  
Alan Young, Jet Propulsion Laboratory  
Kim Phillips, Jet Propulsion Laboratory  
Nancy Bullock-Ludwig, Kimball Electronics  
T. John Laser, L-3 Communications  
Shelley Holt, L-3 Communications  
Robert Fornefeld, L-3 Communications  
Granville Thompson, L-3 Communications  
Blen Talbot, L-3 Communications  
Steven Nolan, Lockheed Martin Maritime Systems & Sensors  
Vijay Kumar, Lockheed Martin Missile & Fire Control  
Robert Stringer, Lockheed Martin Missiles & Fire Control  
Darren Cox, Lockheed Martin Missiles & Fire Control  
Kimberly Shields, Lockheed Martin MS2 Tactical Systems  
Michael Green, Lockheed Martin Space Systems Company  
Hue Green, Lockheed Martin Space Systems Company  
Pamela Petcosky, Lockheed Martin Systems Integration  
Heather Farren, Midcon Cables Company  
Christopher Olson, Minnesota Wire and Cable Co  
Daniel Foster, Missile Defense Agency  
Bob Grenke, Molex Incorporated  
Robert Humphrey, NASA Goddard Space Flight Center  
Robert Cooke, NASA Johnson Space Center  
James Blanche, NASA Marshall Space Flight Center  
Charles Gamble, NASA Marshall Space Flight Center  
Tom Dietrich, NASA Marshall Space Flight Center  
Garry McGuire, NASA Marshall Space Flight Center  
Cynthia Eachus, Northeimer Engineering  
Blanca Janet Canales, Northrop Grumman  
Mahendra Gandhi, Northrop Grumman Aerospace Systems  
Randy McNutt, Northrop Grumman Corp.  
Michael Kunysz, Northrop Grumman SSES  
Toshiyasu Takei, NSK Co., ltd.  
Eric Scott, NSWCrane  
Joseph Sherfick, NSWCrane  
Peggi Blakley, NSWCrane  
Jeff Waters, NSWCrane

Bill Aldeen, Nu-Way Electronics  
Jan Saris, Oce-Technologies B.V.  
Ken Moore, Omni Training Corp.  
Gerard Donovan, Onyx EMS, LLC  
Matt Garrett, Phonon Corporation  
Rob Walls, PIEK International Education Centre BV  
Dale Lee, Plexus Corp.  
Angela Pennington, Pole Zero Corporation  
Vernon Judy, Qualastat Electronics, Inc.  
Troy Agner, Qualastat Electronics, Inc.  
Richard Broga, Radial USA, Inc.  
Donna Spruill, Raytheon Company  
Lisa Maciolek, Raytheon Company  
Kathy Johnston, Raytheon Missile Systems  
Gregory Rohrbacher, Raytheon Missile Systems  
George Millman, Raytheon Missile Systems  
Shawn Chaput, Raytheon Missile Systems  
Charles Scharnberg, Raytheon Missile Systems  
Patrick Kane, Raytheon System Technology  
Paula Jackson, Raytheon Systems Ltd.  
Brent Call, Richard Manufacturing Company  
Caroline Ehlinger, Rockwell Collins  
Tammy Sargent, Rockwell Collins  
Neil Johnson, Saab - Electronic Defence Systems  
Gaston Hidalgo, Samsung Telecommunications America  
Robert Boyd, Schleuniger, Inc.  
Floyd Bertagnolli, Service to Mankind  
Katherine Henderson, Solder School Technology  
Terry Clitheroe, Solder Technologies  
Gregg Owens, Space Exploration Technologies  
Brian Blodgett, Souriau USA  
Klarysa Conklyn, Space Exploration Technologies  
Mel Parrish, STI Electronics, Inc.  
Patricia Scott, STI Electronics, Inc.  
Ronald Hotchkiss, Surge Technology, Inc.  
Rick Hawthorne, TE Connectivity  
Richard Stockwell, Technical Services for Electronics Inc.  
Birgit Lene Maagaard, Terma AS  
Katie Feistel, The Aerospace Corporation  
Erik Gregory, Three Arrows Corporation  
Calette Chamness, U.S. Army Aviation & Missile Command  
David Carlton, U.S. Army Aviation & Missile Command  
Jennifer Day, U.S. Army Aviation & Missile Command

## Acknowledgment (cont.)

Sharon Ventress, U.S. Army Aviation & Missile Command  
Dave Scidmore, Unlimited Services  
Brett Miller, USA Harness, Inc.

Linda Tucker-Evoniuk, Vergent Products, Inc.  
Bud William Bowen, Winchester Electronics Division

---

### SPECIAL ACKNOWLEDGMENT

We would like to provide special acknowledgment to the following members for providing pictures and illustrations that are used in this revision.

Rhonda Troutman, Actronix Inc.  
Barry Morris, Advanced Rework Technology-A.R.T.  
Vu Nguyen, Amphenol Canada Corp.  
Sean Keating, Amphenol Limited (UK)  
Jonathon Vermillion, Ball Aerospace & Technologies  
Richard Rumas, Honeywell Canada  
Blen F. Talbot, L-3 Communications  
Heather Farren, Midcon Cables Company  
Robert W. Cooke, NASA Johnson Space Center  
Cynthia Eachus, Northeimer Engineering  
Randy McNutt, Northrop Grumman  
Jeff Waters, NSWC Crane

Ken A. Moore, Omni Training Corp.<sup>1</sup>  
Richard Broga, Radiall USA, Inc.  
Lisa Maciolek, Raytheon Company  
Brent Call, Richard Manufacturing Company  
Floyd Bertagnolli, Service to Mankind  
Mel Parrish, Soldering Technology International  
Brian Blodgett, Souriau USA  
Gregg Owens, Space Exploration Technologies  
Erik Gregory, Three Arrows Corporation  
Ray Sweeney, Unlimited Services  
Brett Miller, USA Harnes, Inc.

---

1. Figures 3-11, 4-7, 4-8, 4-16, 4-17, 4-21, 4-24, 4-26, 4-36, 4-38, 4-48, 4-52, 4-53, 4-54, 4-55, 4-58, 4-59, 4-60, 4-61, 4-67, 4-68, 4-69, 4-70 are ©Omni Training Corporation, used by permission.

This Page Intentionally Left Blank

# Table of Contents

<b>1 Foreword</b> .....	1-1	<b>1.16 Electrical Clearance</b> .....	1-6
<b>1.1 Scope</b> .....	1-2	<b>1.17 Inspection</b> .....	1-6
<b>1.2 Purpose</b> .....	1-2	1.17.1 Sampling .....	1-6
<b>1.3 Approach to This Document</b> .....	1-2	1.17.1.1 Lighting .....	1-6
<b>1.4 Measurement Units and Applications</b> .....	1-2	1.17.1.2 Magnification Aids .....	1-6
1.4.1 Verification of Dimensions .....	1-2	1.18 Electrostatic Discharge (ESD) Protection .....	1-6
<b>1.5 Requirements</b> .....	1-2	<b>1.19 Contamination</b> .....	1-7
<b>1.6 Uncommon or Specialized Designs</b> .....	1-2	<b>1.20 Rework/Repair</b> .....	1-7
<b>1.7 Terms and Definitions</b> .....	1-3	1.20.1 Rework .....	1-7
1.7.1 Inspection .....	1-3	1.20.2 Repair .....	1-7
1.7.2 Manufacturer (Assembler) .....	1-3	<b>1.21 Statistical Process Control</b> .....	1-7
1.7.3 Objective Evidence .....	1-3	<b>2 Applicable Documents</b> .....	2-1
1.7.4 Process Control .....	1-3	<b>2.1 IPC</b> .....	2-1
1.7.5 Supplier .....	1-3	<b>2.2 Joint Industry Standards</b> .....	2-1
1.7.6 User .....	1-3	<b>2.3 Society of Automotive Engineers (SAE)</b> .....	2-1
1.7.7 Wire Diameter (D) .....	1-3	<b>2.4 American National Standards Institute (ANSI)</b> .....	2-2
<b>1.8 Classes of Product</b> .....	1-3	<b>2.5 International Organization for Standardization (ISO)</b> .....	2-2
<b>1.9 Order of Precedence</b> .....	1-3	<b>2.6 ESD Association (ESDA)</b> .....	2-2
<b>1.10 Requirements Flowdown</b> .....	1-3	<b>2.7 United States Department of Defense (DoD)</b> .....	2-2
<b>1.11 Personnel Proficiency</b> .....	1-4	<b>2.8 ASTM International</b> .....	2-2
<b>1.12 Facilities</b> .....	1-4	<b>3 Preparation</b> .....	3-1
1.12.1 Field Assembly Operations .....	1-4	<b>3.1 Stripping</b> .....	3-2
<b>1.13 Tools and Equipment</b> .....	1-4	<b>3.2 Strand Damage and End Cuts</b> .....	3-2
1.13.1 Control .....	1-4	<b>3.3 Conductor Deformation/Birdcaging</b> .....	3-5
1.13.2 Calibration .....	1-4	<b>3.4 Twisting of Wires</b> .....	3-7
1.13.3 Materials and Processes .....	1-5	<b>3.5 Insulation Damage - Stripping</b> .....	3-8
<b>1.14 Figures and Illustrations</b> .....	1-5		
<b>1.15 Inspection Conditions</b> .....	1-5		
1.15.1 Target .....	1-5		
1.15.2 Acceptable .....	1-5		
1.15.3 Process Indicator .....	1-5		
1.15.4 Defect .....	1-5		
1.15.5 Disposition .....	1-5		
1.15.6 Product Classification Implied Relationships .....	1-5		
1.15.7 Conditions Not Specified .....	1-6		

## Table of Contents (cont.)

<p><b>4 Soldered Terminations</b> ..... 4-1</p> <p><b>4.1 Material, Components and Equipment</b> ..... 4-2</p> <p>4.1.1 Materials ..... 4-2</p> <p>4.1.1.1 Solder ..... 4-2</p> <p>4.1.1.2 Flux ..... 4-2</p> <p>4.1.1.3 Adhesives ..... 4-3</p> <p>4.1.1.4 Solderability ..... 4-3</p> <p>4.1.1.5 Tools and Equipment ..... 4-3</p> <p>4.1.2 Gold Removal ..... 4-3</p> <p><b>4.2 Cleanliness</b> ..... 4-4</p> <p>4.2.1 Presoldering ..... 4-4</p> <p>4.2.2 Postsoldering ..... 4-4</p> <p>4.2.2.1 Particulate Matter ..... 4-4</p> <p>4.2.2.2 Flux Residue ..... 4-5</p> <p>4.2.2.2.1 Cleanable Flux ..... 4-5</p> <p>4.2.2.2.2 No-Clean Process ..... 4-5</p> <p><b>4.3 Solder Connection</b> ..... 4-6</p> <p>4.3.1 General Requirements ..... 4-8</p> <p>4.3.2 Soldering Anomalies ..... 4-9</p> <p>4.3.2.1 Exposed Basis Metal ..... 4-9</p> <p>4.3.2.2 Partially Visible or Hidden Solder Connections ..... 4-9</p> <p><b>4.4 Wire/Lead Preparation, Tinning</b> ..... 4-10</p> <p><b>4.5 Wire Insulation</b> ..... 4-12</p> <p>4.5.1 Clearance ..... 4-12</p> <p>4.5.2 Postsolder Damage ..... 4-14</p> <p><b>4.6 Insulation Sleeving</b> ..... 4-15</p> <p><b>4.7 Birdcaged Wire (Soldered)</b> ..... 4-17</p> <p><b>4.8 Terminals</b> ..... 4-18</p> <p>4.8.1 Turrets and Straight Pins ..... 4-21</p> <p>4.8.1.1 Lead/Wire Placement ..... 4-21</p> <p>4.8.1.2 Solder ..... 4-23</p> <p>4.8.2 Bifurcated ..... 4-24</p> <p>4.8.2.1 Lead/Wire Placement - Side Route ..... 4-24</p> <p>4.8.2.2 Lead/Wire Placement - Bottom and Top Route ..... 4-26</p> <p>4.8.2.3 Lead/Wire Placement - Staked/Constrained Wires ..... 4-28</p> <p>4.8.2.4 Solder ..... 4-29</p> <p>4.8.3 Slotted ..... 4-31</p> <p>4.8.3.1 Lead/Wire Placement ..... 4-31</p>	<p>4.8.3.2 Solder ..... 4-32</p> <p>4.8.4 Pierced/Perforated/Punched ..... 4-33</p> <p>4.8.4.1 Lead/Wire Placement ..... 4-33</p> <p>4.8.4.2 Solder ..... 4-35</p> <p>4.8.5 Hook ..... 4-36</p> <p>4.8.5.1 Lead/Wire Placement ..... 4-36</p> <p>4.8.5.2 Solder ..... 4-37</p> <p>4.8.6 Cup ..... 4-39</p> <p>4.8.6.1 Lead/Wire Placement ..... 4-39</p> <p>4.8.6.2 Solder ..... 4-40</p> <p>4.8.7 Series Connected ..... 4-43</p> <p>4.8.8 Lead/Wire Placement - AWG 30 and Smaller Diameter Wires ..... 4-44</p> <p><b>5 Crimp Terminations (Contacts and Lug)</b> ..... 5-1</p> <p><b>5.1 Stamped and Formed - Open Barrel</b> ..... 5-3</p> <p>5.1.1 Insulation Support ..... 5-4</p> <p>5.1.1.1 Inspection Window ..... 5-4</p> <p>5.1.1.2 Crimp ..... 5-6</p> <p>5.1.2 Insulation Clearance if No Support Crimp ..... 5-8</p> <p>5.1.3 Conductor Crimp ..... 5-9</p> <p>5.1.4 Crimp Bellmouth ..... 5-11</p> <p>5.1.5 Conductor Brush ..... 5-13</p> <p>5.1.6 Carrier Cutoff Tab ..... 5-15</p> <p><b>5.2 Stamped and Formed - Closed Barrel</b> ..... 5-16</p> <p>5.2.1 Insulation Clearance ..... 5-17</p> <p>5.2.2 Insulation Support Crimp ..... 5-17</p> <p>5.2.3 Conductor Crimp and Bellmouth ..... 5-19</p> <p><b>5.3 Machined Contacts</b> ..... 5-21</p> <p>5.3.1 Insulation Clearance ..... 5-21</p> <p>5.3.2 Insulation Support Style ..... 5-24</p> <p>5.3.3 Conductor ..... 5-25</p> <p>5.3.4 Crimping ..... 5-27</p> <p>5.3.5 CMA Buildup ..... 5-29</p> <p><b>5.4 Termination Ferrule Crimp</b> ..... 5-31</p> <p><b>6 Insulation Displacement Connection (IDC)</b> ..... 6-1</p> <p><b>6.1 Mass Termination, Flat Cable</b> ..... 6-2</p> <p>6.1.1 End Cutting ..... 6-2</p> <p>6.1.2 Notching ..... 6-3</p> <p>6.1.3 Planar Ground Plane Removal ..... 6-4</p> <p>6.1.4 Connector Position ..... 6-5</p> <p>6.1.5 Connector Skew &amp; Lateral Position ..... 6-8</p> <p>6.1.6 Retention ..... 6-9</p>
---	--

## Table of Contents (cont.)

<b>6.2 Discrete Wire Termination</b> .....	6-10	<b>9.3 Sleeving and Boots</b> .....	9-10
6.2.1 General .....	6-10	9.3.1 Position .....	9-10
6.2.2 Position of Wire .....	6-11	9.3.2 Bonding .....	9-11
6.2.3 Overhang (Extension) .....	6-12	<b>9.4 Connector Damage</b> .....	9-15
6.2.4 Insulation Crimp .....	6-13	9.4.1 Criteria .....	9-15
6.2.5 Damage in Connection Area .....	6-15	9.4.2 Limits - Hard Face - Mating Surface .....	9-16
6.2.6 End Connectors .....	6-16	9.4.3 Limits - Soft Face - Mating Surface or Rear Seal Area .....	9-17
6.2.7 Pass Through Connectors .....	6-17	9.4.4 Contacts .....	9-18
6.2.8 Wiremount Connectors .....	6-18	<b>9.5 Installation of Contacts and Sealing Plugs into Connectors</b> .....	9-19
6.2.9 Subminiature D-Connector (Series Bus Connector) .....	6-19	9.5.1 Installation of Contacts .....	9-19
6.2.10 Modular Connectors (RJ Type) .....	6-21	9.5.2 Installation of Sealing Plugs .....	9-21
<b>7 Ultrasonic Welding</b> .....	7-1	<b>10 Over-Molding/Potting</b> .....	10-1
<b>7.1 Insulation Clearance</b> .....	7-2	<b>10.1 Over-Molding</b> .....	10-4
<b>7.2 Weld Nugget</b> .....	7-3	10.1.1 Mold Fill .....	10-4
<b>8 Splices</b> .....	8-1	10.1.1.1 Inner .....	10-4
<b>8.1 Soldered Splices</b> .....	8-2	10.1.1.2 Outer .....	10-7
8.1.1 Mesh .....	8-3	10.1.1.2.1 Mismatch .....	10-10
8.1.2 Wrap .....	8-5	10.1.1.2.2 Fit .....	10-11
8.1.3 Hook .....	8-7	10.1.1.2.3 Cracks, Flow Lines, Chill Marks (Knit Lines), or Weld Lines .....	10-14
8.1.4 Lap .....	8-8	10.1.1.2.4 Color .....	10-16
8.1.4.1 Two or More Conductors .....	8-9	10.1.2 Blow Through .....	10-17
8.1.4.2 Insulation Opening (Window) .....	8-12	10.1.3 Position .....	10-18
8.1.5 Heat Shrinkable Solder Devices .....	8-13	10.1.4 Flashing .....	10-21
<b>8.2 Crimped Splices</b> .....	8-15	10.1.5 Wire Insulation, Jacket or Sleeving Damage .....	10-23
8.2.1 Barrel .....	8-15	10.1.6 Curing .....	10-24
8.2.2 Double Sided .....	8-18	<b>10.2 Potting (Thermoset Molding)</b> .....	10-25
8.2.3 Contact .....	8-21	10.2.1 Filling .....	10-25
8.2.4 Wire In-Line Junction Devices (Jiffy Junctions) .....	8-24	10.2.2 Fit to Wire or Cable .....	10-29
<b>8.3 Ultrasonic Weld Splices</b> .....	8-25	10.2.3 Curing .....	10-31
<b>9 Connectorization</b> .....	9-1	<b>11 Measuring Cable Assemblies and Wires</b> .....	11-1
<b>9.1 Hardware Mounting</b> .....	9-2	<b>11.1 Measuring - Cable and Wire Length Tolerance</b> .....	11-2
9.1.1 Jackpost - Height .....	9-2	<b>11.2 Measuring - Cable</b> .....	11-2
9.1.2 Jackscrews - Protrusion .....	9-3	11.2.1 Reference Surfaces - Straight/ Axial Connectors .....	11-2
9.1.3 Retaining Clips .....	9-4	11.2.2 Reference Surfaces - Right-Angle Connectors .....	11-3
9.1.4 Connector Alignment .....	9-5	11.2.3 Length .....	11-3
<b>9.2 Strain Relief</b> .....	9-6	11.2.4 Breakout .....	11-4
9.2.1 Clamp Fit .....	9-6	11.2.4.1 Breakout Measurement Points .....	11-4
9.2.2 Wire Dress .....	9-7	11.2.4.2 Breakout Length .....	11-5
9.2.2.1 Straight Approach .....	9-8		
9.2.2.2 Side Approach .....	9-9		

## Table of Contents (cont.)

<b>11.3 Measuring - Wire</b> .....	11-6	<b>13.8 Shield Termination</b> .....	13-18
11.3.1 Electrical Terminal Reference Location .....	11-6	13.8.1 Clamped Ground Rings .....	13-18
11.3.2 Length .....	11-7	13.8.2 Crimped Ferrule .....	13-18
<b>12 Marking/Labeling</b> .....	12-1	<b>13.9 Center Pin</b> .....	13-21
<b>12.1 Content</b> .....	12-2	13.9.1 Position .....	13-21
<b>12.2 Legibility</b> .....	12-2	13.9.2 Damage .....	13-22
<b>12.3 Permanency</b> .....	12-4	<b>13.10 Semirigid Coax</b> .....	13-23
<b>12.4 Location and Orientation</b> .....	12-4	13.10.1 Bending and Deformation .....	13-24
<b>12.5 Functionality</b> .....	12-6	13.10.2 Surface Condition .....	13-27
<b>12.6 Marker Sleeve</b> .....	12-7	13.10.2.1 Solid .....	13-27
12.6.1 Wrap Around .....	12-7	13.10.2.2 Conforming Cable .....	13-29
12.6.2 Tubular .....	12-9	13.10.3 Dielectric Cutoff .....	13-30
<b>12.7 Flag Markers</b> .....	12-10	13.10.4 Dielectric Cleanliness .....	13-32
12.7.1 Adhesive .....	12-10	13.10.5 Center Conductor Pin .....	13-33
<b>12.8 Tie Wrap Markers</b> .....	12-10	13.10.5.1 Point .....	13-33
<b>13 Coaxial and Biaxial Cable Assemblies</b> .....	13-1	13.10.5.2 Damage .....	13-35
<b>13.1 Stripping</b> .....	13-2	13.10.6 Solder .....	13-36
<b>13.2 Center Conductor Termination</b> .....	13-4	<b>13.11 Swage-Type Connector</b> .....	13-38
13.2.1 Crimp .....	13-4	<b>13.12 Soldering and Stripping of Biaxial/ Multi-Axial Shielded Wire</b> .....	13-39
13.2.2 Solder .....	13-6	13.12.1 Jacket and Tip Installation .....	13-39
<b>13.3 Solder Ferrule Pins</b> .....	13-8	13.12.2 Ring Installation .....	13-41
13.3.1 General .....	13-8	<b>14 Securing</b> .....	14-1
13.3.2 Insulation .....	13-10	<b>14.1 Tie Wrap/Lacing Application</b> .....	14-2
<b>13.4 Coaxial Connector- Printed Wire Board Mount</b> .....	13-11	14.1.1 Tightness .....	14-6
<b>13.5 Coaxial Connector - Center Conductor Length - Right Angle Connector</b> .....	13-12	14.1.2 Damage .....	14-7
<b>13.6 Coaxial Connector - Center Conductor Solder</b> .....	13-14	14.1.3 Spacing .....	14-8
<b>13.7 Coaxial Connector - Terminal Cover</b> .....	13-16	<b>14.2 Breakouts</b> .....	14-9
13.7.1 Soldering .....	13-16	14.2.1 Individual Wires .....	14-9
13.7.2 Press Fit .....	13-17	14.2.2 Spacing .....	14-10
		<b>14.3 Routing</b> .....	14-13
		14.3.1 Wire Crossover .....	14-13
		14.3.2 Bend Radius .....	14-14
		14.3.3 Coaxial Cable .....	14-15
		14.3.4 Unused Wire Termination .....	14-16
		14.3.4.1 Shrink Sleeving .....	14-16
		14.3.4.2 Flexible Sleeving .....	14-17
		14.3.5 Ties over Splices and Ferrules .....	14-17
		<b>14.4 Broom Stitching</b> .....	14-18

## Table of Contents (cont.)

<b>15 Harness/Cable Electrical Shielding</b> .....	15-1	<b>16.5 Tapes, Adhesive and Nonadhesive</b> .....	16-8
<b>15.1 Braided</b> .....	15-2	<b>17 Finished Assembly Installation</b> .....	17-1
15.1.1 Direct Applied .....	15-3	<b>17.1 General</b> .....	17-2
15.1.2 Prewoven .....	15-5	<b>17.2 Hardware Installation</b> .....	17-3
<b>15.2 Shield Termination</b> .....	15-6	17.2.1 Threaded Fasteners .....	17-3
15.2.1 Shield Jumper Wire .....	15-6	17.2.2 Minimum Torque .....	17-6
15.2.1.1 Attached Lead .....	15-6	17.2.3 Wires .....	17-8
15.2.1.1.1 Solder .....	15-7	17.2.4 High Voltage Applications .....	17-11
15.2.1.1.2 Crimp .....	15-11	<b>17.3 Wire/Harness Installation</b> .....	17-12
15.2.1.2 Shield Braid .....	15-12	17.3.1 Stress Relief .....	17-12
15.2.1.2.1 Woven .....	15-12	17.3.2 Wire Dress .....	17-13
15.2.1.2.2 Combed and Twisted .....	15-12	17.3.3 Service Loops .....	17-14
15.2.1.3 Daisy Chain .....	15-13	17.3.4 Clamping .....	17-15
15.2.1.4 Common Ground Point .....	15-13	17.3.5 Intersecting .....	17-15
15.2.2 No Shield Jumper Wire .....	15-14	<b>18 Solderless Wrap</b> .....	18-1
15.2.2.1 Shield Not Folded Back .....	15-14	<b>18.1 Number of Turns</b> .....	18-2
15.2.2.2 Shield Folded Back .....	15-15	<b>18.2 Turn Spacing</b> .....	18-3
<b>15.3 Shield Termination - Connector</b> .....	15-16	<b>18.3 End Tails, Insulation Wrap</b> .....	18-4
15.3.1 Shrink .....	15-16	<b>18.4 Raised Turns Overlap</b> .....	18-6
15.3.2 Crimp .....	15-18	<b>18.5 Connection Position</b> .....	18-7
15.3.3 Shield Jumper Wire Attachment .....	15-20	<b>18.6 Wire Dress</b> .....	18-9
15.3.4 Soldered .....	15-21	<b>18.7 Wire Slack</b> .....	18-10
<b>15.4 Shield Termination - Splicing Prewoven</b> .....	15-21	<b>18.8 Plating</b> .....	18-11
15.4.1 Soldered .....	15-21	<b>18.9 Solderless Wrap - Damage</b> .....	18-12
15.4.2 Tie/Tape On .....	15-23	18.9.1 Insulation .....	18-12
<b>15.5 Tapes - Barrier and Conductive, Adhesive or Nonadhesive</b> .....	15-24	18.9.2 Wires and Terminals .....	18-13
<b>15.6 Conduit (Shielding)</b> .....	15-25	<b>19 Testing</b> .....	19-1
<b>15.7 Shrink Tubing - Conductive Lined</b> .....	15-26	<b>19.1 Nondestructive Tests</b> .....	19-2
<b>16 Cable/Wire Harness Protective Coverings</b> .....	16-1	<b>19.2 Testing After Rework or Repair</b> .....	19-2
<b>16.1 Braid</b> .....	16-2	<b>19.3 Intended Table Usage</b> .....	19-2
16.1.1 Direct Applied .....	16-2	<b>19.4 Electrical Test</b> .....	19-3
16.1.2 Prewoven .....	16-3	19.4.1 Selection .....	19-3
<b>16.2 Sleeving/Shrink Tubing</b> .....	16-6		
16.2.1 Sealant .....	16-7		
<b>16.3 Spiral Plastic Wrap (Spiral Wrap Sleeving)</b> .....	16-7		
<b>16.4 Wire Loom Tubing - Split and Unsplit</b> .....	16-8		

## Table of Contents (cont.)

<b>19.5 Electrical Test Methods</b> .....	19-4	<b>Table 11-1 Cable/Wire Length Measurement Tolerance</b> .....	11-2
19.5.1 Continuity .....	19-4	<b>Table 13-1 Coaxial and Biaxial Shield and Center Conductor Damage</b> .....	13-2
19.5.2 Shorts .....	19-5	<b>Table 13-2 Semirigid Coax Deformation</b> .....	13-25
19.5.3 Dielectric Withstanding Voltage (DWW) .....	19-6	<b>Table 13-3 Dielectric Cutoff</b> .....	13-30
19.5.4 Insulation Resistance (IR) .....	19-7	<b>Table 14-1 Minimum Bend Radius Requirements</b> .....	14-14
19.5.5 Voltage Standing Wave Ratio (VSWR) .....	19-8	<b>Table 18-1 Minimum Turns of Bare Wire</b> .....	18-2
19.5.6 Insertion Loss .....	19-8	<b>Table 19-1 Electrical Test Requirements</b> .....	19-3
19.5.7 Reflection Coefficient .....	19-9	<b>Table 19-2 Continuity Test Minimum Requirements</b> .....	19-4
19.5.8 User Defined .....	19-9	<b>Table 19-3 Shorts Test (low voltage isolation) Minimum Requirements</b> .....	19-5
<b>19.6 Mechanical Tests</b> .....	19-10	<b>Table 19-4 Dielectric Withstanding Voltage Test (DWW) Minimum Requirements</b> .....	19-6
19.6.1 Selection .....	19-10	<b>Table 19-5 Insulation Resistance (IR) Test Minimum Requirements</b> .....	19-7
<b>19.7 Mechanical Test Methods</b> .....	19-11	<b>Table 19-6 Voltage Standing Wave Ratio (VSWR) Test Parameters</b> .....	19-8
19.7.1 Crimp Height (Dimensional Analysis) .....	19-11	<b>Table 19-7 Insertion Loss Test Parameters</b> .....	19-8
19.7.1.1 Terminal Positioning .....	19-12	<b>Table 19-8 Reflection Coefficient Test Parameters</b> .....	19-9
19.7.2 Pull Force (Tensile) .....	19-13	<b>Table 19-9 Mechanical Test Requirements</b> .....	19-10
19.7.2.1 Without Documented Process Control .....	19-14	<b>Table 19-10 Crimp Height Testing</b> .....	19-11
19.7.3 Crimp Force Monitoring .....	19-17	<b>Table 19-11 Pull Force Testing Minimum Requirements</b> .....	19-14
19.7.4 Crimp Tool Qualification .....	19-17	<b>Table 19-12 Pull Test Force Values</b> .....	19-15
19.7.5 Contact Retention Verification .....	19-17	<b>Table 19-13 Pull Test Force Values (Classes 1 &amp; 2) For UL, Mil, SAE, IEC, GM and Volvo</b> .....	19-16
19.7.6 RF Connector Shield Pull Force (Tensile) .....	19-18	<b>Table 19-14 RF Connector Shield Pull Force Testing</b> .....	19-18
19.7.7 RF Connector Shield Ferrule Torsion .....	19-19		
19.7.8 User Defined .....	19-19		
<b>Appendix A Terms and Definitions</b> .....	A-1		
<b>Appendix B Reproducible Test Tables</b> .....	B-1		
<b>Table 1-1 Electrical Clearance</b> .....	1-6		
<b>Table 1-2 Magnification Aids</b> .....	1-6		
<b>Table 3-1 Allowable Strand Damage</b> .....	3-4		
<b>Table 4-1 Terminal Lead/Wire Placement</b> .....	4-18		
<b>Table 4-2 Turret and Straight Pin Terminal Lead/Wire Placement</b> .....	4-21		
<b>Table 4-3 Bifurcated Terminal Lead/Wire Placement - Side Route</b> .....	4-24		
<b>Table 4-4 Bifurcated Terminal Lead/Wire Placement - Bottom Route</b> .....	4-26		
<b>Table 4-5 Pierced or Perforated Terminal Lead/Wire Placement</b> .....	4-33		
<b>Table 4-6 Hook Terminal Lead/Wire Placement</b> .....	4-36		
<b>Table 10-1 Cosmetic Anomalies</b> .....	10-2		

## Foreword

The following topics are addressed in this section:

### 1.1 Scope

### 1.2 Purpose

### 1.3 Approach to This Document

### 1.4 Measurement Units and Applications

1.4.1 Verification of Dimensions

### 1.5 Requirements

### 1.6 Uncommon or Specialized Designs

### 1.7 Terms and Definitions

1.7.1 Inspection

1.7.2 Manufacturer (Assembler)

1.7.3 Objective Evidence

1.7.4 Process Control

1.7.5 Supplier

1.7.6 User

1.7.7 Wire Diameter (D)

### 1.8 Classes of Product

### 1.9 Order of Precedence

### 1.10 Requirements Flowdown

### 1.11 Personnel Proficiency

### 1.12 Facilities

1.12.1 Field Assembly Operations

### 1.13 Tools and Equipment

1.13.1 Control

1.13.2 Calibration

1.13.3 Materials and Processes

### 1.14 Figures and Illustrations

### 1.15 Inspection Conditions

1.15.1 Target

1.15.2 Acceptable

1.15.3 Process Indicator

1.15.4 Defect

1.15.5 Disposition

1.15.6 Product Classification Implied Relationships

1.15.7 Conditions Not Specified

### 1.16 Electrical Clearance

### 1.17 Inspection

1.17.1 Sampling

1.17.1.1 Lighting

1.17.1.2 Magnification Aids

### 1.18 Electrostatic Discharge (ESD) Protection

### 1.19 Contamination

### 1.20 Rework/Repair

1.20.1 Rework

1.20.2 Repair

### 1.21 Statistical Process Control

## Foreword (cont.)

**1.1 Scope** This standard prescribes practices and requirements for the manufacture of Cable, Wire and Harness Assemblies.

**If a conflict occurs between the English and translated versions of this document, the English version will take precedence.**

**1.2 Purpose** This Standard describes materials, methods, tests and acceptability criteria for producing crimped, mechanically secured, or soldered interconnections and the related assembly activities associated with cable and harness assemblies.

Any method that produces an assembly conforming to the acceptability requirements described in this standard may be used.

**1.3 Approach to This Document** IPC/WHMA-A-620 can be used as a stand-alone document for purchasing products; however it does not specify frequency of in-process inspection or frequency of end product inspection. No limit is placed on the number of process indicators or the number of allowable repair/rework of defects. Such information should be developed with a statistical process control plan (see IPC-9191).

All products **shall [D1D2D3]** meet the requirements of the assembly drawing(s)/ documentation and the requirements for the applicable product class specified herein.

The illustrations in this document portray specific points noted in the title of each section. A brief description follows each illustration. The development committee recognizes that different parts of the industry have different definitions for some terms used herein. For the purposes of this document, the terms cable and wire harness are used interchangeably.

Class 3 **shall [N1N2D3]** develop and implement a documented process control system. A documented process control system, if established, **shall [N1D2D3]** define process control and corrective action limits. This may or may not be a “statistical process control” system (see 1.21). The use of “statistical process control” (SPC) is optional and should be based on factors such as design stability, lot size, production quantities, and the needs of the company.

Process control methodologies **shall [N1D2D3]** be used in the planning, implementation and evaluation of the manufacturing processes used to produce cables and wire harness assemblies. The philosophy, implementation strategies, tools and techniques may be applied in different sequences depending on the specific company, operation, or variable under consideration to relate process control and capability to end product requirements.

**1.4 Measurement Units and Applications** All dimensions and tolerances, as well as other forms of measurement in this standard are expressed in SI (System International) units (with Imperial English equivalent dimensions provided in brackets). Dimensions and tolerances use millimeters as the main form of dimensional expression; micrometers are used when the precision required makes millimeters too cumbersome.

**1.4.1 Verification of Dimensions** For the purposes of determining conformance to this specification, all specified limits in this standard are absolute limits as defined in ASTM E29.

**1.5 Requirements** The word “**shall**” is used in the text of this document wherever there is a requirement for materials, process or acceptance of cable, wire and harness assemblies.

Where the word **shall** leads to a hardware defect for at least one class, the requirements for each class are in brackets next to the **shall** requirement.

N = No requirement has been established for this Class  
A = Acceptable  
P = Process Indicator  
D = Defect

**Examples:**

- [A1P2D3]** : Acceptable – Class 1  
Process Indicator – Class 2  
Defect – Class 3
- [N1D2D3]** : Requirement Not Established – Class 1  
Defect – Classes 2 and 3
- [A1A2D3]** : Acceptable – Classes 1 and 2  
Defect – Class 3
- [D1D2D3]** : Defect – Classes 1, 2 and 3

The word “should” reflects recommendations and is used to reflect general industry practices and procedures for guidance only.

**1.6 Uncommon or Specialized Designs** IPC/WHMA-A-620, as an industry consensus document, cannot address all of the possible product design combinations. However, the standard does provide criteria for commonly used technologies. Where uncommon or specialized technologies are used, it may be necessary to develop unique acceptance criteria. The development should include User involvement. The acceptance criteria **shall [N1N2D3]** have User agreement. Requirements for specialized processes and/or technologies not specified herein **shall [N1D2D3]** be performed in accordance with documented procedures which are available for review.