

ASME PTB-8-2014

Procurement Guidelines for Metallic Materials



Copyright © 2014 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



PTB-8-2014

PROCUREMENT GUIDELINES FOR METALLIC MATERIALS

Prepared by:

Elmar Uptis
Uptis & Associates, Inc.



Date of Issuance: September 12, 2014

This document was prepared as an account of work sponsored by ASME Pressure Technology Codes and Standards (PTCS) through the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, the author, nor others involved in the preparation or review of this document, nor any of their respective employees, members or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by ASME or others involved in the preparation or review of this document, or any agency thereof. The views and opinions of the authors, contributors and reviewers of the document expressed herein do not necessarily reflect those of ASME or others involved in the preparation or review of this document, or any agency thereof.

ASME does not “approve,” “rate”, or “endorse” any item, construction, proprietary device or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME is the registered trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990
ISBN No. 978-0-7918-6947-5

Copyright © 2014 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved
Printed in the U.S.A.



TABLE OF CONTENTS

Foreword	v
1 INTRODUCTION	1
2 SCOPE	2
3 ASME ADOPTION OF MATERIAL SPECIFICATIONS.....	3
3.1 ASME Material Specifications.....	3
3.2 ASTM Material Specifications.....	4
3.3 Dual Marked Materials.....	4
4 GENERAL REQUIREMENTS IN MATERIAL SPECIFICATIONS FOR VARIOUS PRODUCT FORMS	5
4.1 SA-20, General Requirements for Steel Plates for Pressure Vessels	6
4.2 SA-788, General Requirements for Steel Forgings.....	8
4.3 SA-961, Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications	9
4.4 SA-530, General Requirements for Specialized Carbon and Alloy Steel Pipe	10
4.5 SA-450, General Requirements for Carbon and Alloy Steel Tubes.....	11
4.6 SA-703, General Requirements for Steel Castings for Pressure-Containing Parts	12
4.7 SA-480, Specification for General Requirements for Flat-Rolled Stainless and Heat- Resisting Steel Plate, Sheet, and Strip.....	13
4.8 SA-1016, Specification for General Requirements for Ferritic Alloy Steel, Austenitic Alloy Steel, and Stainless Steel Tubes	14
4.9 SB-248 General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip and Rolled Bar.....	15
4.10 SB-249/SB-249M General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes, and Forgings.....	15
4.11 SB-251, General Requirements for Wrought Seamless Copper and Copper-Alloy Tube.....	15
4.12 SB-751, General Requirements for Nickel and Nickel-Alloy Welded Tube.....	15
4.13 SB-775, General Requirements for Nickel and Nickel-Alloy Welded Pipe.....	16
4.14 SB-824, General Requirements for Copper Alloy Castings	16
4.15 SB-829, General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube	16
4.16 SB-906, General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet and Strip	16
5 ADDITIONAL CONSIDERATIONS FOR MATERIAL SPECIFICATIONS	17
5.1 Clad Plates.....	17
5.2 Limitations on Thickness, and Weight.....	17
5.3 Certification.....	18
6 API 5L SPECIFICATION FOR LINE PIPE	19
7 ASME CODE REQUIREMENTS.....	20
7.1 BPVC Section I, Rules for Construction of Power Boilers [2]	20
7.2 BPVC Section IV, Rules for Construction of Heating Boilers [5].....	20
7.3 BPVC Section VIII, Division 1, Rules for Construction of Pressure Vessels [6].....	21
7.4 BPVC Section VIII, Division 2, Alternative Rules [7]	22



7.5	BPVC Section VIII, Division 3, Alternative Rules for Construction of High Pressure Vessels [8].....	23
7.6	BPVC Section XII, Rules for Construction and Continued Service of Transport Tanks [9]...24	
7.7	ASME B31.1, Power Piping [11]	24
7.8	ASME B31.3, Process Piping [12]	24
8	FABRICATION EFFECTS.....	26
8.1	Forming.....	26
8.2	Postweld Heat Treatment (PWHT) of Ferrous Materials	26
8.2.1	PWHT Requirements.....	26
8.2.2	Test Coupons.....	27
8.2.3	PWHT Effect on Materials.....	27
8.3	Postweld Heat Treatment of Nonferrous Materials	27
9	MATERIALS DEGRADATION MECHANISMS.....	29
9.1	BPVC Section II, Part D [4], Appendix A.....	29
10	OTHER CODES AND STANDARDS, OR RECOMMENDED PRACTICES.....	30
10.1	API Recommended Practices for CR – MO Steels	30
10.2	API Recommended Practices to Avoid Damage in Certain Service Environments.....	30
10.3	NACE Standards	30
10.4	TAPPI TIPS	31
11	PAST MATERIALS PROBLEMS	32
11.1	All Product Forms	32
11.2	Plates	34
11.3	Forgings.....	36
11.4	Welded Pipe and Tubes.....	36
11.5	Castings	37
11.6	Use of Wrong Materials	37
12	VENDOR QUALIFICATIONS	38
12.1	Review of Vendor Procedures.....	38
12.2	Quality Control.....	38
12.3	Documentation	38
12.4	Materials Traceability	38
13	SUGGESTED MEASURES FOR ORDERING MATERIALS	39
13.1	Review of Materials Manufacturers and Suppliers’ Qualifications	39
13.2	Documentation	39
14	MATERIALS PURCHASE SPECIFICATIONS.....	40
14.1	Additional Considerations.....	40
	References.....	41
	APPENDIX A: SUGGESTED Materials Quality Control Programs for Material Manufacturers and Suppliers.....	43
	APPENDIX B: SA-516, Grade 70 Plate Sample Material Procurement Specification	44
	APPENDIX C: SA-387, Grade 11, Class 1 Plate Sample Material Procurement Specification	46



FOREWORD

The scope of this document is to discuss the requirements in the ASME Codes and in the ASME material specifications for metallic materials, to address the various issues that affect the materials, and to provide guidelines for evaluating materials manufacturers and for preparing materials specifications that include the requirements for procuring material for ASME Code construction.

The author acknowledges, with deep appreciation, the following individuals for their technical and editorial peer review of this document: Jeffrey Henry, Dipak Chandiramani, Bryan Erler, Roy Grichuk, James Hall, David Jones, Mark Lewis, Adeel Raza, Christopher Reichert, Marcello Senatore, and Richard Sutherlin in particular, thanks to ASME staff for the assistance provided in the execution of this project.

Established in 1880, the American Society of Mechanical Engineers (ASME) is a professional not-for-profit organization with more than 135,000 members and volunteers promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety, and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit www.asme.org for more information.



INTENTIONALLY LEFT BLANK



1 INTRODUCTION

The ASME Boiler and Pressure Vessel Codes (BPVC) typically use ASME material specifications in practice, whereas, the ASME Piping Codes use ASTM material specifications. The ASME material specifications used in BPVC construction are based on the American Society for Testing Materials (ASTM), American Welding Society (AWS), or other international material specifications for metallic materials. The material specifications include mandatory requirements for manufacturing, testing and inspecting material, and may include a number of supplementary requirements, which are only used when specified by the purchaser. The specifications may also contain requirements pertaining to ordering and supplying of the materials.

ASTM and ASME material specifications generally do not include requirements that address fabrication effects on materials, except for statements that the material is suitable for welding construction. The BPVC and the ASME B31 Pressure Piping Codes do include certain requirements for fabrication effects, such as forming strains, tests on representative test coupons to simulate fabrication heat treatments, impact test requirements for materials and welded joints, and inspection requirements. Where these additional requirements are mandated by the ASME Codes, it is generally the responsibility of the vessel or piping designer/purchaser to specify these requirements when specifying/purchasing raw materials.

The ASME Codes and the various material specifications also do not generally include special requirements for environmental effects on the materials. The 2013 edition of the BPVC Section II, Part D includes an expanded Non-mandatory Appendix A that describes various materials degradation mechanisms for materials that are used in ASME Code construction. Generally, it is the responsibility of the user or designer to identify service related material requirements for vessels and piping. It is the responsibility of the vessel or piping manufacturer to specify these requirements when procuring materials.

Frequently, ASME material requirements or service related conditions are not properly identified, or communicated between the parties involved during design, specification, procurement, and fabrication of vessels and piping. This document is intended to highlight common problems associated with the specification and procurement of materials for ASME Code construction. The relevant ASME Codes in this document include BPVC Section I, BPVC Section IV, BPVC Section VIII, BPVC Section XII, B31.1 Power Piping Code (ASME B31.1), and B31.3 Process Piping Code (ASME B31.3). The information in this report may also be applicable to other codes; however, such other codes have not been evaluated for inclusion in this document.



2 SCOPE

The ASME Codes and material specifications include specific requirements for use of the materials in ASME Code construction. However, they do not address all requirements. It is the responsibility of the user to specify service related requirements to prevent in-service degradation of the materials. It is the responsibility of the vessel manufacturer to account for materials degradation during fabrication and to include all necessary requirements in the raw material purchase specifications for ASME Code construction.

The scope of this document is to discuss the requirements in the ASME Codes and in the ASME material specifications for metallic materials, to address the various issues that affect the materials, and to provide guidelines for evaluating materials manufacturers and for preparing materials specifications that include the requirements for procuring material for ASME Code construction.

Some of the sections in this document pertain only to ferrous materials (carbon steels, low alloy steels and high alloy steels) because many of the past problems have been related to these materials (refer to Section 4 and Section 11 herein). However, most of the issues and considerations discussed in this document also pertain to nonferrous materials, particularly Sections 12 – 14 herein.

