

INTERNATIONAL STANDARD

IEC 60728-6

Second edition
2003-07

Cable networks for television signals, sound signals and interactive services –

Part 6: Optical equipment

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XA

For price, see current catalogue

CONTENTS

| | |
|--|----|
| FOREWORD | 4 |
| INTRODUCTION | 6 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms, definitions, symbols and abbreviations | 8 |
| 4 Methods of measurement | 17 |
| 4.1 General measurement requirements | 17 |
| 4.2 Optical power | 17 |
| 4.3 Loss, isolation, directivity and coupling ratio | 18 |
| 4.4 Return loss | 19 |
| 4.5 Saturation output power of an optical amplifier | 20 |
| 4.6 Polarization dependent loss | 21 |
| 4.7 Centroidal wavelength and spectral width under modulation | 22 |
| 4.8 Linewidth and chirping of transmitters with single mode lasers | 23 |
| 4.9 Optical modulation index | 25 |
| 4.10 Reference output level of an optical receiver | 26 |
| 4.11 Slope and flatness | 27 |
| 4.12 Composite second order distortion (CSO) of optical transmitters | 29 |
| 4.13 Composite triple beats (CTB) of optical transmitters | 30 |
| 4.14 Composite crossmodulation of optical transmitters | 31 |
| 4.15 Receiver intermodulation | 33 |
| 4.16 CSO of optical amplifiers | 36 |
| 4.17 CTB of optical amplifiers | 36 |
| 4.18 Carrier-to-noise ratio | 36 |
| 4.19 Method for combined measurement of relative intensity noise (RIN), optical modulation index and equivalent input noise current | 40 |
| 4.20 Noise figure of optical amplifiers | 42 |
| 4.21 Influence of fibre | 43 |
| 4.22 SBS threshold | 43 |
| 5 Universal performance requirements and recommendations | 44 |
| 5.1 Safety | 44 |
| 5.2 Electromagnetic compatibility (EMC) | 44 |
| 5.3 Environmental | 44 |
| 5.4 Marking | 45 |
| 6 Active equipment | 45 |
| 6.1 Optical downlink transmitters | 45 |
| 6.2 Optical uplink transmitters | 47 |
| 6.3 Optical receivers | 49 |
| 6.4 Optical amplifiers | 51 |
| 7 Passive equipment | 52 |
| 7.1 Connectors and splices | 52 |
| 7.1.1 Data publication requirements | 52 |
| Annex A (informative) A simplified method of measurement for return loss | 53 |
| Annex B (informative) Product specification worksheets for optical amplifiers | 55 |
| Bibliography | 58 |

| | |
|---|----|
| Figure 1 – Measurement of optical power..... | 18 |
| Figure 2 – Measurement of optical loss, directivity and isolation | 19 |
| Figure 3 – Measurement of the optical return loss | 20 |
| Figure 4 – Optical saturation output power | 21 |
| Figure 5 – Measurement of the polarization dependent loss | 21 |
| Figure 6 – Measurement of central wavelength and spectral width under modulation | 22 |
| Figure 7 – Measurement of the chirping and the linewidth of transmitters | 24 |
| Figure 8 – Measurement of the optical modulation index | 26 |
| Figure 9 – Measurement of the reference output level of an optical receiver | 27 |
| Figure 10 – Measurement of the frequency range and flatness | 28 |
| Figure 11 – Evaluation of the slope | 28 |
| Figure 12 – Evaluating the flatness | 29 |
| Figure 13 – Device under test for measuring CSO of optical transmitters | 30 |
| Figure 14 – Device under test for measuring CTB of optical transmitters | 31 |
| Figure 15 – Arrangement for measuring composite crossmodulation of optical transmitters | 32 |
| Figure 16 – Arrangement of test equipment for measuring receiver intermodulation..... | 35 |
| Figure 17 – System with internal noise sources | 36 |
| Figure 18 – PIN diode receiver | 37 |
| Figure 19 – Optical transmission system under test | 38 |
| Figure 20 – Arrangement of test equipment for carrier-to-noise measurement | 38 |
| Figure 21 – Measurement set-up for determination of the noise parameters and the optical modulation index | 42 |
| Figure 22 – Arrangement for measuring the SBS threshold | 44 |
| Figure 23 – Classification of uplink transmitters | 48 |
| Figure A.1 – Test set-up for calibration | 53 |
| Figure A.2 – Measurement of the optical power of the light source | 54 |
| Figure A.3 – Test set-up for device under test..... | 54 |
| Figure A.4 – Measurement of the optical power at port A..... | 54 |
| Table 1 – Noise correction factors C_n for different noise level differences D | 40 |
| Table 2 – Data publication requirements for optical downlink transmitters | 46 |
| Table 3 – Recommendations for optical downlink transmitters..... | 46 |
| Table 4 – Requirements for optical downlink transmitters | 47 |
| Table 5 – Data publication requirements for optical uplink transmitters..... | 48 |
| Table 6 – Recommendations for optical uplink transmitters | 49 |
| Table 7 – Requirements for optical uplink transmitters | 49 |
| Table 8 – Classification of optical receivers | 50 |
| Table 9 – Data publication requirements for optical receivers | 50 |
| Table 10 – Recommendations for optical receivers | 50 |
| Table 11 – Performance requirements for optical receivers | 51 |
| Table B.1 – Minimum list of relevant parameters of power amplifiers to be specified for analogue applications | 55 |
| Table B.2 – Minimum list of relevant parameters of line amplifiers to be specified for analogue applications | 56 |
| Table B.3 – Minimum list of relevant parameters of optically amplified transmitters (OAT) to be specified for analogue applications | 57 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CABLE NETWORKS FOR TELEVISION SIGNALS,
SOUND SIGNALS AND INTERACTIVE SERVICES –****Part 6: Optical equipment**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-6 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2001 of which it constitutes a technical revision.

The text of this standard is based on

| | |
|--------------|------------------|
| FDIS | Report on voting |
| 100/680/FDIS | 100/697/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that this publication remains valid until 2006. At this date, in accordance with the committee's decision, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks for television signals, sound signals and interactive services including equipment, systems and installations:

- for headend-reception, processing and distribution of sound and television signals and their associated data signals, and
- for processing, interfacing and transmitting all kinds of interactive multimedia signals using all applicable transmission media.

They cover all kinds of networks that convey modulated RF carriers such as

- CATV-networks;
- MATV-networks and SMATV-networks;
- individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

The scope of these standards extends from antennas and special signal source inputs to headend or other interface points, to networks as a whole up through system outlets, or terminal inputs where no system outlet exists.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) is excluded.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 6: Optical equipment

1 Scope

This part of IEC 60728 lays down the measuring methods, performance requirements and data publication requirements of optical equipment of cable networks for television signals, sound signals and interactive services.

This standard

- applies to all optical transmitters, receivers, amplifiers, directional couplers, isolators, multiplexing devices, connectors and splices used in cable networks;
- covers the frequency range 5 MHz to 3 000 MHz;
NOTE The upper limit of 3 000 MHz is an example, but not a strict value. The frequency range or ranges, over which the equipment is specified, shall be published.
- identifies guaranteed performance requirements for certain parameters;
- lays down data publication requirements with guaranteed performance;
- describes methods of measurement for compliance testing.

All requirements and published data relate to minimum performance levels within the specified frequency range and in well-matched conditions as might be applicable to cable networks for television signals, sound signals and interactive services.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing. Part 1: General and guidance*

IEC 60068-2, (all parts), *Environmental testing – Part 2: Tests*

IEC 60169-2, *Radio-frequency connectors – Part 2: Coaxial unmatched connector*

IEC 60169-24, *Radio-frequency connectors – Part 24: Radio-frequency coaxial connectors with screw coupling, typically for use in 75 ohm cable distribution systems (Type F)*

IEC 60417-DB:2002*, *Graphical symbols for use on equipment*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60617 (all parts) [DB]*, *Graphical symbols for diagrams*

* "DB" refers to the IEC on-line database.

IEC 60728-1, *Cabled distribution systems for television and sound signals – Part 1: Methods of measurement and system performance*

IEC 60728-2, *Cabled distribution systems for television and sound signals – Part 2: Electromagnetic compatibility of equipment*

IEC 60728-3, *Cabled distribution systems for television and sound signals – Part 3: Active coaxial wideband distribution equipment*

IEC 61280-2-2, *Fibre optic communication subsystem basic test procedures – Part 2-2: Test procedures for digital systems – Optical eye pattern, waveform, and extinction ratio*

IEC 61280-4-2, *Fibre optic communication subsystem basic test procedures – Part 4-2: Fibre optic cable plant – Single-mode fibre optic cable plant attenuation*

IEC 61282-4, *Fibre optic communication system design guides – Part 4: Guideline to accommodate and utilize nonlinear effects in single-mode fibre optic systems*

IEC 61290-1-3, *Optical fibre amplifiers – Basic specification – Part 1-3: Test methods for gain parameters – Optical power meter*

IEC 61290-3, *Optical fibre amplifiers – Basic specification – Part 3-1: Test methods for noise figure parameters*

IEC 61290-3-2, *Optical fibre amplifiers – Part 3-2: Test methods for noise figure parameters – Electrical spectrum analyzer*

IEC 61290-5, *Optical fibre amplifiers – Basic specification – Part 5: Test methods for reflectance parameters*

IEC 61291-1, *Optical fibre amplifiers – Part 1: Generic specification*

IEC 61931, *Fibre optics – Terminology*

IEC 80416, *Basic principles for graphical symbols for use on equipment*

ITU G.692, *Optical interfaces for multichannel systems with optical amplifiers*

EN 300019-1-3, *Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-3: Classification of environmental conditions; Stationary use at weatherprotected locations*