

American National Standard

for safety glazing materials
used in buildings –
safety performance specifications
and methods of test

Standard ANSI Z97.1 – 2004^e



American National Standards Institute
25 West 43rd Street,
New York, New York 10036

ANSI
Z97.1 – 2004^e
Revision of
Z97.1-1984 (R1994)

**American National Standard
for Safety Glazing Materials
Used in Buildings -
Safety Performance Specifications
and Methods of Test**

Secretariat

Glazing Industry Secretariat Committee

Approved by ASC August 2003

American National Standards Institute, Inc.

ANSI Z97.1-2004^e: Adjustment of year markings within standard – editorial changes made to “Forward” and Section 6.1(2). Correction of address for ANSI headquarters throughout document. Typographical errors identified and corrected after initial publishing.

ANSI Z97.1

© Copyright 2004 - ANSI Z97.1 Accredited Standards Committee

i

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: *This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchases of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.*

Published by

American National Standards Institute
25 West 43rd Street, New York, New York 10036

Copyright 2004 by ANSI Z97.1 Accredited Standards Committee
All rights reserved.

*No part of this publication may be reproduced in any form,
in an electronic retrieval system or otherwise, without
the prior written permission of the publisher.*

Printed in the United States of America

FORWARD

(This forward is not part of ANSI Z97-1-2004)

This standard was developed under procedures accredited as meeting the criteria for American National Standards. The consensus committee that approved the Standard was balanced to ensure that individuals from competent and concerned interests have had an opportunity to participate. It was developed within the approved scope as stated in Section 1.1 of the standard.

This Standard is available for public review on a continuing basis. This provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large. The use of an addenda system will allow revisions made in response to public review or committee actions to be published as required.

This standard, which is the result of extended and careful consideration of available knowledge and experience on the subject, is intended to provide minimum requirements that are recommended for use, adoption, enforcement by federal, state and local authorities and by model codes. It is recommended that this standard be referenced but not incorporated in any statute.

The impact tests described in this standard are based on realistic information and criteria but it must be acknowledged that in a small number of cases, involving rare coincidence, somewhat larger impact forces could be developed.

This Standard does not recommend where safety glazing should be used or, when it is used, what type of glazing material should be used. For this information one should consult other codes, standards and manufacturer's information.

Neither the standards committee nor the secretariat feel that this standard is perfect or in its ultimate form. It is recognized that, although safety-glazing materials are widely used and accepted, new developments are to be expected and revisions of the standards are necessary as the art progresses and further experience is gained. The accredited standards committee (ASC) has carefully considered the inclusion of a widely used center punch fragmentation test in the standard as a secondary method for testing tempered glass. The ASC decided that while this test is a common quality control method used in the tempering industry, the actual evaluation and reporting of the test results needs further study. The tempering division of the Glass Association of North America (GANA) has agreed to pursue the development of this test and will propose a center punch fragmentation test for consideration at the next review of this standard.

This standard is a successor standard to the 1994 edition. The 1994 standard was a reaffirmation of the 1984 standard with various editorial changes and the 1984 standard succeeded those of the 1975, 1972 and 1966 editions.

For communication with the Committee please refer to the following page.

CORRESPONDENCE WITH THE Z97.1 COMMITTEE

General. ANSI Codes and Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions, and attending Committee meetings. Correspondence should be addressed to:

Secretary, Z97.1 Main Committee
c/o J.C. Schimmelpenningh
Solutia Inc.
730 Worcester St.
Springfield, MA 01151

JCSchi@Solutia.com

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Proposals should be as specific as possible: citing the paragraph number(s), the proposed wording and a detailed description of the reasons for the proposal. Pertinent documentation should be included.

Interpretations. On written request, the Z97.1 Committee will render an interpretation of any requirement of the Standard. The request for interpretation should be clear and unambiguous. The following format is recommended:

- Subject: Cite the applicable paragraph number(s) and provide a concise description.
- Edition: Cite the edition of the Standard for which the interpretation is being requested.
- Question: Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use not a request for an approval of a proprietary design or situation.

Requests that are not in the above format may be rewritten by the Committee or its Secretary prior to being answered, which may inadvertently change the intent of the original request. The Committee reserves the right to deem certain requests for interpretations as not within its scope or expertise and refuse to address them.

The committee reserves the right to reconsider any interpretation when or if additional information which might affect its becomes available to the Committee. Persons aggrieved by an interpretation may appeal to the Committee for reinterpretation. The Z97.1 Committee does not "approve," "certify," "rate," or "endorse," any item, construction, proprietary device, or activity beyond what is addressed in the Standard.

Attending Committee Meetings. The Z97.1 Committee holds meeting that are open to the public. Persons wishing to attend any meeting should contact the Secretary of the Committee.

DISCLAIMER AND CONDITION OF USE

The ANSI Z97 Accredited Standards Committee (“ASC”) and its Secretariat, currently the Glazing Industry Secretariat Committee, have developed this recommended safety performance specification and test method for glazing materials through a consensus standards development process the American National Standards Institute has approved. This process brings together volunteers representing varied view points and interests to achieve consensus on safety related issues. While the ANSI Z97 ASC and its Secretariat administer the process in accordance with ANSI established rules designed to promote fairness in the development of consensus, neither the ASC nor its Secretariat independently tests, evaluates, or verifies the accuracy of any information or the soundness of any judgments contained within the document, ANSI Standard Z97.1.

The ASC, together with its members, affiliates, and its Secretariat, expressly disclaim and shall not be liable for any personal injury, property or other damage of any nature, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this document, whether based upon breach of contract, breach of warranty, tort (including negligence), strict liability, or otherwise, even if advised of the possibility of such damages. The foregoing negation of damages is a fundamental element of the use of the information and data contained herein, and this information and data would not be developed, compiled, and forwarded by ASC to ANSI without such limitation.

The ASC, together with its members, affiliates, and its Secretariat, also make no guarantees or warranties, express or implied, including without limitation, any and all warranties concerning the accuracy or completeness of the information in the document, its fitness or appropriateness for a particular purpose or use, its merchantability, and its non-infringement of any third party’s intellectual property rights. Together, they make no representations or warranties regarding the information’s compliance with any other applicable statute, rule, law, or regulation.

Building codes vary from jurisdiction to jurisdiction, and those using this document must consult the most current version of the applicable building code in effect in the jurisdiction where the glazing material is to be installed for restrictions or limitations upon the use of glazing materials tested to this document, ANSI Standard Z97.1. The ASC, together with its members, affiliates, and its Secretariat, disclaim any duty or obligation, except as may be required by established ANSI rules, to update or revise the document based upon provisions of or changes to the building codes.

In developing this safety performance specification and test method and submitting it to ANSI for approval and publication, neither the ASC, its members, nor its Secretariat is undertaking to render professional or other services for or on behalf of any person or entity. Nor are they undertaking to perform any duty owed by any person or entity to someone else. Those using this document should rely upon their own independent judgment or, as appropriate, seek the advise of competent professionals in determining the exercise of reasonable care in any given circumstances. Neither the ASC, its members, nor its Secretariat has any power, nor do they undertake, to police or enforce compliance with the contents of this document. Nor do they list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to ASC and is solely the responsibility of the certifier or maker of this statement.

This standard was processed and approved for submittal to ANSI by American National Standards Committee on Safety Requirements for Architectural Glazing Material, Z97. Committee approval of the standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the Z97 Committee had the following members:

Valerie Block, Chair
 Julia Schimmelpenningh, Secretary

<u>Organization Represented</u>	<u>Primary Participant</u>	<u>Alternate</u>
3M Construction Markets Division	Kenneth Smith	James Mannix
ACIL	Rocco Morro	N/a
AFG Industries Inc.	Mark Cody	Greg Feathers
AIMCAL Window Film Committee	Darrell Smith	Vickie Lovell
Atlas Electric Devices Co	Richard Slomko	Oscar Cordo
Consolidated Glass Corp.	Carlo Carmen	Louis Marryman
Cyro Industries, Inc.	Francis Hewitt	Darrell Sparks
E.I. Dupont de Nemours Co. Inc.	Serge Molinari	Steve Bennison
Elf Atochem- ATOGlass	Albert Bartosic	Elizabeth Grimes
Flat Glass Manufacturers Association of Japan	Tom Mewbourne	N/a
Flex-O-Glass	Al Hunsicker	Harold Warp
GE Plastics, Structured Products	Dennis Furlano	Chuck Mulcahy
Glass Association of North America	Greg Carney	Valerie Block
Guardian Industries Corp.	Henry Gorry	Kevin Olah
Lucite International, Inc.	Albert Brown	Steven Coulter
International Brotherhood of Painters & Allied Trades	Michael Metz	N/a
Internation Conference of Building Officials	Dennis McCreary	N/a
Kolbe & Kolbe Millwork	Ken Wilcox	N/a
Oldcastle Glass, Inc.	Richard Wright	Robert Williams
Pilkington - LOF Co.	Chris Barry	R. Herrington
Pilkington – PPE	Brian Waldron	Thomas Zaremba
Plaskolite Inc.	David Chan	Timothy Ling
Q-Panel Corporation	Steven Grossman	N/a
Solutia Inc.	Julia Schimmelpenningh	Mark Gold
Stanley Door Systems	Richard Kon	N/a
Technical Glass Products	Jerry Razwick	Len Brunette
TemperBent Glass, LP	Richard Paschel	N/a
Velux-America Inc.	Roland Temple	N/a
Viracon Inc.	Lyle Krohnberg	Michael Diedrich
Virginia Glass Products	B.D. Beeler	N/a
Window and Door Manufacturers Association	Rick Perry	John McFee
Wiss, Janney, Elstner Associates	Bill Nugent	Robert Hannen

Individual Members

**Valerie Block
Griffith Bowen
Robert Brown
Ed Conrath
Charles Cumpston
Ray Foss**

**Brain Gartner
George Graf Jr.
John Kent
William Knutsen
Debra Levy
Harry Miles**

**Robert Nance
Scott Norville
Julie Ruth
John Turnbull
Don Vild**

Steering Committee Z97.1

**Valerie Block, Chair
Julia Schimmelpenningh, Secretary
Al Bartosic
Al Brown
Mark Cody
John Kent
John Turnbull
Richard Wright**

Table of Contents

SECTION	PAGE
1	Scope, Purpose, and Limitations.....11
1.1	Scope.....11
1.2	Purpose.....11
1.3	Limitations.11
2	Referenced Standards12
3	Definitions13
4	Specimens to Be Tested15
4.1	Condition of Specimens.16
4.2	Thickness of Specimens.16
4.3	Size Classification of Specimens.....16
4.4	Specimens for Impact Tests.16
4.5	Specimens for Boil Test.....17
4.6	Specimens for Weathering Tests.....17
4.7	Specimens for Modulus and Hardness Tests17
5	Test Specifications18
5.1	Impact Test.....18
5.2	Boil Test for Laminated Glass.28
5.3	Weathering Tests for Laminates, Organic-Coated Glass and Plastics.....28
5.4	Aging Tests for Plastics and Organic-Coated Glass Used in Indoor Applications Only.32
6	Marking of Safety Glazing Material33
6.1	Label Content.....33
6.2	Application of Label.....34
6.3	Special Application Labeling.....34
APPENDIX36
A1.	General36
A3.	Development of Human Engineering Data Chart36
A4.	Interpretation of Results (See 5.1.4)38

American National Standard for Safety Glazing Materials Used in Buildings - Safety Performance Specifications and Methods of Test

1 Scope, Purpose, and Limitations

1.1 Scope.

This standard establishes the specifications and methods of test for the safety properties of safety glazing materials (glazing materials designed to promote safety and to reduce or minimize the likelihood of cutting and piercing injuries when the glazing materials are broken by human contact) as used for all building and architectural purposes.

1.2 Purpose.

The purpose of this standard is to prescribe the safety performance characteristics of safety glazing materials. This standard affords a basis for; (1) safety standards for adoption in regulations by federal, state, and local regulatory bodies; and (2) for use by building code officials, architects, designers, specifiers and others as a reference standard. Approval of a material under this standard constitutes acceptance of its safety characteristics and the retention of those characteristics. It is not to be construed as appraisal of its durability or appearance as a glazing material.

1.3 Limitations.

1.3.1 Conformance of a material to this standard demonstrates acceptable safety characteristics of the material and retention of those characteristics.

1.3.2 While this Standard related to the minimum safety performance property test criteria for safety glazing materials, the lowest classification level herein per section 5.1.2 has NOT been accepted by all jurisdictions (e.g. CPSC 16 CFR 1201, building codes etc...) as "safe performance" for unrestricted human impact accident modes. Therefore Class C herein applies to glazing material acceptable by the authority having jurisdiction that either: (1) has restricted human impact accident modes in application; or that (2) has a combination of minimal impact characteristics with a fire safety function other than energetic human impact alone.

1.3.3 Conformance of a material to this standard is not to be construed as an appraisal of its strength, durability or appearance as a glazing material, nor does this standard specify situations in which safety-glazing materials should be used.