



IEC 62002-2

Edition 2.0 2008-05

INTERNATIONAL STANDARD

**Mobile and portable DVB-T/H radio access –
Part 2: Interface conformance testing**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE



ICS 33.170

ISBN 2-8318-9749-1

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references	8
3 Abbreviations	8
4 Test conditions	10
4.1 General test conditions.....	10
4.1.1 General	10
4.1.2 Temperature.....	10
4.1.3 Voltage.....	11
4.2 Terminal categories and summarized measurement conditions	11
4.3 Required equipment	12
4.4 Reference model and test point.....	12
4.5 Degradation criteria and resynchronization.....	13
4.6 Definition of <i>C/N</i>	15
4.7 Definition of measurement signals.....	15
4.7.1 Wanted DVB-T/H signal and interfering DVB-T signal definition.....	15
4.7.2 Interfering signal definitions.....	16
5 <i>C/N</i> performance	18
5.1 Definition and applicability.....	18
5.2 Minimum requirements	18
5.2.1 <i>C/N</i> performance in Gaussian channel	18
5.2.2 <i>C/N</i> performance in portable channel	19
5.2.3 <i>C/N</i> performance in portable indoor (PI) and portable outdoor (PO) channels.....	19
5.2.4 <i>C/N</i> performance in mobile channels.....	20
5.3 Test purpose	21
5.4 Method of test	22
5.4.1 Initial conditions	22
5.4.2 Measurement setup	22
5.4.3 Procedure.....	23
5.5 Test requirement.....	23
6 Receiver minimum and maximum input signal levels.....	24
6.1 Definition and applicability.....	24
6.2 Minimum requirements	24
6.2.1 Minimum input levels	24
6.2.2 Maximum input levels for wanted signals	24
6.3 Test purpose	24
6.4 Method of test	24
6.4.1 Initial conditions	24
6.4.2 Measurement setup	25
6.4.3 Procedure.....	25
6.5 Test requirement.....	25
7 Immunity to analogue and/or digital signals in other channels.....	26
7.1 Definition and applicability.....	26
7.2 Minimum requirements	26
7.2.1 Immunity to pattern S1	26

7.2.2	Immunity to pattern S2	27
7.2.3	Immunity to pattern L1	27
7.2.4	Immunity to pattern L2	28
7.2.5	Immunity to pattern L3	28
7.2.6	Immunity to pattern L4	29
7.3	Test purpose	30
7.4	Method of test	30
7.4.1	Initial conditions	30
7.4.2	Measurement setup	34
7.4.3	Procedure	35
7.5	Test requirement	35
8	Immunity to co-channel interference from analogue TV signals	35
8.1	Definition and applicability	35
8.2	Minimum requirements	35
8.3	Test purpose	36
8.4	Method of test	36
8.4.1	Initial conditions	36
8.4.2	Measurement setup	36
8.4.3	Procedure	37
8.5	Test requirement	37
9	Guard interval utilization: echoes within guard interval	37
9.1	Definition and applicability	37
9.2	Minimum requirements	37
9.3	Test purpose	37
9.4	Method of test	37
9.4.1	Initial conditions	37
9.4.2	Measurement setup	38
9.4.3	Procedure	38
9.5	Test requirement	39
10	Guard interval utilization: echoes outside the guard interval	39
10.1	Definition and applicability	39
10.2	Minimum requirements	39
10.3	Test purpose	40
10.4	Method of test	40
10.4.1	Initial conditions	40
10.4.2	Measurement setup	40
10.4.3	Procedure	41
10.5	Test requirement	41
11	Tolerance to impulse interference	41
11.1	Definition and applicability	41
11.2	Minimum requirements	41
11.3	Test purpose	42
11.4	Method of test	42
11.4.1	Initial conditions	42
11.4.2	Measurement setup	42
11.4.3	Procedure	43
11.5	Test requirement	43
12	GSM900 TX signal blocking test	43

12.1	Definition and applicability.....	43
12.2	Minimum requirements	44
12.2.1	Minimum input levels	44
12.3	Test purpose	44
12.4	Method of test	44
12.4.1	Initial conditions	44
12.4.2	Measurement setup	44
12.4.3	Procedure.....	45
12.5	Test requirements	45
13	Mobile SFN channel test.....	45
13.1	Definition and applicability.....	45
13.2	Minimum requirements	45
13.3	Test purpose	47
13.4	Method of test	47
13.4.1	Initial conditions	47
13.4.2	Measurement setup	47
13.4.3	Procedure.....	47
13.5	Test requirements	48
	Bibliography.....	49
	Figure 1 – Reference model.....	13
	Figure 2 – DVB-H measurement stream.....	15
	Figure 3 – PAL interfering signals	17
	Figure 4 – SECAM L interfering signal	17
	Figure 5 – Example of a possible measurement setup in <i>C/N</i> performance tests	22
	Figure 6 – Example of a possible measurement setup in minimum and maximum receiver signal input level tests	25
	Figure 7 – Pattern S1: wanted DVB-T/H channel with <i>N</i> +1 or <i>N</i> –1 analogue interferer.....	30
	Figure 8 – Pattern S2: wanted DVB-T/H channel with <i>N</i> + 1 or <i>N</i> – 1 digital DVB-T interferer.....	31
	Figure 9 – Pattern L1: wanted DVB-T/H channel with one analogue signal on <i>N</i> + 4 channel and one digital DVB-T signal on <i>N</i> + 2 channel	32
	Figure 10 – Pattern L2: wanted DVB-T/H channel with one analogue signal on <i>N</i> + 4 channel and another analogue signal on <i>N</i> + 2 channel.....	32
	Figure 11 – Pattern L3: Wanted DVB-T/H signal with one digital DVB-T signal on <i>N</i> + 4 channel and another digital DVB-T signal on <i>N</i> + 2 channel	33
	Figure 12 – Pattern L4: Wanted DVB-T/H signal with one analogue signal in C4/VHF III and one DVB-T signal in C21/UHF	34
	Figure 13 – Example of a possible measurement setup to test the immunity to analogue and/or to digital signals in other channels	34
	Figure 14 – Example of a possible measurement setup to test the immunity to co-channel interference from analogue TV signals.....	36
	Figure 15 – Example of possible measurement setup to test echoes within the guard interval	38
	Figure 16 – Echo outside guard interval mask.....	39
	Figure 17 – Example of a possible measurement setup to test echoes outside guard interval	40
	Figure 18 – Definition of the impulse interference test pattern.....	42

Figure 19 – Example of a measurement setup to test impulse noise interference	43
Figure 20 – Example of a measurement setup to test GSM900 TX signal blocking	44
Figure 21 – Example of a measurement setup in mobile SFN test	47
Table 1 – Valid conformance measurements for different terminal categories	11
Table 2 – Delta values between picture failure point and reference <i>BER</i>	14
Table 3 – DVB-H measurement streams	16
Table 4 – <i>C/N</i> (dB) in Gaussian channel.....	18
Table 5 – DVB-H <i>C/N</i> (dB) for 5 % <i>MFER</i> in Gaussian channel.....	18
Table 6 – <i>C/N</i> (dB) in portable channel.....	19
Table 7 – <i>C/N</i> (dB) for 5 % <i>MFER</i> in portable channel	19
Table 8 – <i>C/N</i> (dB) for 5 % <i>ESR</i> in PI & PO channel.....	19
Table 9 – <i>C/N</i> (dB) for 5 % <i>MFER</i> in PI & PO channel.....	20
Table 10 – <i>C/N</i> (dB) for 5 % <i>ESR</i> in typical urban channel	20
Table 11 – <i>C/N</i> (dB) for <i>MFER</i> 5 % for DVB-H	21
Table 12 – Immunity to pattern S1	26
Table 13 – Immunity to pattern S1 for DVB-H.....	26
Table 14 – Immunity to pattern S2	27
Table 15 – Immunity to pattern S2 for DVB-H.....	27
Table 16 – Immunity to pattern L1.....	28
Table 17 – Immunity to pattern L1 for DVB-H.....	28
Table 18 – Immunity to pattern L2.....	28
Table 19 – Immunity to pattern L2 for DVB-H.....	28
Table 20 – Immunity to pattern L3.....	29
Table 21 – Immunity to pattern L3 for DVB-H.....	29
Table 22 – Signal levels for pattern L4	29
Table 23 – Immunity to pattern L4.....	29
Table 24 – Immunity to pattern L4 for DVB-H.....	29
Table 25 – Immunity to analogue co-channel	35
Table 26 – Immunity to co-channel interference from analogue signals for DVB-H	36
Table 27 – Performance with echoes within the guard interval	37
Table 28 – Paths in echoes within guard interval measurement	38
Table 29 – Delay of the corner point <i>T_c</i>	39
Table 30 – Definition of the value Δ	39
Table 31 – Definition of the inflection point	40
Table 32 – Measurement conditions, modes and requirements used for impulse noise	41
Table 33 – <i>C/N</i> (dB) for <i>MFER</i> 5 % for DVB-H	45
Table 34 – Mobile SFN-channel for weak long echo	46
Table 35 – Mobile SFN-channel for strong long echo	46
Table 36 – Mobile SFN-channel for strong short echo.....	47

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MOBILE AND PORTABLE DVB-T/H RADIO ACCESS –

Part 2: Interface conformance testing

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62002-2 has been prepared by technical area 1: Terminals for audio, video and data services and content, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition, published in 2005 and constitutes a technical revision.

The main changes with respect to the previous edition are listed below.

- DVB-H has been included as a part of the main specification.
- All the performance figures have been revised as new simulation results have been made available as well as new reference receivers for DVB-H have been developed.
- DVB-H now includes all the different MPE-FEC code rates.
- New portable indoor and portable outdoor channel models have been included as well as performance figures for those.
- A new 2x TU-6 mobile SFN test channel has been included.

- A new L4 linearity pattern has been added.
- Dedicated performance figures for DVB-H for S1, S2, L1 to L4 interference patterns have been included.
- A new GSM-interference measurement method has been added.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1290/CDV	100/1381/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62002 series, under the general title *Mobile and portable DVB-T/H radio access*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

MOBILE AND PORTABLE DVB-T/H RADIO ACCESS –

Part 2: Interface conformance testing

1 Scope

This part of IEC 62002 provides the conformance testing rules and guidelines for equipment built to meet the Mobile and portable DVB-T/H radio access interface specification (IEC 62002-1).

One aim is to limit the number of tests to a practical level. Nevertheless, the manufacturer is responsible of guaranteeing that the terminal fulfils all aspects of the mobile and portable DVB-T/H radio access interface specification (see IEC 62002-1).

2 Normative references

The following references are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62002-1, *Mobile and portable DVB-T/H radio access – Part 1: Interface specification*

ETSI EN 300 744:2007, *Digital Video Broadcasting (DVB) – Framing structure, channel coding and modulation for digital terrestrial television, V1.5.2*

ITU-R BT.1701-1, *Characteristics of radiated signals of conventional analogue television systems*