

NEMA Standards Publication



ANSI C12.1-2008

American National Standard for Electric Meters Code for Electricity Metering

National Electrical Manufacturers Association





ANSI C12.1-2008

American National Standard

for Electric Meters
Code for Electricity Metering



ANSI C12.1-2008

American National Standard
for Electric Meters

Code for Electricity Metering

Secretariat:

National Electrical Manufacturers Association

Approved June 27, 2008

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

NEMA standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**National Electrical Manufacturers Association
1300 North 17th Street, Rosslyn, VA 22209**

© Copyright 2008 by National Electrical Manufacturers Association

All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

This page intentionally left blank.

TABLE OF CONTENTS

	Foreword	vii
1	Scope and references	1
	1.2 References	1
2	Definitions	3
3	Standards and standardizing equipment	10
	3.1 Scope	10
	3.2 Final authority	10
	3.3 Traceability paths to NIST	10
	3.3.1 Direct transfer	10
	3.4 Meter laboratory	11
	3.4.1 Laboratory conditions	11
	3.4.2 Reference temperature and humidity	12
	3.4.3 Laboratory power sources	12
	3.5 Meter shop	12
	3.6 Laboratory standards	12
	3.6.1 Basic reference standards	12
	3.6.2 Transport standards	12
	3.7 Periodic verification of reference standards	12
	3.8 Portable/field/working standard watt-hour meters	12
	3.9 Performance records	12
	3.10 Performance requirements for standard watt-hour meters	13
	3.10.1 General test conditions	13
	3.10.2 Accuracy tests for portable and reference standards	13
4	Acceptable performance of new types of electricity metering devices and associated equipment	15
	4.1 General	15
	4.1.1 Acceptable metering devices	15
	4.1.2 Adequacy of testing laboratory	15
	4.1.3 Retesting of new meter type	15
	4.1.4 Test documentation	15
	4.1.5 Test device	15
	4.1.6 Tests performed in series	15
	4.1.7 Handling of failed device	15
	4.1.8 Restart testing	15
	4.1.9 Reporting of test metering devices	16
	4.2 Types of metering devices	16
	4.2.1 Basic type	16
	4.2.2 Variations within the basic type	16
	4.2.3 Type designation	16
	4.2.4 Acceptance of basic types in whole or part	16
	4.2.5 Minor variations	16
	4.2.6 Special types	16
	4.3 Specifications for design and construction	16
	4.3.1 Sealing	16
	4.3.2 Enclosures	16
	4.3.3 Terminals and markings	17
	4.3.4 Construction and workmanship	17
	4.3.5 Provision for adjustment	17
	4.4 Selection of metering devices for approval tests	17

4.4.1	Samples to be representative of the basic type.....	17
4.4.2	Number to be tested	17
4.5	Conditions of test	17
4.5.1	Tests to be applied.....	17
4.5.2	Configuration.....	17
4.5.3	Metering devices for special services	18
4.5.4	Metering devices of non-standard classes	18
4.5.5	Metering devices with wide voltage range.....	18
4.6	Rules governing the acceptance of types.....	18
4.6.1	Tolerances	18
4.6.2	Determination of Failure and Rejection	18
4.7	Performance requirements	19
4.7.1	Test conditions.....	19
4.7.2	Accuracy Tests—Internal Influences	21
4.7.3	Accuracy tests – external influences performance verification.....	36
5	Standards for in-service performance.....	54
5.1	Watt-hour meters and electronic registers	54
5.1.1	Purpose.....	54
5.1.2	Accuracy requirements	54
5.1.3	Tests	54
5.1.4	Performance tests.....	55
5.1.5	Determination of average percentage registration	56
5.2	Demand registers and pulse recorders	57
5.2.1	Accuracy requirements	57
5.3	Instrument transformers (magnetic).....	57
5.3.1	Pre-installation tests, (section 5. shall apply)	57
5.3.2	Instrument transformers removed from service.....	57
5.3.3	Performance tests.....	58
5.4	Coupling-capacitor voltage transformers	58
5.4.1	Performance tests.....	58
6	Auxiliary pulse devices for electricity metering	59
6.1	General	59
6.1.1	Information to be shown on pulse initiator	59
6.1.2	Information to be shown on pulse amplifier or relay	59
6.1.3	Information to be shown on pulse totalizers	59
6.2	Tests to be applied.....	59
6.3	Performance requirements	59
6.3.1	Test conditions.....	59
6.3.2	Initial conditions	60
6.3.3	Mechanical load	60
6.3.4	Insulation.....	60
6.3.5	Performance test.....	60
6.3.6	Sunlight interference test – pulse devices containing optical sensors	61

APPENDICES

A.....	64
B.....	74
C.....	93
D.....	95
E.....	96
F.....	97

TABLES

1	Portable and Reference Standards Percent Errors	14
2	Table of Failures Based on the Number of Metering Devices Tested	19
3	List of Tests	20
4	Starting Load Test.....	21
5	Load Performance Test	21
6	Effect of Variation of Power Factor for Single-Element Meters	22
7	Effect of Power Factor for Two-Element Meters:.....	22
8	Effect of Variation of Power Factor for Two-Element Three-Phase Four-Wire Wye Meters	23
9	Effect of Variation of Power Factor for Three-Element Three-Phase Four-Wire Wye Meters	23
10	Effect of Variation of Voltage	24
11	Effect of Variation of Voltage on Solid-State Auxiliary Devices	24
12	Effects of Variation of Frequency.....	25
13	Equality of Current Circuits in the Three-Wire Element for Single-Element Meters.....	25
14	Equality of Current Circuits in the Three-Wire Element for Multi-Element	26
15	Equality of Current Circuits between Elements for Multi-Element Meters	26
16	Temperature-Rise Test Specifications.....	27
17	Effect of Internal Heating	32
18	Effect of Tilt	33
19	Test for Independence of Elements in Two-Element Meters.....	35
20	Test for Independence of Elements in Three-Element Meters	36
21	Effect of External Magnetic Field	38
22	Effect of Variation of Ambient Temperature.....	39
23	Effect of Variation of Temperature on Solid-State Auxiliary Devices.....	40
24	Effect of Temporary Overloads on Accuracy	40
25	Effect of Current Surge in Ground Conductor.....	41
26	Test Modes, Voltage, and Application for Each External Connection Group—Oscillatory Test	44
27	Variable Interval Plan	56
28	Performance Test—Pulse Devices.....	60
29	Portable Standard Watthour Meter	90
30	Reference Standard Watthour Meters	92

FIGURES

1	Dimensions for jumper bars of simulated meter temperature-rise test for single-phase and polyphase meters (maximum rating 100 A)	29
2	Dimensions for jumper bars of simulated meter temperature-rise test for single-phase and polyphase meters (maximum rating 101 – 200 A rating).....	30
3	Dimensions for jumper bars of simulated meter temperature-rise test for single-phase and polyphase meters (maximum rating 201 – 320 A rating).....	31
4	Electrical Fast Transient/Burst Test # 25	42
5	Electrical Fast Transient/Burst Test # 25	43
6	Typical test layout for radiated susceptibility—Test 26 and radiated and conducted emissions—Test 27	46
7	Typical wiring detail for self contained meters for radiated susceptibility —Test 26 and radiated and conducted emissions —Test 27	47
8	Typical wiring detail for transformer rated meters for radiated susceptibility —Test 26 and radiated and conducted emissions —Test 27	48
9	Typical GTEM test layout for Radiated Susceptibility Test.....	49
10	Sunlight Interference Test.....	62
11	Variable Angles Sunlight Interference Test	63
B.1	Traceability path diagram.....	76

This page intentionally left blank.

FOREWORD (This Foreword is not part of American National Standard C12.1-2008)

This version of C12.1 has been modified in several areas in an effort to respond to a changing industry and to improve the clarity of some of the tests. The changes, while not extensive, aim to improve the consistency of test procedures and improve the quality of the metering products. This standard continues to form the basic requirement for all kilowatt-hour metering instruments – both electronic and electromechanical. Another standard in this series, ANSI C12.20, provides different test tolerances and a few different tests that are required for higher accuracy metering devices.

Most of the meter specifications have been retained from the previous edition. Comments about the significant changes follow. To help insure that new electronic equipment is as dependable as possible, an oscillatory surge withstand test was added. Also, the requirement when retesting a new meter type was made more restrictive. Minor changes to the temperature rise test were made to make testing more uniform. Supplementary information was added to the equality of current circuits test, the electrostatic discharge test, and the relative humidity test to clarify the testing process. For several of the tests specific details for successful passing criteria have been included. References to external documents were updated.

The Secretariat of the Accredited Standards Committee on Electricity Metering, C12, is held by the National Electrical Manufacturers Association (NEMA) and the National Institute of Standards and Technology. At the time this standard was processed and approved, the C12 Committee had the following members:

Tom Nelson, Chairman
Paul Orr, Secretary

Organization Represented

Name of Representative

Center for Neighborhood Technology

Lawrence Kotewa

Electric Light & Power

Lauren Pananen
John McEvoy
Tim Morgan
D. Young Nguyen

Elster Electricity, LLC

Scott Weikel

EnerNex Corporation

Aaron Snyder

Future DOS R&D Inc.

Avygdor Moise

General Electric, Energy

Curt Crittenden

Institute of Electrical and Electronics Engineers

Richard Tucker
Herman Millican

Itron, Inc.

Brent Cain

Landis+Gyr, Inc

John Voisine

Measurement Canada (Liaison No Vote)

Vuong Nguyen

National Institute of Standards And Technology	Tom Nelson
Public Service Electric & Gas	David Ellis
Schweitzer Engineering Labs	Bob Hughes
Underwriters Laboratory	Ron Breschini

The following members of the C12.1 Committee were actively involved in the revision of this standard:

S. Weikel, Chairman

M. Anderson	G. Mayfield
N. Balko	J. McEvoy
L. Barto	H. Millican
B. Cain	A. Moise
R. Collins	T. Morgan
B. Cook	T. Nelson
C. Crittenden	D. Nguyen
J. DeMars	V. Nguyen
L. Durante	D. Nordell
D. Ellis	L. Pananen
T. Everidge	C. Partridge
C. Gomez	A. Rashid
W. Hardy	A. Snyder
Bob Hughes	D. Tandon
Brent Hughes	A. Thompson
B. Kingham	J. Thurber
L. Kotewa	J. Voisine
T. Lawton	S. Weikel
R. Lokys	J. West
E. Malemezian	

In addition, the following comprised the Editorial Committee for the current Revision of C12.1:

- L. Barto
- E. Malemezian
- P. Orr
- A. Snyder
- S. Weikel

Code For Electricity Metering

1 Scope and references

This Code establishes acceptable performance criteria for new types of ac watt-hour meters, demand meters, demand registers, pulse devices, and auxiliary devices. It describes acceptable in-service performance levels for meters and devices used in revenue metering. It also includes information on related subjects, such as recommended measurement standards, installation requirements, test methods, and test schedules. This Code for Electricity Metering is designed as a reference for those concerned with the art of electricity metering, such as utilities, manufacturers, and regulatory bodies.

1.2 References

The following publications shall be used in conjunction with this standard. When they are superseded by an approved revision, the revision shall apply:

ANSI/IEEE C63.4-2003, *Methods of Measurement of Radio-Noise Emissions From Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz*

ASQ Z1.4-2003, *Sampling Procedures and Tables for Inspection by Attributes*

ASQ Z1.9-2003, *Sampling Procedures and Tables for Inspection by Variables for Percent Nonconforming*

ASTM B117-2003, *Standard Practice for Operating Salt Spray (Fog) Apparatus*

ASTM G155 2005, *Standard Practice for Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials*

Code of Federal Regulations (Telecommunication) CFR 47, *Part 15—Radio Frequency Devices, Subparts A—General and B—Unintentional Radiators*

Chapter 13 “The Customers’ Premises, Service and Installations”, *Handbook for Electricity Metering, 10th Edition, Washington, D.C.: Edison Electric Institute, 2002*

IEEE 1-2000, *IEEE Recommended Practice: General Principles for Temperature Limits in the Rating of Electric Equipment and for the Evaluation of Electrical Insulation*

IEEE Std 100-2000, *The Authoritative Dictionary of IEEE Standards Terms*

IEEE C37.90.1-2002, *IEEE Standard Surge Withstand Capability (SWC) Tests for Protective Relays and Relay Systems Associated with Electric Power Apparatus*

IEEE C57.13-1993, *IEEE Standard Requirements for Instrument Transformers*

IEEE C62.41.1-2002, *IEEE Guide on the Surge Environment in Low-Voltage (1000 V and less) AC Power Circuits*

IEEE C62.41.2-2002, *IEEE Recommended Practice on Characterization of Surges in Low-Voltage (1000 V and less) AC Power Circuits*

IEC 60068-2-6 (1995), *Environmental Testing - Part 2: Tests, Test Fc: Vibration (Sinusoidal)*