

ASME A18.1-2008
(Revision of ASME A18.1-2005)

Safety Standard for Platform Lifts and Stairway Chairlifts

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



Copyright © 2008 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



ASME A18.1-2008
(Revision of ASME A18.1-2005)

Safety Standard for Platform Lifts and Stairway Chairlifts

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



Copyright © 2008 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



Date of Issuance: August 28, 2008

The next edition of this Standard is scheduled for publication in 2011. This Standard will become effective 6 months after the Date of Issuance. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://www.asme.org/codes/> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2008 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.



CONTENTS

Foreword	iv
Committee Roster	v
Correspondence With the A18 Committee	vi
Summary of Changes	vii
1 Introduction	1
2 Vertical Platform Lifts	5
3 Inclined Platform Lifts	20
4 Inclined Stairway Chairlifts	28
5 Private Residence Vertical Platform Lifts	32
6 Private Residence Inclined Platform Lifts	40
7 Private Residence Inclined Stairway Chairlifts	46
8 Driving Means	50
9 Engineering Type Testing and Design	53
10 Routine, Periodic, and Acceptance Inspections and Tests	57
Figures	
2.6.7 Platform Lift Corridor Call Station Pictograph	17
9.7 Minimum Loads to Sustain and Lower Based Upon Inside Net Platform Area	57
Tables	
1.5-1 Reference Documents	6
1.5-2 Procurement Information	7



FOREWORD

This Standard is one of the numerous standards developed and published by The American Society of Mechanical Engineers (ASME) under procedures accredited as meeting the criteria for American National Standards. The consensus committee that approved the Standard was balanced to ensure that individuals from competent and concerned interests have had an opportunity to participate.

This Standard is intended to serve as the basis for state, municipal, and other jurisdictional authorities in drafting regulations governing the installation, testing, inspection, maintenance, alteration, and repair of platform lifts and stairway chairlifts. It is also intended as a standard reference of safety requirements for the guidance of architects, engineers, insurance companies, manufacturers, and contractors, and as a standard of safety practices for owners and management of structures where equipment covered in the Scope of this Standard is used.

This Standard is available for public review on a continuing basis. This provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

Safety codes and standards are intended to enhance public health and safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

It should be pointed out that any governmental jurisdiction has authority over any particular installation. Inquiries dealing with problems of a local character should be directed to the proper authority of such jurisdiction. It is recommended that, prior to adoption, all pertinent state and local laws or ordinances be reviewed and where there is a conflict with any of the requirements of this Standard, an exception to such conflicting requirement be noted, quoting the section of the law that applies.

Equipment covered by this Standard was originally incorporated as a 1983 supplement to ANSI/ASME A17.1-1981, Safety Code for Elevators and Escalators. In ANSI/ASME A17.1b-1983, a new Part XXI covering private residence inclined stairway chairlifts and inclined and vertical wheelchair lifts was added. Part XX was added to cover these same devices installed in buildings other than private residences.

In 1996, as a result of the effort to harmonize the ASME A17.1 Code and the CAN/CSA-B44 Safety Code for Elevators, a new Main Committee on Platform Lifts and Stairway Chairlifts was established. The Committee developed the first edition, which incorporates Parts XX and XXI, as well as the applicable cross-references in ASME A17.1-1996, up to and including ASME A17.1a-1997.

The first edition of this Standard was approved by The American Society of Mechanical Engineers' Committee on Platform Lifts and Stairway Lifts, was approved and designated as an ASME Standard by the American National Standards Institute on June 21, 1999, and issued on July 26, 1999. The A18.1a-2001 Addenda was approved on January 30, 2001 and issued on March 26, 2001. The A18.1b-2001 Addenda was approved on December 11, 2001 and issued on April 11, 2002.

The second edition of this Standard was approved by ANSI on July 29, 2003 and was issued on September 12, 2003.

The third edition of this Standard was approved by ANSI on May 6, 2005 and was issued November 29, 2005.

Following approval by the A18 Standards Committee and ASME, and after public review, ASME A18.1-2008 was approved by the American National Standards Institute on July 3, 2008.



ASME A18 COMMITTEE

Safety Standard for Platform Lifts and Stairway Chairlifts

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

G. L. Harmon, *Chair*
D. W. Boydston, *Vice Chair*
A. Byk, *Secretary*

STANDARDS COMMITTEE PERSONNEL

D. C. Balmer, Accessibility Equipment Manufacturer's Association
R. Murphy, *Alternate*, Concord Elevator, Inc.
P. D. Barnhart, Underwriters Laboratories, Inc.
J. C. Bovis, Meditek Stairlifts
D. W. Boydston, Handi-Lift, Inc.
J. Martin, *Alternate*, Accessibility Lifts, Inc.
A. Byk, The American Society of Mechanical Engineers
N. C. Chaitin, McKinley Equipment Corp.
W. M. McKinley, *Alternate*, McKinley Equipment Corp.
P. Chance, Elevator Ready, Inc.
J. L. Mickel, *Alternate*, Inclinator Co.
P. Edwards, Integrity Group Cos., Inc.
M. A. Sadders, *Alternate*, American Barrier Solutions, LLC
D. Hallman, DME Access, Inc.
G. L. Harmon, National Wheel-O-Vator
K. Brinkman, *Alternate*, National Wheel-O-Vator
G. E. Hedman, University of Illinois at Chicago
M. K. Mazz, US Access Board
S. J. Windley, *Alternate*, US Access Board
M. L. McDonald, Access Disability Advisors, Inc.
J. L. Meyer, James Meyer Consulting, Inc.
G. L. Nuschler, Otis Elevator
B. Page, Bruno Independent Living Aids
T. E. O'Brien, *Alternate*, Bruno Independent Living Aids
C. Rivera, United Spinal Association
G. A. Rogers, Elevator Industry Work Preservation Fund
S. Z. Sanossian, SZS Consulting
T. Shield, T.L. Shield & Associates, Inc.
M. Townsend, Garaventa (Canada) Ltd.
R. B. Weber, Weber Accessibility System, Inc.
E. J. Zuercher, Ascension, A Division of AGM



CORRESPONDENCE WITH THE A18 COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions, and attending Committee meetings. Correspondence should be addressed to:

Secretary, A18 Standards Committee
The American Society of Mechanical Engineers
Three Park Avenue
New York, NY 10016-5990

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Interpretations. Upon request, the A18 Standards Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the A18 Standards Committee.

The request for interpretation should be clear and unambiguous. It is further recommended that the inquirer submit his/her request in the following format:

Subject: Cite the applicable paragraph number(s) and the topic of the inquiry.
Edition: Cite the applicable edition of the Standard for which the interpretation is being requested.
Question: Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. The inquirer may also include any plans or drawings which are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in this format will be rewritten in this format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Attending Committee Meetings. The A18 Standards Committee regularly holds meetings, which are open to the public. Persons wishing to attend any meeting should contact the Secretary of the A18 Standards Committee.



ASME A18.1-2008 SUMMARY OF CHANGES

Following approval by the ASME A18 Standards Committee and ASME, and after public review, ASME A18.1-2008 was approved by the American National Standards Institute on July 3, 2008.

The 2008 edition of ASME A18.1 includes revisions that are identified by a margin note, (08). The following is a summary of the latest revisions and changes.

<i>Page</i>	<i>Location</i>	<i>Change</i>	
1, 2	1.3	Definitions of <i>door or gate</i> , <i>self-closing</i> and <i>full passenger enclosure</i> revised	
5–11	2.1	Revised	
	Table 1.5-1	Reference to QEI added	
	2.1.1.1	Revised	
	2.1.1.3	Second Customary value revised	
	2.1.1.7	Revised	
	2.1.2.1	Revised	
	2.1.2.1.1	Added	
	2.1.2.8	Fourth and sixth sentences revised	
	2.1.3.5	Second paragraph added	
	2.1.3.6.1	Revised	
	2.1.4	Added	
	12	2.1.5	Former para. 2.1.4 redesignated as 2.1.5
		2.1.6	Former paras. 2.1.5, 2.1.5.1, and 2.1.5.2 redesignated as 2.1.6, 2.1.6.1, and 2.1.6.2, respectively
2.1.7		Former paras. 2.1.6, 2.1.6.1, and 2.1.6.2 redesignated as 2.1.7, 2.1.7.1, and 2.1.7.2, respectively	
2.1.8		Former para. 2.1.7 redesignated as 2.1.8	
2.1.9		Former para. 2.1.8 redesignated as 2.1.9 and revised	
14	2.3.6	Revised	
	2.3.8	Revised	
16	2.6.5	Revised	
	2.7.1	Revised	
19, 20	2.10.1	First sentence revised	
	2.10.6	Last sentence added	
	2.10.10	Revised	



<i>Page</i>	<i>Location</i>	<i>Change</i>
	3.1.2.1	Customary value revised
	3.1.2.3	First Customary value revised
25	3.6.9	First paragraph revised
26	3.10.1	First sentence revised
27	3.10.6	Last sentence added
31	4.10.1	First sentence revised
32, 33	5.1.1.7.1	Revised
	5.1.6	Customary value revised
39	5.10.1	First sentence revised
	5.10.6	Last sentence added
40	5.10.10	Revised
	6.1	Paragraph 6.1.1 deleted and subsequent paragraphs redesignated
43	6.6.8	Revised
44	6.8	First paragraph revised
45	6.10.1	First sentence revised
46	6.10.8	Last sentence added
	7.1	Paragraph 7.1.1 deleted and subsequent paragraphs redesignated
48	7.8	First paragraph revised
49	7.10.1	First sentence revised
52	8.1.4.10	Revised
57, 58	10.1	(1) New para. 10.1.4 added (2) Former paras. 10.1.4 and 10.1.5 redesignated as 10.1.5 and 10.1.6, respectively



SAFETY STANDARD FOR PLATFORM LIFTS AND STAIRWAY CHAIRLIFTS

1 INTRODUCTION

1.1 Scope

1.1.1 Equipment Covered by This Standard. This safety Standard covers the design, construction, installation, operation, inspection, testing, maintenance, and repair of inclined stairway chairlifts and inclined and vertical platform lifts intended for transportation of a mobility impaired person only. The device shall have a limited vertical travel, operating speed, and platform area. Operation shall be under continuous control of the user/attendant. The device shall not penetrate more than one floor. A full passenger enclosure on the platform shall be prohibited.

1.1.2 Equipment Not Covered by This Standard. Equipment not covered by this Standard includes, but is not limited to, the following:

- (a) elevators, escalators, moving walkways, material lifts, and dumbwaiters within the scope of ASME A17.1b-1997 and later edition
- (b) personnel hoists within the scope of ANSI A10.4
- (c) manlifts within the scope of ASME A90.1
- (d) powered platform and equipment for exterior and interior building maintenance within the scope of ASME A120.1
- (e) portable equipment
- (f) amusement devices
- (g) stage and orchestra lifts

1.1.3 Application. This Standard applies to new installations only.

1.1.4 Effective Date. The requirements of this edition to the Standard are effective as of the date established by the local regulations of the authority having jurisdiction. Where the Standard has not been adopted by local regulation and a specific edition has not been stipulated by contractual agreement, compliance with this edition is recommended as of the effective date listed in the front of the document.

1.2 Purpose and Exceptions

The purpose of this Standard is to provide for the safety of life and limb, and to promote public welfare.

The provisions of this Standard are not intended to prevent the use of systems, methods, or devices of equivalent or superior quality, strength, fire resistance, effectiveness, durability, and safety to those prescribed by this Standard provided that there is technical documentation to demonstrate the equivalency of the system, method, or device.

The specific requirements of this Standard shall be permitted to be modified by the authority having jurisdiction based upon technical documentation or physical performance verification to allow alternative arrangements that will assure safety equivalent to that which would be provided by conformance to the corresponding requirements of this Standard.

1.3 Definitions

This section defines various terms used in this Standard.

alteration: any change to equipment other than maintenance, repair, or replacement.

approved: acceptable to the authority having jurisdiction.

authority having jurisdiction: organization, office, or individual responsible for approving equipment. Where compliance with this Standard has been mandated by law, the "authority having jurisdiction" is the federal, state, or local department or individual so designated in the enacting legislation or administrative regulation.

authorized personnel: persons who have been instructed in the operation, maintenance, or both, of the equipment and designated by the owner to use or maintain the equipment.

building code: an ordinance that sets forth requirements for building design and construction, or where such an ordinance has not been enacted, one of the following model codes:

- (a) National Building Code
- (b) Standard Building Code
- (c) Uniform Building Code

cable, traveling: see *traveling cable*.

capacity: see *rated load*.

certified: a certification by a testing laboratory, a professional engineer, a manufacturer, or a contractor that a device or an assembly conforms to the requirements of this Standard.

(08)

