



Metallic Materials Properties Development and Standardization (MMPDS)

MMPDS-04

April 2008

Scientific Source:

Metallic Materials design data acceptable to Government procuring or certification agencies.

A joint effort of government, industrial, educational, and international aerospace organizations.

MMPDS-04

Copyright 2008 Federal Aviation Administration and licensed exclusively to Battelle Memorial Institute for distribution. All rights reserved. Unauthorized duplication or distribution may violate the Copyright Laws of the United States and of other jurisdictions.

Except as expressly provided below, the copyrighted work contained herein may not be copied, modified, adapted, translated, included in derivative works or transferred to a third party. The information may be subject to export control laws and regulations of the United States. The user represents and warrants that the information will not be exported, transferred, sublicensed, copied, shared, disclosed, or used in any way except in compliance with all applicable export control laws and regulations of the United States.

The owner of this copy of the Handbook is hereby granted a limited license to make copies of no more than 10 individual pages of the Handbook (but specifically not including multiple sections or volumes) from this copy at a time for the sole purpose of attaching as reference and supporting information to a document authored by the owner.

The user of this Handbook assumes the responsibility for the selection of material properties from it to meet their requirements. The information contained herein is provided as-is without warranty. There are no warranties of any kind, either express or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

FOREWORD

The Metallic Materials Properties Development and Standardization (MMPDS) Handbook, is an accepted source for metallic material and fastener system allowables for the Federal Aviation Administration (FAA), all Departments and Agencies of the Department of Defense (DoD), and the National Aeronautics and Space Administration (NASA). Per guidance provided by FAA Advisory Circular (AC) 25.613-1 and FAA policy memorandum PS-AIR100-2006-MMPDS, the A and B values contained in the MMPDS have been determined to satisfy the regulatory requirements defined in Title 14 of the Code of Federal Regulations (CFR) 27.613(d), 29.613(d), 25.613(b) and 23.613(b).

MMPDS-04 is the replacement to MMPDS-03 and prior editions as well as the replacement for all editions of MIL-HDBK-5, Metallic Materials and Elements for Aerospace Vehicle Structures Handbook that was maintained by the U.S. Air Force. The last edition, MIL-HDBK-5J, was classified as noncurrent in the Spring of 2004.

This document contains design information on the strength properties of metallic materials and elements for aircraft and aerospace vehicle structures. All information and data contained in this Handbook has been reviewed and approved in a standardized development process. The development and ongoing maintenance process involves certifying agencies, including the FAA, DoD, and NASA, and major material suppliers and material users worldwide. The data and procedures in this Handbook are continuously reviewed, and if needed, are modified or removed for consistency. With advances in materials and fastener systems, and with the review process of existing information, annual updates of the MMPDS are expected. As such, it is recommended that the latest version of the MMPDS be used.

Beneficial comments (recommendations, additions, deletions) and any pertinent data that may be of use in improving this document should be addressed to Secretariat, MMPDS Coordination Activity (614-424-4433 voice or bcommpps@battelle.org email), Battelle, Mechanical Analysis Group, Room 11-1-080, 505 King Avenue, Columbus, OH 43201.

This Handbook has been approved for public release with unlimited distribution.

Preparing activity:
FAA - William J. Hughes Technical Center

EXPLANATION OF NUMERICAL CODE

For chapters containing materials properties, a deci-numeric system is used to identify sections of text, tables, and illustrations. This system is explained in the examples shown below. Variations of this deci-numerical system are also used in Chapters 1, 8, and 9.

Example A 2.4.2.1.1

General material category (in this case, steel)			
A logical breakdown of the base material by family characteristics (in this case, intermediate alloy steels); or for element properties			
Particular alloy to which all data are pertinent. If zero, section contains comments on the family characteristics			
If zero, section contains comments specific to the alloy; if it is an integer, the number identifies a specific temper or condition (heat treatment)			
Type of graphical data presented on a given figure (see following description)			

Example B 3.2.3.1.X

Aluminum			
2000 Series Wrought Alloy			
2024 Alloy			
T3, T351, T3510, T3511, T4, and T42 Tempers			
Specific Property as Follows			
Tensile properties (ultimate and yield strength)			1
Compressive yield and shear ultimate strengths			2
Bearing properties (ultimate and yield strength)			3
Modulus of elasticity, shear modulus			4
Elongation, total strain at failure, and reduction of area			5
Stress-strain curves, tangent-modulus curves			6
Creep			7
Fatigue			8
Fatigue-Crack Propagation			9
Fracture Toughness			10

REGISTERED TRADEMARKS

<u>Trademark</u>	<u>Registered by</u>	<u>Chemistry</u>	<u>UNS Number</u>
15-5PH®	AK STEEL CORP.	15Cr - 4.6Ni - 0.22Cb - 2.8Cu	J92110
		15Cr - 4.5Ni - 0.30Cb - 3.5Cu	S15500
17-4-PH® ¹	ARMCO INC. CORP.	16Cr - 4.1Ni - 0.28Cb - 3.2Cu	J92200
		16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb	S17400
17-7PH®	ARMCO INC. CORP.	17Cr-7.1Ni-1.1Al	J17700
ACRES® sleeves	CLICK BOND, INC.	NA	NA
AerMet® 100	CRS HOLDINGS INC.	3.1Cr-11.5Ni-13.5Co-1.2Mo (0.21 - 0.25C)	K92580
AM-350™	ALLEGHENY LUDLUM CORP.	16.5Cr - 4.5Ni - 2.9Mo - 0.10N	S35000
AM-355™	ALLEGHENY LUDLUM CORP.	15.5Cr - 4.5Ni - 2.0Mo - 0.10N	S35500
Cherry®	TEXTRON FASTENING SYSTEMS, INC.	NA	NA
Cherrybucks®	TEXTRON FASTENING SYSTEMS, INC.	NA	NA
Custom450®	CRS HOLDINGS INC.	15Cr - 6.5Ni - 0.75Mo - 0.30 (Cb + Ta) - 1.5Cu	S45000
Custom455®	CRS HOLDINGS INC.	12Cr-8.5Ni-2.0Cu-1.1Ti	S45500
Custom465®	CRS HOLDINGS INC.	6Al- 6V - 2SN	none
Hastelloy® X	HAYNES INTERNATIONAL, INC.	47.5Ni-22Cr-1.5Co-9.0Mo	N06002
Elektron® 21	MAGNESIUM ELEKTRON	EV31A	Similar to M12310
HAYNES®	HAYNES INTERNATIONAL, INC.	NA	NA
230®	HAYNES INTERNATIONAL, INC.	59Ni-22Cr-2Mo-14W-0.35Al	N06230
Hi-Lok®	HI-SHEAR CORP.	NA	NA
Hi-Shear®	HI-SHEAR CORP.	NA	NA
HR-120®	HAYNES INTERNATIONAL, INC.	35Fe - 24Cr - 37Ni - 0.65Cb - 0.2N	N08120
HSL180™	HITACHI METALS AND SUMITOMO PRECISION PRODUCTS	12.5Cr-1.0Ni-15.5Co-2.0Mo	NA
INCONEL®	HUNTINGTON ALLOYS CORP.	NA	NA
MP159®	SPS TECHNOLOGY	19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb - 2.9Ti - 0.20Al - 9.0Fe	R30159

¹ Shown in the customary form of 17-4PH in the Handbook.

MMPDS-04
1 April 2008

<u>Trademark</u>	<u>Registered by</u>	<u>Chemistry</u>	<u>UNS Number</u>
MP35N®	SPS TECHNOLOGY	20Cr - 35Ni - 35Co - 10Mo	R30035
PH13-8® Mo	ARMCO INC. CORP.	13Cr-8.0Ni-2.2Ni-1.1Al	S13800
PH15-7® Mo	ARMCO INC. CORP.	15Cr - 7.1Ni - 2.5Mo - 1.1Al	S15700
RENE´® 41	TELEDYNE INDUSTRIES INC.	54Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.5Al - 0.006B	N0704

CONTENTS

<u>Section</u>	<u>Page</u>
Chapter 1	
1.0 General	1-1
1.1 Purpose and Use of Document	1-1
1.1.1 Introduction	1-1
1.1.2 Scope of Handbook	1-1
1.2 Nomenclature	1-3
1.2.1 Symbols and Definitions	1-3
1.2.2 International Systems of Units (SI)	1-3
1.3 Commonly Used Formulas	1-4
1.3.1 General	1-4
1.3.2 Simple Unit Stresses	1-4
1.3.3 Combined Stresses (see Section 1.5.3.5)	1-4
1.3.4 Deflections (Axial)	1-4
1.3.5 Deflections (Bending)	1-4
1.3.6 Deflections (Torsion)	1-5
1.3.7 Biaxial Elastic Deformation	1-5
1.3.8 Basic Column Formula	1-5
1.3.9 Inelastic Stress-Strain Response	1-6
1.4 Basic Principles	1-7
1.4.1 General	1-7
1.4.2 Stress	1-8
1.4.3 Strain	1-8
1.4.4 Tensile Properties	1-8
1.4.5 Compressive Properties	1-11
1.4.6 Shear Properties	1-11
1.4.7 Bearing Properties	1-12
1.4.8 Temperature Effects	1-12
1.4.9 Fatigue Properties	1-14
1.4.10 Metallurgical Instability	1-17
1.4.11 Biaxial Properties	1-17
1.4.12 Fracture Toughness	1-19
1.4.13 Fatigue Crack Growth	1-23
1.5 Types of Failures	1-27
1.5.1 General	1-27
1.5.2 Material Failures	1-27
1.5.3 Instability Failures	1-28
1.6 Columns	1-29
1.6.1 General	1-29
1.6.2 Primary Instability Failures	1-29
1.6.3 Local Instability Failure	1-29
1.6.4 Correction of Column Test Results	1-30
1.7 Thin-Walled and Stiffened Thin-Walled Sections	1-37
References	1-39

CONTENTS

<u>Section</u>	<u>Page</u>
Chapter 2	
2.0 Steel	2-1
2.1 General	2-1
2.1.1 Alloy Index	2-1
2.1.2 Material Properties	2-2
2.1.3 Environmental Considerations	2-6
2.2 Carbon Steels	2-7
2.2.0 Comments on Carbon Steels	2-7
2.2.1 AISI 1025	2-8
2.3 Low-Alloy Steels (AISI Grades and Proprietary Grades)	2-11
2.3.0 Comments on Low-Alloy Steels (AISI and Proprietary Grades)	2-11
2.3.1 Specific Alloys	2-15
2.4 Intermediate Alloy Steels	2-67
2.4.0 Comments on Intermediate Alloy Steels	2-67
2.4.1 5Cr-Mo-V	2-67
2.4.2 9Ni-4Co-0.20C	2-75
2.4.3 9Ni-4Co-0.30C	2-80
2.5 High-Alloy Steels	2-91
2.5.0 Comments on High-Alloy Steels	2-91
2.5.1 18 Ni Maraging Steels	2-93
2.5.2 AF1410	2-103
2.5.3 AerMet 100	2-106
2.6 Precipitation- and Transformation-Hardening Steels (Stainless)	2-113
2.6.0 Comments on Precipitation- and Transformation-Hardening Steels (Stainless)	2-113
2.6.1 AM-350	2-113
2.6.2 AM-355	2-120
2.6.3 Custom 450	2-126
2.6.4 Custom 455	2-138
2.6.5 Custom 465	2-150
2.6.6 PH13-8Mo	2-156
2.6.7 15-5PH	2-173
2.6.8 PH15-7Mo	2-188
2.6.9 17-4PH	2-200
2.6.10 17-7PH	2-218
2.6.11 HSL 180	2-225
2.7 Austenitic Stainless Steels	2-231
2.7.0 Comments on Austenitic Stainless Steel	2-231
2.7.1 AISI 301 and Related 300 Series Stainless Steels	2-233
2.8 Element Properties	2-249
2.8.1 Beams	2-249
2.8.2 Columns	2-249
2.8.3 Torsion	2-252
References	2-259
Chapter 3	
3.0 Aluminum	3-1
3.1 General	3-1
3.1.1 Aluminum Alloy Index	3-1

CONTENTS

<u>Section</u>		<u>Page</u>
	3.1.2 Material Properties	3-2
	3.1.3 Manufacturing Considerations	3-26
3.2	2000 Series Wrought Alloys	3-31
	3.2.1 2013 Alloy	3-31
	3.2.2 2014 Alloy	3-43
	3.2.3 2017 Alloy	3-82
	3.2.4 2024 Alloy	3-85
	3.2.5 2025 Alloy	3-169
	3.2.6 2026 Alloy	3-171
	3.2.7 2027 Alloy	3-173
	3.2.8 2056 Alloy	3-181
	3.2.9 2090 Alloy	3-186
	3.2.10 2098 Alloy	3-189
	3.2.11 2099 Alloy	3-195
	3.2.12 2124 Alloy	3-199
	3.2.13 2219 Alloy	3-210
	3.2.14 2297 Alloy	3-238
	3.2.15 2397 Alloy	3-246
	3.2.16 2424 Alloy	3-249
	3.2.17 2519 Alloy	3-252
	3.2.18 2524 Alloy	3-255
	3.2.19 2618 Alloy	3-259
3.3	3000 Series Wrought Alloys	3-269
3.4	4000 Series Wrought Alloys	3-269
3.5	5000 Series Wrought Alloys	3-269
	3.5.1 5052 Alloy	3-269
	3.5.2 5083 Alloy	3-283
	3.5.3 5086 Alloy	3-289
	3.5.4 5454 Alloy	3-299
	3.5.5 5456 Alloy	3-304
3.6	6000 Series Wrought Alloys	3-311
	3.6.1 6013 Alloy	3-311
	3.6.2 6061 Alloy	3-315
	3.6.3 6151 Alloy	3-343
3.7	7000 Series Wrought Alloys	3-347
	3.7.1 7010 Alloy	3-347
	3.7.2 7040 Alloy	3-355
	3.7.3 7049/7149 Alloy	3-358
	3.7.4 7050 Alloy	3-375
	3.7.5 7055 Alloy	3-422
	3.7.6 7068 Alloy	3-437
	3.7.7 7075 Alloy	3-443
	3.7.8 7085 Alloy	3-508
	3.7.9 7140 Alloy	3-526
	3.7.10 7150 Alloy	3-530
	3.7.11 7175 Alloy	3-543
	3.7.12 7249 Alloy	3-558
	3.7.13 7349 Alloy	3-566

CONTENTS

<u>Section</u>	<u>Page</u>
3.7.14 7449 Alloy	3-570
3.7.15 7475 Alloy	3-584
3.8 200.0 Series Cast Alloys	3-611
3.8.1 A201.0 Alloy	3-611
3.9 300.0 Series Cast Alloys	3-621
3.9.1 354.0 Alloy	3-621
3.9.2 355.0 Alloy	3-623
3.9.3 C355.0 Alloy	3-626
3.9.4 356.0 Alloy	3-628
3.9.5 A356.0 Alloy	3-631
3.9.6 A357.0/F357.0 Alloy	3-635
3.9.7 D357.0/E357.0 Alloy	3-639
3.9.8 359.0 Alloy	3-643
3.10 Element Properties	3-645
3.10.1 Beams	3-645
3.10.2 Columns	3-646
3.10.3 Torsion	3-648
References	3-653
Chapter 4	
4.0 Magnesium Alloys	4-1
4.1 General	4-1
4.1.1 Alloy Index	4-1
4.1.2 Material Properties	4-1
4.1.3 Physical Properties	4-2
4.1.4 Environmental Considerations	4-2
4.1.5 Alloy and Temper Designations	4-2
4.1.6 Joining Methods	4-5
4.2 Magnesium-Wrought Alloys	4-7
4.2.1 AZ31B	4-7
4.2.2 AZ61A	4-19
4.2.3 ZK60A	4-21
4.3 Magnesium Cast Alloys	4-29
4.3.1 AM100A	4-29
4.3.2 AZ91C/AZ91E	4-31
4.3.3 AZ92A	4-35
4.3.4 EV31A	4-41
4.3.5 EZ33A	4-47
4.3.6 QE22A	4-52
4.3.7 ZE41A	4-56
4.4 Element Properties	4-61
4.4.1 Beams	4-61
4.4.2 Columns	4-61
4.4.3 Torsion	4-64
References	4-65
Chapter 5	
5.0 Titanium	5-1

CONTENTS

<u>Section</u>	<u>Page</u>
5.1 General	5-1
5.1.1 Titanium Index	5-1
5.1.2 Material Properties	5-1
5.1.3 Manufacturing Considerations	5-2
5.1.4 Environmental Considerations	5-2
5.2 Unalloyed Titanium	5-5
5.2.1 Commercially Pure Titanium	5-5
5.3 Alpha and Near-Alpha Titanium Alloys	5-15
5.3.1 Ti-5Al-2.5Sn	5-15
5.3.2 Ti-8Al-1Mo-1V	5-27
5.3.3 Ti-6Al-2Sn-4Zr-2Mo	5-43
5.4 Alpha-Beta Titanium Alloys	5-51
5.4.1 Ti-6Al-4V	5-51
5.4.2 Ti-6Al-6V-2Sn	5-110
5.4.3 Ti-4.5Al-3V-2Fe-2Mo	5-128
5.5 Beta, Near-Beta, and Metastable-Beta Titanium Alloys	5-137
5.5.1 Ti-13V-11Cr-3Al	5-137
5.5.2 Ti-15V-3Cr-3Sn-3Al (Ti-15-3)	5-154
5.5.3 Ti-10V-2Fe-3Al (Ti-10-2-3)	5-158
5.6 Element Properties	5-163
5.6.1 Beams	5-163
References	5-165
 Chapter 6	
6.0 Heat-Resistant Alloys	6-1
6.1 General	6-1
6.1.1 Material Properties	6-3
6.2 Iron-Chromium-Nickel-Base Alloys	6-5
6.2.0 General Comments	6-5
6.2.1 A-286	6-5
6.2.2 N-155	6-16
6.3 Nickel-Base Alloys	6-21
6.3.0 General Comments	6-21
6.3.1 Hastelloy X	6-23
6.3.2 Inconel 600	6-29
6.3.3 Inconel 625	6-36
6.3.4 Inconel 706	6-47
6.3.5 Inconel 718	6-53
6.3.6 Inconel X-750	6-87
6.3.7 Rene 41	6-93
6.3.8 Waspaloy	6-115
6.3.9 230	6-121
6.3.10 HR-120	6-134
6.4 Cobalt-Base Alloys	6-141
6.4.0 General Comments	6-141
6.4.1 L-605 (25 alloy)	6-142

CONTENTS

<u>Section</u>	<u>Page</u>
6.4.2 188 alloy	6-165
References	6-181
Chapter 7	
7.0 Miscellaneous Alloys and Hybrid Materials	7-1
7.1 General	7-1
7.2 Beryllium	7-3
7.2.1 Standard Grade Beryllium	7-3
7.3 Copper and Copper Alloys	7-9
7.3.0 General	7-9
7.3.1 Maganese Bronzes	7-10
7.3.2 Copper Beryllium	7-13
7.4 Multiphase Alloys	7-23
7.4.0 General	7-23
7.4.1 MP35N Alloy	7-23
7.4.2 MP159 Alloy	7-29
7.5 Aluminum Alloy Sheet Laminates	7-35
7.5.0 General	7-35
7.5.1 2024-T3 Aramid Fiber Reinforced Sheet Laminate	7-35
7.5.2 7475-T761 Aramid Fiber Reinforced Sheet Laminate	7-44
References	7-53
Chapter 8	
8.0 Structural Joints	8-1
8.1 Mechanically Fastened Joints	8-3
8.1.1 Introduction and Fastener Indexes	8-3
8.1.2 Solid Rivets	8-12
8.1.3 Blind Fasteners	8-38
8.1.4 Swaged Collar/Upset-Pin Fasteners	8-111
8.1.5 Threaded Fasteners	8-126
8.1.6 Special Fasteners	8-148
8.2 Metallurgical Joints	8-151
8.2.1 Introduction and Definitions	8-151
8.2.2 Welded Joints	8-151
8.2.3 Brazing	8-173
8.3 Bearings, Pulleys, and Wire Rope	8-175
References	8-177
Chapter 9	
9.0 Index	9-1
– Cross Index Table for Chapter 9	9-6
9.1 General	9-7
9.1.1 Introduction	9-7
9.1.2 Applicability	9-7
9.1.3 Approval Procedures	9-7
9.1.4 Documentation Requirements	9-7

CONTENTS

<u>Section</u>	<u>Page</u>
9.1.5 Summary	9-8
9.1.6 Data Basis	9-10
9.1.7 Rounding Procedures	9-12
9.2 Material, Specification, Testing, and Data Requirements	9-13
9.2.1 Material Requirements	9-13
9.2.2 Specification Requirements	9-13
9.2.3 Required Test Methods/Procedures	9-13
9.2.4 Data Requirements	9-27
9.2.5 Experimental Design	9-48
9.3 Submission of Data	9-59
9.3.1 Recommended Procedures	9-59
9.3.2 Computer Software	9-59
9.3.3 General Data Formats	9-59
9.4 Substantiation of Properties	9-69
9.4.1 S-Basis Minimum Properties	9-69
9.4.2 Validating Design Properties for Existing Material	9-70
9.4.3 Confirmation of Design Properties for Legacy Alloys	9-71
9.5 Analysis Procedures for Statistically Computed Minimum Static Properties	9-77
9.5.1 Specifying the Population	9-77
9.5.2 Regression Analysis	9-81
9.5.3 Combinability of Data	9-94
9.5.4 Determining the Form of Distribution	9-99
9.5.5 Direct Computation Without Regression	9-114
9.5.6 Direct Computation by Regression Analysis	9-122
9.5.7 Indirect Computation without Regression (Reduced Ratios/Derived Properties)	9-124
9.5.8 Indirect Computation using Regression	9-127
9.6 Analysis Procedures for Dynamic and Time Dependent Properties	9-129
9.6.1 Load and Strain Control Fatigue Data	9-129
9.6.2 Fatigue Crack Growth Data	9-149
9.6.3 Fracture Toughness Data	9-152
9.6.4 Creep and Creep-Rupture Data	9-154
9.7 Analysis Procedures for Structural Joint Properties	9-161
9.7.1 Mechanically Fastened Joints	9-161
9.7.2 Fusion-Welded Joint Data	9-176
9.8 Examples of Data Analysis and Data Presentation for Static Properties	9-181
9.8.1 Direct Analyses of Mechanical Properties	9-181
9.8.2 Indirect Analyses of Mechanical Properties	9-194
9.8.3 Tabular Data Presentation	9-198
9.8.4 Room Temperature Graphical Mechanical Properties	9-204
9.8.5 Elevated Temperature Graphical Mechanical Properties	9-225
9.9 Examples of Data for Dynamic and Time Dependent Properties	9-235
9.9.1 Fatigue	9-235
9.9.2 Fatigue Crack Growth	9-253
9.9.3 Fracture Toughness	9-258
9.9.4 Creep and Creep Rupture	9-259
9.9.5 Mechanically Fastened Joints	9-266

CONTENTS

<u>Section</u>	<u>Page</u>
9.9.6 Fusion-Welded Joints	9-293
9.10 Statistical Tables	9-297
9.10.1 One-Sided Tolerance Limit Factors, K, for the Normal Distribution, 0.95 Confidence, and n-1 Degrees of Freedom	9-298
9.10.2 0.950 Fractiles of the F Distribution Associated with n ₁ and n ₂ Degrees of Freedom	9-300
9.10.3 0.950 Fractiles of the F Distribution Associated with n ₁ and n ₂ Degrees of Freedom	9-301
9.10.4 0.95 and 0.975 Fractiles of the t Distribution Associated with df Degrees of Freedom	9-302
9.10.5 Area Under the Normal Curve from -∞ to the Mean +Z _p Standard Deviations	9-303
9.10.6 One-Sided Tolerance-Limit Factors for the Three-Parameter Weibull Acceptability Test with 95 Percent Confidence	9-304
9.10.7 One-Sided Tolerance Factors for the Three-Parameter Weibull Distribution With 95 Percent Confidence	9-305
9.10.8 γ-values for Computing Threshold of Three-Parameter Weibull Distribution	9-311
9.10.9 Ranks, r, of Observations, n, for an Unknown Distribution Having the Probability and Confidence of T99 and T90 Values	9-314
9.10.10 Fractiles of F Distribution Associated with n1(numerator) and n2 (denominator) Degrees of Freedom	9-316
References	9-319
 Appendices	
A.0 Glossary	A-1
A.1 Abbreviations	A-1
A.2 Symbols	A-5
A.3 Definitions	A-6
A.4 Conversion of U.S. Units of Measure Used in MMPDS to SI Units	A-17
B.0 Alloy Index	B-1
C.0 Specification Index	C-1
D.0 Testing Standards	D-1
E.0 Subject Index	E-1

CHAPTER 1

GENERAL

1.1 PURPOSE AND USE OF DOCUMENT

1.1.1 INTRODUCTION — Since many aerospace companies manufacture both commercial and military products, the standardization of metallic materials design data which are acceptable to Government procuring or certification agencies is very beneficial to those manufacturers as well as governmental agencies. Although the design requirements for military and commercial products may differ greatly, the required design values for the strength of materials and elements and other needed material characteristics are often identical. Therefore, this publication provides standardized design values and related design information for metallic materials and structural elements used in aerospace structures. The data contained herein, or from approved items in the minutes of the Metallic Materials Properties Development and Standardization (MMPDS) handbook coordination meetings, are acceptable to the Federal Aviation Administration (FAA), the Department of Defense (DoD), and the National Aeronautics and Space Administration (NASA). Approval by the procuring or certifying agency must be obtained for the use of design values for products not contained herein.

MMPDS-04 was prepared by Battelle under contract with the FAA William J. Hughes Technical Center. It is covered under U.S. Copyright and is the only current form of the MMPDS Handbook. It renders MMPDS-03, and prior published versions of MMPDS and MIL-HDBK-5 obsolete. If computerized third-party MMPDS databases are used, caution should be exercised to ensure that the information in these databases is identical to that contained in the Handbook.

Approved printed and electronic copies of MMPDS-04 are available for purchase through Battelle and its approved licensees. Official copies of MMPDS-04 may also be obtained through participation in the MMPDS Industrial Steering Group (ISG) or Government Steering Group (GSG), whichever is appropriate. The ISG is open to membership by all commercial and education organizations, while the GSG is open to membership by all U.S. and foreign government entities. See www.mmpds.org for further information.

1.1.2 SCOPE OF HANDBOOK — This Handbook is primarily intended to provide a source of design mechanical and physical properties and joint allowables. Material property and joint data obtained from tests by material and fastener producers, government agencies, and members of the airframe industry are submitted to MMPDS for review and analysis. Results of these analyses are submitted to the membership during semiannual coordination meetings for approval and, when approved, published in this Handbook.

This Handbook also contains some useful basic formulas for structural element analysis. These formulas are provided in chapter 1 to illustrate how the material data contained in the Handbook may be used. However, structural design and analysis are beyond the scope of this Handbook. While an attempt is made to assure the accuracy of the formulas and analytical methods contained in chapter 1, there is no attempt in this Handbook to provide currently accepted design or analytical methods.

References for data and various test methods are listed at the end of each chapter. The reference number corresponds to the applicable paragraph of the chapter cited. Such references are intended to provide sources of additional information, but should not necessarily be considered as containing data suitable for design purposes.

Applicable testing standards are identified by number only in the text. Full titles for these standards are listed in Appendix D.

MMPDS-04
1 April 2008

The content of this Handbook is arranged as follows:

Chapter(s)	Subjects
1	Nomenclature, Systems of Units, Formulas, Material Property Definitions, Failure Analysis, Column Analysis, Thin-Walled Sections
2-7	Material Properties
8	Joint Allowables
9	Data Requirements, Statistical Analysis Procedures