



2012


INTERNATIONAL
RESIDENTIAL
CODE[®]

FOR ONE- AND TWO-FAMILY DWELLINGS

A Member of the International Code Family[®]

IRC[®]

IRC[®]





2012 INTERNATIONAL RESIDENTIAL CODE® FOR ONE- AND TWO-FAMILY DWELLINGS

A Member of the International Code Family®

2012 IRC®

Become a **Building Safety Professional Member** and Learn More about the Code Council

GO TO WWW.ICCSAFE.ORG for All Your Technical and Professional Needs Including:

- › Codes, Standards and Guidelines
- › Membership Benefits
- › Education and Certification
- › Communications on Industry News

2012 International Residential Code®

First Printing: May 2011

ISBN: 978-1-60983-042-7 (soft-cover edition)
ISBN: 978-1-60983-041-0 (loose-leaf edition)

COPYRIGHT © 2011
by
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2012 *International Residential Code*® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795. Phone 1-888-ICC-SAFE (422-7233).

Trademarks: “International Code Council,” the “International Code Council” logo and the “International Residential Code” are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.

PREFACE

Introduction

Internationally, code officials recognize the need for a modern, up-to-date residential code addressing the design and construction of one- and two-family dwellings and townhouses. The *International Residential Code*[®], in this 2012 edition, is designed to meet these needs through model code regulations that safeguard the public health and safety in all communities, large and small.

This comprehensive, stand-alone residential code establishes minimum regulations for one- and two-family dwellings and townhouses using prescriptive provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs. This 2012 edition is fully compatible with all of the *International Codes*[®] (I-Codes[®]) published by the International Code Council[®] (ICC)[®], including the *International Building Code*[®], *International Energy Conservation Code*[®], *International Existing Building Code*[®], *International Fire Code*[®], *International Fuel Gas Code*[®], *International Green Construction Code*[™] (to be available March 2012), *International Mechanical Code*[®], *ICC Performance Code*[®], *International Plumbing Code*[®], *International Private Sewage Disposal Code*[®], *International Property Maintenance Code*[®], *International Swimming Pool and Spa Code*[™] (to be available March 2012), *International Wildland-Urban Interface Code*[®] and *International Zoning Code*[®].

The *International Residential Code* provisions provide many benefits, among which is the model code development process that offers an international forum for residential construction professionals to discuss prescriptive code requirements. This forum provides an excellent arena to debate proposed revisions. This model code also encourages international consistency in the application of provisions.

Development

The first edition of the *International Residential Code* (2000) was the culmination of an effort initiated in 1996 by ICC and consisting of representatives from the three statutory members of the International Code Council at the time, including: Building Officials and Code Administrators International, Inc. (BOCA), International Conference of Building Officials (ICBO) and Southern Building Code Congress International (SBCCI), and representatives from the National Association of Home Builders (NAHB). The intent was to draft a stand-alone residential code consistent with and inclusive of the scope of the existing model codes. Technical content of the 1998 *International One- and Two-Family Dwelling Code* and the latest model codes promulgated by BOCA, ICBO, SBCCI and ICC was used as the basis for the development, followed by public hearings in 1998 and 1999 to consider proposed changes. This 2012 edition represents the code as originally issued, with changes reflected in the 2009 edition, and further changes developed through the ICC Code Development Process through 2010. Residential electrical provisions are based on the 2011 *National Electrical Code*[®] (NFPA 70). A new edition such as this is promulgated every three years.

Energy provisions in Chapter 11 are duplicated from the *International Energy Conservation Code*[®]—Residential Provisions applicable to residential buildings which fall under the scope of this code.

Fuel gas provisions have been included through an agreement with the American Gas Association (AGA). Electrical provisions have been included through an agreement with the National Fire Protection Association (NFPA).

This code is founded on principles intended to establish provisions consistent with the scope of a residential code that adequately protects public health, safety and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

Adoption

The *International Residential Code* is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the adopting jurisdiction. These locations are shown in bracketed words in small capital letters in the code and in the sample ordinance. The sample adoption ordinance on page xvii addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

Maintenance

The *International Residential Code* is kept up-to-date through the review of proposed changes submitted by code enforcing officials, industry representatives, design professionals and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The contents of this work are subject to change both through the Code Development Cycles and the governmental body that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the International Code Council.

The maintenance process for the fuel gas provisions is based upon the process used to maintain the *International Fuel Gas Code*, in conjunction with the American Gas Association. The maintenance process for the electrical provisions is undertaken by the National Fire Protection Association.

While the development procedure of the *International Residential Code* assures the highest degree of care, ICC, the founding members of ICC, its members and those participating in the development of this code do not accept any liability resulting from compliance or noncompliance with the provisions because ICC and its founding members do not have the power or authority to police or enforce compliance with the contents of this code. Only the governmental body that enacts the code into law has such authority.

Code Development Committee Responsibilities

In each code development cycle, proposed changes to the code are considered at the Code Development Hearings by the applicable International Code Development Committee as follows:

- [RB] = IRC—Building Code Development Committee
- [RE] = Residential Energy Code Development Committee
- [RMP] = IRC—Mechanical/Plumbing Code Development Committee

The [RE] committee is also responsible for the IECC—Residential Provisions.

Note that, for the development of the 2015 edition of the I-Codes, there will be two groups of code development committees and they will meet in separate years. The groupings are as follows:

Group A Codes (Heard in 2012, Code Change Proposals Deadline: January 3, 2012)	Group B Codes (Heard in 2013, Code Change Proposals Deadline: January 3, 2013)
International Building Code	Administrative Provisions (Chapter 1 all codes except the IECC, IRC and ICCPC, administrative updates to currently referenced standards, and designated definitions)
International Fuel Gas Code	International Energy Conservation Code
International Mechanical Code	International Existing Building Code
International Plumbing Code	International Fire Code
International Private Sewage Disposal Code	International Green Construction Code
	ICC Performance Code
	International Property Maintenance Code
	International Residential Code
	International Swimming Pool and Spa Code
	International Wildland-Urban Interface Code
	International Zoning Code

The International Residential Code is included in the Group B Codes. Therefore, any code change proposals to the IRC will be heard in the 2013 code cycle. The deadline for proposed changes to the IRC is January 3, 2013.

Marginal Markings

Solid vertical lines in the margins within the body of the code indicate a technical change from the requirements of the 2009 edition. Deletion indicators in the form of an arrow (➡) are provided in the margin where an entire section, paragraph, exception or table has been deleted or an item in a list of items or a table has been deleted.

A single asterisk [*] placed in the margin indicates that text or a table has been relocated within the code. A double asterisk [**] placed in the margin indicates that the text or table immediately following it has been relocated there from elsewhere in the code. The following table indicates such relocations in the 2012 Edition of the *International Residential Code*.

2012 LOCATION	2009 LOCATION
R312.2	R612.2
R507	R502.2.2
R602.3.5	R602.10.1.2.1
R602.10.6.5	R602.12
R702.7	R601.3

Italicized Terms

Selected terms set forth in Chapter 2, Definitions, are italicized where they appear in code text. Such terms are not italicized where the definition set forth in Chapter 2 does not impart the intended meaning in the use of the term. The terms selected have definitions which the user should read carefully to facilitate better understanding of the code.

Effective Use of the International Residential Code

Effective Use of the International Residential Code

The *International Residential Code*® (IRC®) was created to serve as a complete, comprehensive code regulating the construction of single-family houses, two-family houses (duplexes) and buildings consisting of three or more townhouse units. All buildings within the scope of the IRC are limited to three stories above grade plane. For example, a four-story single-family house would fall within the scope of the *International Building Code*® (IBC®), not the IRC. The benefits of devoting a separate code to residential construction include the fact that the user need not navigate through a multitude of code provisions that do not apply to residential construction in order to locate that which is applicable. A separate code also allows for residential and nonresidential code provisions to be distinct and tailored to the structures that fall within the appropriate code's scopes.

The IRC contains coverage for all components of a house or townhouse, including structural components, fireplaces and chimneys, thermal insulation, mechanical systems, fuel gas systems, plumbing systems and electrical systems.

The IRC is a prescriptive-oriented (specification) code with some examples of performance code language. It has been said that the IRC is the complete cookbook for residential construction. Section R301.1, for example, is written in performance language, but states that the prescriptive requirements of the code will achieve such performance.

It is important to understand that the IRC contains coverage for what is conventional and common in residential construction practice. While the IRC will provide all of the needed coverage for most residential construction, it might not address construction practices and systems that are atypical or rarely encountered in the industry. Sections such as R301.1.3, R301.2.1, R301.2.2, R320.1, R322.1, M1301.1, G2401.1 and P2601.1 refer to other codes either as an alternative to the provisions of the IRC or where the IRC lacks coverage for a particular type of structure, design, system, appliance or method of construction. In other words, the IRC is meant to be all inclusive for typical residential construction and it relies on other codes only where alternatives are desired or where the code lacks coverage for the uncommon aspect of residential construction. Of course, the IRC constantly evolves to address new technologies and construction practices that were once uncommon, but now common.

The IRC is unique in that much of it, including Chapters 3 through 9 and Chapters 34 through 43, is presented in an ordered format that is consistent with the normal progression of construction, starting with the design phase and continuing through the final trim-out phase. This is consistent with the “cookbook” philosophy of the IRC.

The IRC is divided into eight main parts, specifically, Part I—Administration, Part II—Definitions, Part III—Building Planning and Construction, Part IV—Energy Conservation, Part V—Mechanical, Part VI—Fuel Gas, Part VII—Plumbing and Part VIII—Electrical.

The following provides a brief description of the content of each chapter and appendix of the IRC:

Chapter 1 Scope and Administration. This chapter contains provisions for the application, enforcement and administration of subsequent requirements of the code. In addition to establishing the scope of the code, Chapter 1 identifies which buildings and structures come under its purview. Chapter 1 is largely concerned with maintaining “due process of law” in enforcing the building criteria contained in the body of the code. Only through careful observation of the administrative provisions can the building official reasonably expect to demonstrate that “equal protection under the law” has been provided.

Chapter 2 Definitions. Terms defined in the code are listed alphabetically in Chapter 2. It is important to note that two chapters have their own definitions sections: Chapter 24 for the defined terms that are unique to fuel gas and Chapter 35 containing terms that are applicable to electrical Chapters 34 through 43. In the case where Chapter 2 and another chapter both define the same term differently, the definition found in Chapter 24 and/or 35 is intended to prevail where the term is used in Chapter 24 and/or 35 and the definition contained in Chapter 2 is intended to prevail

where the term is used in all other locations in the code. Except where Chapter 24 or 35 has a definition that will prevail therein, the definitions in Chapter 2 are applicable throughout the code.

Additional definitions regarding skylights that are not listed in Chapter 2 are found in Section R308.6.1.

Where understanding a term's definition is key to or necessary for understanding a particular code provision, the term is shown in italics where it appears in the code. This is true only for those terms that have a meaning that is unique to the code. In other words, the generally understood meaning of a term or phrase might not be sufficient or consistent with the meaning prescribed by the code; therefore, it is essential that the code-defined meaning be known.

Guidance regarding not only tense, gender and plurality of defined terms, but also terms not defined in this code, is provided.

Chapter 3 Building Planning. Chapter 3 provides guidelines for a minimum level of structural integrity, life safety, fire safety and livability for inhabitants of dwelling units regulated by this code. Chapter 3 is a compilation of the code requirements specific to the building planning sector of the design and construction process. This chapter sets forth code requirements dealing with light, ventilation, sanitation, minimum room size, ceiling height and environmental comfort. Chapter 3 establishes life-safety provisions including limitations on glazing used in hazardous areas, specifications on stairways, use of guards at elevated surfaces, window and fall protection, and rules for means of egress. Snow, wind and seismic design and flood-resistant construction, as well as live and dead loads, are addressed in this chapter.

Chapter 4 Foundations. Chapter 4 provides the requirements for the design and construction of foundation systems for buildings regulated by this code. Provisions for seismic load, flood load and frost protection are contained in this chapter. A foundation system consists of two interdependent components: the foundation structure itself and the supporting soil.

The prescriptive provisions of this chapter provide requirements for constructing footings and walls for foundations of wood, masonry, concrete and precast concrete. In addition to a foundation's ability to support the required design loads, this chapter addresses several other factors that can affect foundation performance. These include controlling surface water and subsurface drainage, requiring soil tests where conditions warrant and evaluating proximity to slopes and minimum depth requirements. The chapter also provides requirements to minimize adverse effects of moisture, decay and pests in basements and crawl spaces.

Chapter 5 Floors. Chapter 5 provides the requirements for the design and construction of floor systems that will be capable of supporting minimum required design loads. This chapter covers four different types: wood floor framing, wood floors on the ground, cold-formed steel floor framing and concrete slabs on the ground. Allowable span tables are provided that greatly simplify the determination of joist, girder and sheathing sizes for raised floor systems of wood framing and cold-formed steel framing. This chapter also contains prescriptive requirements for attaching a deck to the main building.

Chapter 6 Wall Construction. Chapter 6 contains provisions that regulate the design and construction of walls. The wall construction covered in Chapter 6 consists of five different types: wood framed, cold-formed steel framed, masonry, concrete and structural insulated panel (SIP). The primary concern of this chapter is the structural integrity of wall construction and transfer of all imposed loads to the supporting structure. This chapter provides the requirements for the design and construction of wall systems that are capable of supporting the minimum design vertical loads (dead, live and snow loads) and lateral loads (wind or seismic loads). This chapter contains the prescriptive requirements for wall bracing and/or shear walls to resist the imposed lateral loads due to wind and seismic.

Chapter 6 also regulates exterior windows and doors installed in walls. The chapter contains criteria for the performance of exterior windows and doors and includes provisions for window sill height, testing and labeling, vehicular access doors, wind-borne debris protection and anchorage details.

Chapter 7 Wall Covering. Chapter 7 contains provisions for the design and construction of interior and exterior wall coverings. This chapter establishes the various types of materials, materials standards and methods of application permitted for use as interior coverings, including interior plaster, gypsum board, ceramic tile, wood veneer paneling, hardboard paneling, wood shakes and wood shingles. Chapter 7 also contains requirements for the use of vapor retarders for moisture control in walls.

Exterior wall coverings provide the weather-resistant exterior envelope that protects the building's interior from the elements. Chapter 7 provides the requirements for wind resistance and water-resistive barrier for exterior wall coverings. This chapter prescribes the exterior wall coverings as well as the water-resistive barrier required beneath the exterior materials. Exterior wall coverings regulated by this section include aluminum, stone and masonry veneer, wood, hardboard, particleboard, wood structural panel siding, wood shakes and shingles, exterior plaster, steel, vinyl, fiber cement and exterior insulation finish systems.

Chapter 8 Roof-ceiling Construction. Chapter 8 regulates the design and construction of roof-ceiling systems. This chapter contains two roof-ceiling framing systems: wood framing and cold-formed steel framing. Allowable span tables are provided to simplify the selection of rafter and ceiling joist size for wood roof framing and cold-formed steel framing. Chapter 8 also provides requirements for the application of ceiling finishes, the proper ventilation of concealed spaces in roofs (e.g., enclosed attics and rafter spaces), unvented attic assemblies and attic access.

Chapter 9 Roof Assemblies. Chapter 9 regulates the design and construction of roof assemblies. A roof assembly includes the roof deck, vapor retarder, substrate or thermal barrier, insulation, vapor retarder and roof covering. This chapter provides the requirement for wind resistance of roof coverings.

The types of roof covering materials and installation regulated by Chapter 9 are: asphalt shingles, clay and concrete tile, metal roof shingles, mineral-surfaced roll roofing, slate and slate-type shingles, wood shakes and shingles, built-up roofs, metal roof panels, modified bitumen roofing, thermoset and thermoplastic single-ply roofing, sprayed polyurethane foam roofing, liquid applied coatings and photovoltaic modules/shingles. Chapter 9 also provides requirements for roof drainage, flashing, above deck thermal insulation and recovering or replacing an existing roof covering.

Chapter 10 Chimneys and Fireplaces. Chapter 10 contains requirements for the safe construction of masonry chimneys and fireplaces and establishes the standards for the use and installation of factory-built chimneys, fireplaces and masonry heaters. Chimneys and fireplaces constructed of masonry rely on prescriptive requirements for the details of their construction; the factory-built type relies on the listing and labeling method of approval. Chapter 10 provides the requirements for seismic reinforcing and anchorage of masonry fireplaces and chimneys.

Chapter 11 Energy Efficiency. The purpose of Chapter 11 is to provide minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. The provisions of Chapter 11 are duplicated from the *International Energy Conservation Code—Residential Provisions*, as applicable for buildings which fall under the scope of the IRC.

For ease of use and coordination of provisions, the corresponding IECC—Residential Provisions section number is indicated following the IRC section number [e.g. N1102.1 (R402.1)].

Chapter 12 Mechanical Administration. Chapter 12 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. A mechanical code, like any other code, is intended to be adopted as a legally enforceable document and it cannot be effective without adequate provisions for its administration and enforcement. The provisions of Chapter 12 establish the authority and duties of the code official appointed by the jurisdiction having authority and also establish the rights and privileges of the design professional, contractor and property owner. It also relates this chapter to the administrative provisions in Chapter 1.

Chapter 13 General Mechanical System Requirements. Chapter 13 contains broadly applicable requirements related to appliance listing and labeling, appliance location and installation, appliance and systems access, protection of structural elements and clearances to combustibles, among others.

Chapter 14 Heating and Cooling Equipment. Chapter 14 is a collection of requirements for various heating and cooling appliances, dedicated to single topics by section. The common theme is that all of these types of appliances use energy in one form or another, and the improper installation of such appliances would present a hazard to the occupants of the dwellings, due to either the potential for fire or the accidental release of refrigerants. Both situations are undesirable in dwellings that are covered by this code.

Chapter 15 Exhaust Systems. Chapter 15 is a compilation of code requirements related to residential exhaust systems, including kitchens and bathrooms, clothes dryers and range hoods. The code regulates the materials used for constructing and installing such duct systems. Air brought into the building for ventilation, combustion or makeup purposes is protected from contamination by the provisions found in this chapter.

Chapter 16 Duct Systems. Chapter 16 provides requirements for the installation of ducts for supply, return and exhaust air systems. This chapter contains no information on the design of these systems from the standpoint of air movement, but is concerned with the structural integrity of the systems and the overall impact of the systems on the fire-safety performance of the building. This chapter regulates the materials and methods of construction which affect the performance of the entire air distribution system.

Chapter 17 Combustion Air. Complete combustion of solid and liquid fuel is essential for the proper operation of appliances, control of harmful emissions and achieving maximum fuel efficiency. If insufficient quantities of oxygen are supplied, the combustion process will be incomplete, creating dangerous byproducts and wasting energy in the form of unburned fuel (hydrocarbons). The byproducts of incomplete combustion are poisonous, corrosive and combustible, and can cause serious appliance or equipment malfunctions that pose fire or explosion hazards.

The combustion air provisions in this code from previous editions have been deleted from Chapter 17 in favor of a single section that directs the user to NFPA 31 for oil-fired appliance combustion air requirements and the manufacturer's installation instructions for solid fuel-burning appliances. If fuel gas appliances are used, the provisions of Chapter 24 must be followed.

Chapter 18 Chimneys and Vents. Chapter 18 regulates the design, construction, installation, maintenance, repair and approval of chimneys, vents and their connections to fuel-burning appliances. A properly designed chimney or vent system is needed to conduct the flue gases produced by a fuel-burning appliance to the outdoors. The provisions of this chapter are intended to minimize the hazards associated with high temperatures and potentially toxic and corrosive combustion gases. This chapter addresses factory-built and masonry chimneys, vents and venting systems used to vent oil-fired and solid fuel-burning appliances.

Chapter 19 Special Fuel-burning Equipment. Chapter 19 regulates the installation of fuel-burning appliances that are not covered in other chapters, such as ranges and ovens, sauna heaters, fuel cell power plants and hydrogen systems. Because the subjects in this chapter do not contain the volume of text necessary to warrant individual chapters, they have been combined into a single chapter. The only commonality is that the subjects use energy to perform some task or function. The intent is to provide a reasonable level of protection for the occupants of the dwelling.

Chapter 20 Boilers and Water Heaters. Chapter 20 regulates the installation of boilers and water heaters. Its purpose is to protect the occupants of the dwelling from the potential hazards associated with such appliances. A water heater is any appliance that heats potable water and supplies it to the plumbing hot water distribution system. A boiler either heats water or generates steam for space heating and is generally a closed system.

Chapter 21 Hydronic Piping. Hydronic piping includes piping, fittings and valves used in building space conditioning systems. Applications include hot water, chilled water, steam, steam condensate, brines and water/antifreeze mixtures. Chapter 21 regulates installation, alteration and repair of all hydronic piping systems to insure the reliability, serviceability, energy efficiency and safety of such systems.

Chapter 22 Special Piping and Storage Systems. Chapter 22 regulates the design and installation of fuel oil storage and piping systems. The regulations include reference to construction standards for above-ground and underground storage tanks, material standards for piping systems (both above-ground and underground) and extensive requirements for the proper assembly of system piping and components. The purpose of this chapter is to prevent fires, leaks and spills involving fuel oil storage and piping systems, whether inside or outside structures and above or underground.

Chapter 23 Solar Systems. Chapter 23 contains requirements for the construction, alteration and repair of all systems and components of solar energy systems used for space heating or cooling, and domestic hot water heating or processing. The provisions of this chapter are limited to those necessary to achieve installations that are relatively hazard free.

A solar energy system can be designed to handle 100 percent of the energy load of a building, although this is rarely accomplished. Because solar energy is a low-intensity energy source and dependent on the weather, it is usually necessary to supplement a solar energy system with traditional energy sources.

As our world strives to find alternate means of producing power for the future, the requirements of this chapter will become more and more important over time.

Chapter 24 Fuel Gas. Chapter 24 regulates the design and installation of fuel gas distribution piping and systems, appliances, appliance venting systems and combustion air provisions. The definition of “Fuel gas” includes natural, liquefied petroleum and manufactured gases and mixtures of these gases.

The purpose of this chapter is to establish the minimum acceptable level of safety and to protect life and property from the potential dangers associated with the storage, distribution and use of fuel gases and the byproducts of combustion of such fuels. This code also protects the personnel who install, maintain, service and replace the systems and appliances addressed herein.

Chapter 24 is composed entirely of text extracted from the IFGC; therefore, whether using the IFGC or the IRC, the fuel gas provisions will be identical. Note that to avoid the potential for confusion and conflicting definitions, Chapter 24 has its own definition section.

Chapter 25 Plumbing Administration. The requirements of Chapter 25 do not supersede the administrative provisions of Chapter 1. Rather, the administrative guidelines of Chapter 25 pertain to plumbing installations that are best referenced and located within the plumbing chapters. This chapter addresses how to apply the plumbing provisions of this code to specific types or phases of construction. This chapter also outlines the responsibilities of the applicant, installer and inspector with regard to testing plumbing installations.

Chapter 26 General Plumbing Requirements. The content of Chapter 26 is often referred to as “miscellaneous,” rather than general plumbing requirements. This is the only chapter of the plumbing chapters of the code whose requirements do not interrelate. If a requirement cannot be located in another plumbing chapter, it should be located in this chapter. Chapter 26 contains safety requirements for the installation of plumbing systems and includes requirements for the identification of pipe, pipe fittings, traps, fixtures, materials and devices used in plumbing systems. If specific provisions do not demand that a requirement be located in another chapter, the requirement is located in this chapter.

Chapter 27 Plumbing Fixtures. Chapter 27 requires fixtures to be of the proper type, approved for the purpose intended and installed properly to promote usability and safe, sanitary conditions. This chapter regulates the quality of fixtures and faucets by requiring those items to comply with nationally recognized standards. Because fixtures must be properly installed so that they are usable by the occupants of the building, this chapter contains the requirements for the installation of fixtures.

Chapter 28 Water Heaters. Chapter 28 regulates the design, approval and installation of water heaters and related safety devices. The intent is to minimize the hazards associated with the installation and operation of water heaters. Although this chapter does not regulate the size of a water heater, it does regulate all other aspects of the water heater installation such as temperature and pressure relief valves, safety drip pans and connections. Where a water heater also supplies water for space heating, this chapter regulates the maximum water temperature supplied to the water distribution system.

Chapter 29 Water Supply and Distribution. This chapter regulates the supply of potable water from both public and individual sources to every fixture and outlet so that it remains potable and uncontaminated by cross connections. Chapter 29 also regulates the design of the water distribution system, which will allow fixtures to function properly. Because it is critical that the potable water supply system remain free of actual or potential sanitary hazards, this chapter has the requirements for providing backflow protection devices.

Chapter 30 Sanitary Drainage. The purpose of Chapter 30 is to regulate the materials, design and installation of sanitary drainage piping systems as well as the connections made to the system. The intent is to design and install sanitary drainage systems that will function reliably, are neither undersized nor oversized and are constructed from materials, fittings and connections whose quality is regulated by this section. This chapter addresses the proper use of fittings for directing the flow into and within the sanitary drain piping system. Materials and provisions necessary for servicing the drainage system are also included in this chapter.

Chapter 31 Vents. Venting protects the trap seal of each trap. The vents are designed to limit differential pressures at each trap to 1 inch of water column (249 Pa). Because waste flow in the drainage system creates pressure fluctuations that can negatively affect traps, the sanitary drainage system must have a properly designed venting system. Chapter 31 covers the requirements for vents and venting. All of the provisions set forth in this chapter are intended to limit the pressure differentials in the drainage system to a maximum of 1 inch of water column (249 Pa) above or below atmospheric pressure (i.e., positive or negative pressures).

Chapter 32 Traps. Traps prevent sewer gas from escaping from the drainage piping into the building. Water seal traps are the simplest and most reliable means of preventing sewer gas from entering the interior environment. This chapter lists prohibited trap types as well as specifies the minimum trap size for each type of fixture.

Chapter 33 Storm Drainage. Rainwater infiltration into the ground adjacent to a building can cause the interior of foundation walls to become wet. The installation of a subsoil drainage system prevents the build-up of rainwater on the exterior of the foundation walls. This chapter provides the specifications for subsoil drain piping. Where the discharge of the subsoil drain system is to a sump, this chapter also provides coverage for sump construction, pumps and discharge piping.

Chapter 34 General Requirements. This chapter contains broadly applicable, general and miscellaneous requirements including scope, listing and labeling, equipment locations and clearances for conductor materials and connections and conductor identification.

Chapter 35 Electrical Definitions. Chapter 35 is the repository of the definitions of terms used in the body of Part VIII of the code. To avoid the potential for confusion and conflicting definitions, Part VIII, Electrical, has its own definition chapter.

Codes are technical documents and every word, term and punctuation mark can impact the meaning of the code text and the intended results. The code often uses terms that have a unique meaning in the code, which can differ substantially from the ordinarily understood meaning of the term as used outside of the code.

The terms defined in Chapter 35 are deemed to be of prime importance in establishing the meaning and intent of the electrical code text that uses the terms. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

Chapter 36 Services. This chapter covers the design, sizing and installation of the building's electrical service equipment and grounding electrode system. It includes an easy-to-use load calculation method and service conductor sizing table. The electrical service is generally the first part of the electrical system to be designed and installed.

Chapter 37 Branch Circuit and Feeder Requirements. Chapter 37 addresses the requirements for designing the power distribution system which consists of feeders and branch circuits emanating from the service equipment. This chapter dictates the ratings of circuits and the allowable loads, the number and types of branch circuits required, the wire sizing for such branch circuits and feeders and the requirements for protection from overcurrent for conductors. A load calculation method specific to feeders is also included. This chapter is used to design the electrical system on the load side of the service.

Chapter 38 Wiring Methods. Chapter 38 specifies the allowable wiring methods, such as cable, conduit and raceway systems, and provides the installation requirements for the wiring methods. This chapter is primarily applicable to the "rough-in" phase of construction.

Chapter 39 Power and Lighting Distribution. This chapter mostly contains installation requirements for the wiring that serves the lighting outlets, receptacle outlets, appliances and switches located throughout the building. The required distribution and spacing of receptacle outlets and lighting outlets is prescribed in this chapter, as well as the requirements for ground-fault and arc-fault circuit interrupter protection.

Chapter 40 Devices and Luminaires. This chapter focuses on the devices, including switches and receptacles, and lighting fixtures that are typically installed during the final phase of construction.

Chapter 41 Appliance Installation. Chapter 41 addresses the installation of appliances including HVAC appliances, water heaters, fixed space-heating equipment, dishwashers, garbage disposals, range hoods and suspended paddle fans.

Chapter 42 Swimming Pools. This chapter covers the electrical installation requirements for swimming pools, storable swimming pools, wading pools, decorative pools, fountains, hot tubs, spas and hydromassage bathtubs. The allowable wiring methods are specified along with the required clearances between electrical system components and pools, spas and tubs. This chapter includes the special grounding requirements related to pools, spas and tubs, and also prescribes the equipotential bonding requirements that are unique to pools, spas and tubs.

Chapter 43 Class 2 Remote-control, Signaling and Power-limited Circuits. This chapter covers the power supplies, wiring methods and installation requirements for the Class 2 circuits found in dwellings. Such circuits include thermostat wiring, alarm systems, security systems, automated control systems and doorbell systems.

Chapter 44 Referenced Standards. The code contains numerous references to standards that are used to regulate materials and methods of construction. Chapter 44 contains a comprehensive list of all standards that are referenced in the code. The standards are part of the code to the extent of the reference to the standard. Compliance with the referenced standard is necessary for compliance with this code. By providing specifically adopted standards, the construction and installation requirements necessary for compliance with the code can be readily determined. The basis for code compliance is, therefore, established and available on an equal basis to the code official, contractor, designer and owner.

Chapter 44 is organized in a manner that makes it easy to locate specific standards. It lists all of the referenced standards, alphabetically, by acronym of the promulgating agency of the standard. Each agency's standards are then listed in either alphabetical or numeric order based upon the standard identification. The list also contains the title of the standard; the edition (date) of the standard referenced; any addenda included as part of the ICC adoption; and the section or sections of this code that reference the standard.

Appendix A Sizing and Capacities of Gas Piping. This appendix is informative and not part of the code. It provides design guidance, useful facts and data and multiple examples of how to apply the sizing tables and sizing methodologies of Chapter 24.

Appendix B Sizing of Venting Systems Serving Appliances Equipped with Draft Hoods, Category I Appliances and Appliances Listed for Use with Type B Vents. This appendix is informative and not part of the code. It contains multiple examples of how to apply the vent and chimney tables and methodologies of Chapter 24.

Appendix C Exit Terminals of Mechanical Draft and Direct-vent Venting Systems. This appendix is informative and not part of the code. It consists of a figure and notes that visually depict code requirements from Chapter 24 for vent terminals with respect to the openings found in building exterior walls.

Appendix D Recommended Procedure for Safety Inspection of an Existing Appliance Installation. This appendix is informative and not part of the code. It provides recommended procedures for testing and inspecting an appliance installation to determine if the installation is operating safely and if the appliance is in a safe condition.

Appendix E Manufactured Housing Used as Dwellings. The criteria for the construction of manufactured homes are governed by the National Manufactured Housing Construction and Safety Act. While this act may seem to cover the bulk of the construction of manufactured housing, it does not cover those areas related to the placement of the housing on the property. The provisions of Appendix E are not applicable to the design and construction of manufactured homes. Appendix E provides a complete set of regulations in conjunction with federal law for the installation of manufactured housing. This appendix also contains provisions for existing manufactured home installations.

Appendix F Radon Control Methods. Radon comes from the natural (radioactive) decay of the element radium in soil, rock and water and finds its way into the air. Appendix F contains requirements to mitigate the transfer of radon gases from the soil into the dwelling. The provisions of this appendix regulate the design and construction of radon-resistant measures intended to reduce the entry of radon gases into the living space of residential buildings.

Appendix G Swimming Pool, Spas and Hot Tubs. Appendix G provides the regulations for swimming pools, hot tubs and spas installed in or on the lot of a one- or two-family dwelling. This appendix contains provisions for an effective barrier surrounding the water area and entrapment protection for suction outlets to reduce the potential for drowning of young children.

Appendix H Patio Covers. Appendix H sets forth the regulations and limitations for patio covers. The provisions address those uses permitted in patio cover structures, the minimum design loads to be assigned for structural purposes, and the effect of the patio cover on egress and emergency escape or rescue from sleeping rooms. This appendix also contains the special provisions for aluminum screen enclosures in hurricane-prone regions.

Appendix I Private Sewage Disposal. Appendix I simply provides the opportunity to utilize the International Private Sewage Disposal Code for the design and installation of private sewage disposal in one- and two-family dwellings.

Appendix J Existing Buildings and Structures. Appendix J contains the provisions for the repair, renovation, alteration and reconstruction of existing buildings and structures that are within the scope of this code. To accomplish this objective and to make the rehabilitation process more available, this appendix allows for a controlled departure from full code compliance without compromising minimum life safety, fire safety, structural and environmental features of the rehabilitated existing building or structure.

Appendix K Sound Transmission. Appendix K regulates the sound transmission of wall and floor-ceiling assemblies separating dwelling units and townhouse units. Air-borne sound insulation is required for walls. Air-borne sound insulation and impact sound insulation are required for floor-

ceiling assemblies. The provisions in Appendix K set forth a minimum Sound Transmission Class (STC) rating for common walls and floor-ceiling assemblies between dwelling units. In addition, a minimum Impact Insulation Class (IIC) rating is also established to limit structure-borne sound through common floor-ceiling assemblies separating dwelling units.

Appendix L Permit Fees. Appendix L provides guidance to jurisdictions for setting appropriate permit fees. This appendix will aid many jurisdictions to assess permit fees that will assist to fairly and properly administer the code. This appendix can be used for informational purposes only or may be adopted when specifically referenced in the adopting ordinance.

Appendix M Home Day Care–R-3 Occupancy. Appendix M provides means of egress and smoke detection requirements for a Group R-3 Occupancy that is to be used as a home day care for more than five children who receive custodial care for less than 24 hours. This appendix is strictly for guidance and/or adoption by those jurisdictions that have Licensed Home Care Provider laws and statutes that allow more than five children to be cared for in a person's home. When a jurisdiction adopts this appendix, the provisions for day care and child care facilities in the IBC should be considered also.

Appendix N Venting Methods. Because venting of sanitary drainage systems is perhaps the most difficult concept to understand, and Chapter 31 uses only words to describe venting requirements, illustrations can offer greater insight into what the words mean. Appendix N has a number of illustrations for commonly installed sanitary drainage systems in order for the reader to gain a better understanding of this code's venting requirements.

Appendix O Automatic Vehicular Gates. Appendix O provides the requirements for the design and construction of automatic vehicular gates. The provisions are for where automatic gates are installed for use at a vehicular entrance or exit on the lot of a one- or two-family dwelling. The requirements provide protection for individuals from potential entrapment between an automatic gate and a stationary object or surface.

Appendix P Sizing of Water Piping System. Appendix P provides two recognized methods for sizing the water service and water distribution piping for a building. The method under Section AP103 provides friction loss diagrams that require the user to “plot” points and read values from the diagrams in order to perform the required calculations and necessary checks. This method is the most accurate of the two presented in this appendix. The method under Section AP201 is known to be conservative; however, very few calculations are necessary in order to determine a pipe size that satisfies the flow requirements of any application.

Appendix Q ICC International Residential Code Electrical Provisions/National Electrical Code Cross Reference. This cross reference allows the code user to trace the code sections in Chapters 34 through 43 back to their source: the *National Electrical Code*. See the introduction to Chapter 34 for more information on the relationship between Part VIII of this code and the NEC, NFPA 70.

LEGISLATION

The *International Codes* are designed and promulgated to be adopted by reference by legislative action. Jurisdictions wishing to adopt the 2012 *International Residential Code* as an enforceable regulation governing one- and two-family dwellings and townhouses should ensure that certain factual information is included in the adopting legislation at the time adoption is being considered by the appropriate governmental body. The following sample adoption legislation addresses several key elements, including the information required for insertion into the code text.

SAMPLE LEGISLATION FOR ADOPTION OF THE *INTERNATIONAL RESIDENTIAL CODE* ORDINANCE NO. _____

A[N] [ORDINANCE/STATUTE/REGULATION] of the [JURISDICTION] adopting the 2012 edition of the *International Residential Code*, regulating and governing the construction, alteration, movement, enlargement, replacement, repair, equipment, location, removal and demolition of detached one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories in height with separate means of egress in the [JURISDICTION]; providing for the issuance of permits and collection of fees therefor; repealing [ORDINANCE/STATUTE/REGULATION] No. _____ of the [JURISDICTION] and all other ordinances or parts of laws in conflict therewith.

The [GOVERNING BODY] of the [JURISDICTION] does ordain as follows:

Section 1. That a certain document, three (3) copies of which are on file in the office of the [TITLE OF JURISDICTION'S KEEPER OF RECORDS] of [NAME OF JURISDICTION], being marked and designated as the *International Residential Code*, 2012 edition, including Appendix Chapters [FILL IN THE APPENDIX CHAPTERS BEING ADOPTED] (see *International Residential Code* Section R102.5, 2012 edition), as published by the International Code Council, be and is hereby adopted as the Residential Code of the [JURISDICTION], in the State of [STATE NAME] for regulating and governing the construction, alteration, movement, enlargement, replacement, repair, equipment, location, removal and demolition of detached one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories in height with separate means of egress as herein provided; providing for the issuance of permits and collection of fees therefor; and each and all of the regulations, provisions, penalties, conditions and terms of said Residential Code on file in the office of the [JURISDICTION] are hereby referred to, adopted, and made a part hereof, as if fully set out in this ordinance, with the additions, insertions, deletions and changes, if any, prescribed in Section 2 of this ordinance.

Section 2. The following sections are hereby revised:

Section R101.1. Insert: [NAME OF JURISDICTION]

Table R301.2 (1) Insert: [APPROPRIATE DESIGN CRITERIA]

Section P2603.6.1 Insert: [NUMBER OF INCHES IN TWO LOCATIONS]

Section 3. That [ORDINANCE/STATUTE/REGULATION] No. _____ of [JURISDICTION] entitled [FILL IN HERE THE COMPLETE TITLE OF THE LEGISLATION OR LAWS IN EFFECT AT THE PRESENT TIME SO THAT THEY WILL BE REPEALED BY DEFINITE MENTION] and all other ordinances or parts of laws in conflict herewith are hereby repealed.

Section 4. That if any section, subsection, sentence, clause or phrase of this legislation is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this ordinance. The [GOVERNING BODY] hereby declares that it would have passed this law, and each section, subsection, clause or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses and phrases be declared unconstitutional.

Section 5. That nothing in this legislation or in the Residential Code hereby adopted shall be construed to affect any suit or proceeding impending in any court, or any rights acquired, or liability incurred, or any cause or causes of action acquired or existing, under any act or ordinance hereby repealed as cited in Section 3 of this law; nor shall any just or legal right or remedy of any character be lost, impaired or affected by this legislation.

Section 6. That the [JURISDICTION'S KEEPER OF RECORDS] is hereby ordered and directed to cause this legislation to be published. (An additional provision may be required to direct the number of times the legislation is to be published and to specify that it is to be in a newspaper in general circulation. Posting may also be required.)

Section 7. That this law and the rules, regulations, provisions, requirements, orders and matters established and adopted hereby shall take effect and be in full force and effect [TIME PERIOD] from and after the date of its final passage and adoption.

TABLE OF CONTENTS

<p><i>Part I—Administrative</i> 1</p> <p>CHAPTER 1 SCOPE AND ADMINISTRATION 1</p> <p>PART 1—SCOPE AND APPLICATION 1</p> <p>Section</p> <p>R101 General 1</p> <p>R102 Applicability 1</p> <p>PART 2—ADMINISTRATION AND ENFORCEMENT 2</p> <p>R103 Department of Building Safety 2</p> <p>R104 Duties and Powers of the Building Official 2</p> <p>R105 Permits 3</p> <p>R106 Construction Documents 5</p> <p>R107 Temporary Structures and Uses 6</p> <p>R108 Fees 6</p> <p>R109 Inspections 6</p> <p>R110 Certificate of Occupancy 7</p> <p>R111 Service Utilities 7</p> <p>R112 Board of Appeals 8</p> <p>R113 Violations 8</p> <p>R114 Stop Work Order 9</p> <p><i>Part II—Definitions</i> 11</p> <p>CHAPTER 2 DEFINITIONS 11</p> <p>Section</p> <p>R201 General 11</p> <p>R202 Definitions 11</p> <p><i>Part III—Building Planning and Construction</i> 25</p> <p>CHAPTER 3 BUILDING PLANNING 25</p> <p>Section</p> <p>R301 Design Criteria 25</p> <p>R302 Fire-resistant Construction 48</p> <p>R303 Light, Ventilation and Heating 53</p> <p>R304 Minimum Room Areas 54</p> <p>R305 Ceiling Height 54</p> <p>R306 Sanitation 54</p>	<p>R307 Toilet, Bath and Shower Spaces 54</p> <p>R308 Glazing 55</p> <p>R309 Garages and Carports 58</p> <p>R310 Emergency Escape and Rescue Openings 58</p> <p>R311 Means of Egress 59</p> <p>R312 Guards and Window Fall Protection 62</p> <p>R313 Automatic Fire Sprinkler Systems 62</p> <p>R314 Smoke Alarms 63</p> <p>R315 Carbon Monoxide Alarms 63</p> <p>R316 Foam Plastic 64</p> <p>R317 Protection of Wood and Wood Based Products Against Decay 65</p> <p>R318 Protection Against Subterranean Termites 67</p> <p>R319 Site Address 68</p> <p>R320 Accessibility 68</p> <p>R321 Elevators and Platform Lifts 68</p> <p>R322 Flood-resistant Construction 68</p> <p>R323 Storm Shelters 71</p> <p>CHAPTER 4 FOUNDATIONS 73</p> <p>Section</p> <p>R401 General 73</p> <p>R402 Materials 73</p> <p>R403 Footings 74</p> <p>R404 Foundation and Retaining Walls 91</p> <p>R405 Foundation Drainage 109</p> <p>R406 Foundation Waterproofing and Dampproofing 110</p> <p>R407 Columns 111</p> <p>R408 Under-floor Space 111</p> <p>CHAPTER 5 FLOORS 113</p> <p>Section</p> <p>R501 General 113</p> <p>R502 Wood Floor Framing 113</p> <p>R503 Floor Sheathing 124</p> <p>R504 Pressure Preservatively Treated-wood Floors (On Ground) 125</p> <p>R505 Steel Floor Framing 126</p> <p>R506 Concrete Floors (On Ground) 144</p> <p>R507 Decks 146</p>
--	--

TABLE OF CONTENTS

CHAPTER 6 WALL CONSTRUCTION..... 149

Section

R601	General	149
R602	Wood Wall Framing	149
R603	Steel Wall Framing	192
R604	Wood Structural Panels	264
R605	Particleboard	264
R606	General Masonry Construction	264
R607	Unit Masonry	272
R608	Multiple-wythe Masonry	273
R609	Grouted Masonry	274
R610	Glass Unit Masonry	276
R611	Exterior Concrete Wall Construction	277
R612	Exterior Windows and Doors	347
R613	Structural Insulated Panel Wall Construction	350

CHAPTER 7 WALL COVERING 359

Section

R701	General	359
R702	Interior Covering	359
R703	Exterior Covering	363

CHAPTER 8 ROOF-CEILING CONSTRUCTION 377

Section

R801	General	377
R802	Wood Roof Framing	377
R803	Roof Sheathing	403
R804	Steel Roof Framing	403
R805	Ceiling Finishes	436
R806	Roof Ventilation	436
R807	Attic Access	437

CHAPTER 9 ROOF ASSEMBLIES..... 439

Section

R901	General	439
R902	Roof Classification	439
R903	Weather Protection	439
R904	Materials	439
R905	Requirements for Roof Coverings	440
R906	Roof Insulation	450
R907	Reroofing	450

CHAPTER 10 CHIMNEYS AND FIREPLACES... 453

Section

R1001	Masonry Fireplaces	453
R1002	Masonry Heaters	456
R1003	Masonry Chimneys	457
R1004	Factory-built Fireplaces	461
R1005	Factory-built Chimneys	462
R1006	Exterior Air Supply	462

Part IV—Energy Conservation..... 463

CHAPTER 11 ENERGY EFFICIENCY 463

Section

N1101	General	463
N1102	Building Thermal Envelope	482
N1103	Systems	485
N1104	Electrical Power and Lighting Systems (Mandatory)	487
N1105	Simulated Performance Alternative (Performance)	487

Part V—Mechanical 493

CHAPTER 12 MECHANICAL ADMINISTRATION 493

Section

M1201	General	493
M1202	Existing Mechanical Systems	493

CHAPTER 13 GENERAL MECHANICAL SYSTEM REQUIREMENTS 495

Section

M1301	General	495
M1302	Approval	495
M1303	Labeling of Appliances	495
M1304	Type of Fuel	495
M1305	Appliance Access	495
M1306	Clearances from Combustible Construction	496
M1307	Appliance Installation	497
M1308	Mechanical Systems Installation	500

CHAPTER 14 HEATING AND COOLING EQUIPMENT AND APPLIANCES 501

Section

M1401 General 501

M1402 Central Furnaces 501

M1403 Heat Pump Equipment 501

M1404 Refrigeration Cooling Equipment 501

M1405 Baseboard Convectors 501

M1406 Radiant Heating Systems 501

M1407 Duct Heaters 502

M1408 Vented Floor Furnaces 502

M1409 Vented Wall Furnaces 502

M1410 Vented Room Heaters 503

M1411 Heating and Cooling Equipment 503

M1412 Absorption Cooling Equipment 504

M1413 Evaporative Cooling Equipment 504

M1414 Fireplace Stoves 504

M1415 Masonry Heaters 505

CHAPTER 15 EXHAUST SYSTEMS 507

Section

M1501 General 507

M1502 Clothes Dryer Exhaust 507

M1503 Range Hoods 508

M1504 Installation of Microwave Ovens 508

M1505 Overhead Exhaust Hoods 508

M1506 Exhaust Ducts and Exhaust Openings 508

M1507 Mechanical Ventilation 508

CHAPTER 16 DUCT SYSTEMS 511

Section

M1601 Duct Construction 511

M1602 Return Air 513

CHAPTER 17 COMBUSTION AIR 515

Section

M1701 General 515

CHAPTER 18 CHIMNEYS AND VENTS 517

Section

M1801 General 517

M1802 Vent Components 517

M1803 Chimney and Vent Connectors 518

M1804 Vents 519

M1805 Masonry and Factory-built Chimneys 519

CHAPTER 19 SPECIAL APPLIANCES, EQUIPMENT AND SYSTEMS 521

Section

M1901 Ranges and Ovens 521

M1902 Sauna Heaters 521

M1903 Stationary Fuel Cell Power Plants 521

M1904 Gaseous Hydrogen Systems 521

CHAPTER 20 BOILERS AND WATER HEATERS 523

Section

M2001 Boilers 523

M2002 Operating and Safety Controls 523

M2003 Expansion Tanks 523

M2004 Water Heaters Used for Space Heating 524

M2005 Water Heaters 524

M2006 Pool Heaters 524

CHAPTER 21 HYDRONIC PIPING 525

Section

M2101 Hydronic Piping Systems Installation 525

M2102 Baseboard Convectors 525

M2103 Floor Heating Systems 525

M2104 Low Temperature Piping 527

M2105 Ground Source Heat Pump System Loop Piping 527

CHAPTER 22 SPECIAL PIPING AND STORAGE SYSTEMS 529

Section

M2201 Oil Tanks 529

M2202 Oil Piping, Fitting and Connections 529

M2203 Installation 529

M2204 Oil Pumps and Valves 530

CHAPTER 23 SOLAR ENERGY SYSTEMS 531

Section

M2301 Thermal Solar Energy Systems 531

M2302 Photovoltaic Solar Energy Systems 531

TABLE OF CONTENTS

Part VI—Fuel Gas 533

CHAPTER 24 FUEL GAS 533

Section

G2401 General 533

G2402 General 533

G2403 General Definitions 533

G2404 General 539

G2405 Structural Safety 540

G2406 Appliance Location 540

G2407 Combustion, Ventilation and Dilution Air 540

G2408 Installation 544

G2409 Clearance Reduction 545

G2410 Electrical 548

G2411 Electrical Bonding 548

G2412 General 548

G2413 Pipe Sizing 549

G2414 Piping Materials 550

G2415 Piping System Installation 573

G2416 Piping Bends and Changes in Direction 575

G2417 Inspection, Testing and Purging 575

G2418 Piping Support 578

G2419 Drips and Sloped Piping 578

G2420 Gas Shutoff Valves 578

G2421 Flow Controls 579

G2422 Appliance Connections 580

G2423 CNG Gas-dispensing Systems 581

G2424 Piping Support Intervals 581

G2425 General 581

G2426 Vents 582

G2427 Venting of Appliances 583

G2428 Sizing of Category I Appliance
Venting Systems 592

G2429 Direct-vent, Integral Vent, Mechanical Vent
and Ventilation/Exhaust Hood Venting 596

G2430 Factory-built Chimneys 596

G2431 General 596

G2432 Decorative Appliances for Installation
in Fireplaces 596

G2433 Log Lighters 596

G2434 Vented Gas Fireplaces
(Decorative Appliances) 605

G2435 Vented Gas Fireplace Heaters 605

G2436 Vented Wall Furnaces 605

G2437 Floor Furnaces 605

G2438 Clothes Dryers 606

G2439 Clothes Dryer Exhaust 606

G2440 Sauna Heaters 607

G2441 Pool and Spa Heaters 607

G2442 Forced-air Warm-air Furnaces 607

G2443 Conversion Burners 608

G2444 Unit Heaters 608

G2445 Unvented Room Heaters 608

G2446 Vented Room Heaters 609

G2447 Cooking Appliances 609

G2448 Water Heaters 609

G2449 Air Conditioning Appliances 609

G2450 Illuminating Appliances 610

G2451 Infrared Radiant Heaters 610

G2452 Boilers 610

G2453 Chimney Damper Opening Area 610

G2454 Outdoor Decorative Appliances 610

Part VII—Plumbing 613

**CHAPTER 25 PLUMBING
ADMINISTRATION 613**

Section

P2501 General 613

P2502 Existing Plumbing Systems 613

P2503 Inspection and Tests 613

**CHAPTER 26 GENERAL PLUMBING
REQUIREMENTS 615**

Section

P2601 General 615

P2602 Individual Water Supply and
Sewage Disposal 615

P2603 Structural and Piping Protection 615

P2604 Trenching and Backfilling 616

P2605 Support 616

P2606 Penetrations 616

P2607 Waterproofing of Openings 616

P2608 Workmanship 616

P2609 Materials Evaluation and Listing 617

CHAPTER 27 PLUMBING FIXTURES 619

Section

P2701 Fixtures, Faucets and Fixture Fittings 619

P2702 Fixture Accessories 619

P2703 Tail Pieces 619

P2704	Access to Connections	619	P3002	Materials.	651
P2705	Installation	619	P3003	Joints and Connections.	653
P2706	Waste Receptors	619	P3004	Determining Drainage Fixture Units	656
P2707	Directional Fittings.	621	P3005	Drainage System	656
P2708	Showers	621	P3006	Sizing of Drain Pipe Offsets	659
P2709	Shower Receptors.	621	P3007	Sumps and Ejectors	659
P2710	Shower Walls	622	P3008	Backwater Valves	660
P2711	Lavatories	622	P3009	Gray Water Recycling Systems	660
P2712	Water Closets	622			
P2713	Bathtubs	623	CHAPTER 31 VENTS	665	
P2714	Sinks	623	Section		
P2715	Laundry Tubs	623	P3101	Vent Systems	665
P2716	Food Waste Grinder	623	P3102	Vent Stacks and Stack Vents	665
P2717	Dishwashing Machines.	623	P3103	Vent Terminals.	665
P2718	Clothes Washing Machine	623	P3104	Vent Connections and Grades	665
P2719	Floor Drains	623	P3105	Fixture Vents	666
P2720	Whirlpool Bathtubs	623	P3106	Individual Vent	666
P2721	Bidet Installations.	624	P3107	Common Vent	666
P2722	Fixture Fitting	624	P3108	Wet Venting.	666
P2723	Macerating Toilet Systems.	624	P3109	Waste Stack Vent.	667
P2724	Speciality Temperature Control Devices and Valves	624	P3110	Circuit Venting.	667
			P3111	Combination Waste and Vent System	667
			P3112	Island Fixture Venting	668
			P3113	Vent Pipe Sizing.	668
			P3114	Air Admittance Valves.	668
CHAPTER 28 WATER HEATERS	625		CHAPTER 32 TRAPS	671	
Section			Section		
P2801	General	625	P3201	Fixture Traps	671
P2802	Water Heaters Used for Space Heating	625			
P2803	Relief Valves	625	CHAPTER 33 STORM DRAINAGE	673	
			Section		
CHAPTER 29 WATER SUPPLY AND DISTRIBUTION	627		P3301	General.	673
Section			P3302	Subsoil Drains	673
P2901	General	627	P3303	Sumps and Pumping Systems	673
P2902	Protection of Potable Water Supply	627			
P2903	Water-supply System	629	Part VIII—Electrical.	675	
P2904	Dwelling Unit Fire Sprinkler Systems	632			
P2905	Materials, Joints and Connections	645	CHAPTER 34 GENERAL REQUIREMENTS	675	
P2906	Changes in Direction	649	Section		
P2907	Support	649	E3401	General.	675
P2908	Drinking Water Treatment Units	649	E3402	Building Structure Protection.	676
			E3403	Inspection and Approval	676
CHAPTER 30 SANITARY DRAINAGE	651		E3404	General Equipment Requirements	676
Section					
P3001	General	651			

TABLE OF CONTENTS

E3405 Equipment Location and Clearances 677
 E3406 Electrical Conductors and Connections 678
 E3407 Conductor and Terminal Identification 680

CHAPTER 35 ELECTRICAL DEFINITIONS 683

Section

E3501 General 683

CHAPTER 36 SERVICES 687

Section

E3601 General Services 687
 E3602 Service Size and Rating 687
 E3603 Service, Feeder and Grounding
 Electrode Conductor Sizing 688
 E3604 Overhead Service and Service-entrance
 Conductor Installation 689
 E3605 Service-entrance Conductors 691
 E3606 Service Equipment—General 691
 E3607 System Grounding 692
 E3608 Grounding Electrode System 692
 E3609 Bonding 694
 E3610 Grounding Electrode Conductors 695
 E3611 Grounding Electrode Conductor
 Connection to the Grounding Electrodes 695

CHAPTER 37 BRANCH CIRCUIT AND FEEDER REQUIREMENTS 697

Section

E3701 General 697
 E3702 Branch Circuit Ratings 697
 E3703 Required Branch Circuits 698
 E3704 Feeder Requirements 699
 E3705 Conductor Sizing and Overcurrent
 Protection 700
 E3706 Panelboards 703

CHAPTER 38 WIRING METHODS 705

Section

E3801 General Requirements 705
 E3802 Above-ground Installation Requirements 705
 E3803 Underground Installation Requirements 706

CHAPTER 39 POWER AND LIGHTING DISTRIBUTION 711

Section

E3901 Receptacle Outlets 711

E3902 Ground-fault and Arc-fault
 Circuit-interrupter Protection 713
 E3903 Lighting Outlets 714
 E3904 General Installation Requirements 715
 E3905 Boxes, Conduit Bodies and Fittings 715
 E3906 Installation of Boxes, Conduit
 Bodies and Fittings 729
 E3907 Cabinets and Panelboards 731
 E3908 Grounding 732
 E3909 Flexible Cords 735

CHAPTER 40 DEVICES AND LUMINAIRES 737

Section

E4001 Switches 737
 E4002 Receptacles 738
 E4003 Fixtures 739
 E4004 Luminaire Installation 741
 E4005 Track Lighting 741

CHAPTER 41 APPLIANCE INSTALLATION 743

Section

E4101 General 743

CHAPTER 42 SWIMMING POOLS 747

Section

E4201 General 747
 E4202 Wiring Methods for Pools, Spas, Hot Tubs and
 Hydromassage Bathtubs 747
 E4203 Equipment Location and Clearances 749
 E4204 Bonding 750
 E4205 Grounding 753
 E4206 Equipment Installation 754
 E4207 Storable Swimming Pools 756
 E4208 Spas and Hot Tubs 757
 E4209 Hydromassage Bathtubs 757

CHAPTER 43 CLASS 2 REMOTE-CONTROL, SIGNALING AND POWER-LIMITED CIRCUITS 759

Section

E4301 General 759
 E4302 Power Sources 759
 E4303 Wiring Methods 759
 E4304 Installation Requirements 759

Part IX—Referenced Standards 761

CHAPTER 44 REFERENCED STANDARDS 761

APPENDIX A SIZING AND CAPACITIES OF GAS PIPING 785

APPENDIX B SIZING OF VENTING SYSTEMS SERVING APPLIANCES EQUIPPED WITH DRAFT HOODS, CATEGORY I APPLIANCES, AND APPLIANCES LISTED FOR USE WITH TYPE B VENTS 797

APPENDIX C EXIT TERMINALS OF MECHANICAL DRAFT AND DIRECT-VENT VENTING SYSTEMS 807

APPENDIX D RECOMMENDED PROCEDURE FOR SAFETY INSPECTION OF AN EXISTING APPLIANCE INSTALLATION 809

APPENDIX E MANUFACTURED HOUSING USED AS DWELLINGS 811

Section

AE101 Scope 811

AE102 Application to Existing Manufactured Homes and Building Service Equipment 811

AE201 Definitions 812

AE301 Permits 812

AE302 Application for Permit 812

AE303 Permits Issuance 813

AE304 Fees 814

AE305 Inspections 814

AE306 Special Inspections 815

AE307 Utility Service 815

AE401 Occupancy Classification 815

AE402 Location on Property 815

AE501 Design 815

AE502 Foundation Systems 816

AE503 Skirting and Perimeter Enclosures 816

AE504 Structural Additions 816

AE505 Building Service Equipment 817

AE506 Exits 817

AE507 Occupancy, Fire Safety and Energy Conservation Standards 817

AE600 Special Requirements for Foundation Systems 817

AE601 Footings and Foundations 817

AE602 Pier Construction 817

AE603 Height of Piers 817

AE604 Anchorage Installations 818

AE605 Ties, Materials and Installation 818

AE606 Referenced Standards 819

APPENDIX F RADON CONTROL METHODS 821

Section

AF101 Scope 821

AF102 Definitions 821

AF103 Requirements 821

APPENDIX G SWIMMING POOLS, SPAS AND HOT TUBS 829

Section

AG101 General 829

AG102 Definitions 829

AG103 Swimming Pools 829

AG104 Spas and Hot Tubs 829

AG105 Barrier Requirements 829

AG106 Entrapment Protection for Swimming Pool and Spa Suction Outlets 830

AG107 Abbreviations 831

AG108 Referenced Standards 831

APPENDIX H PATIO COVERS 833

Section

AH101 General 833

AH102 Definition 833

AH103 Exterior Walls and Openings 833

AH104 Height 833

AH105 Structural Provisions 833

AH106 Special Provisions for Aluminum Screen Enclosures in Hurricane-prone Regions 833

APPENDIX I PRIVATE SEWAGE DISPOSAL 835

Section

AI101 General 835

APPENDIX J EXISTING BUILDINGS AND STRUCTURES 837

Section

AJ101 Purpose and Intent 837

TABLE OF CONTENTS

AJ102 Compliance. 837
AJ103 Preliminary Meeting. 837
AJ104 Evaluation of an Existing Building 838
AJ105 Permit 838
AJ201 Definitions 838
AJ301 Repairs 838
AJ401 Renovations 839
AJ501 Alterations 839
AJ601 Reconstruction 840

APPENDIX K SOUND TRANSMISSION. 841

Section

AK101 General 841
AK102 Air-borne Sound. 841
AK103 Structural-borne Sound. 841
AK104 Referenced Standards. 841

APPENDIX L PERMIT FEES 843

**APPENDIX M HOME DAY CARE—R-3
OCCUPANCY. 845**

Section

AM101 General 845
AM102 Definition 845
AM103 Means of Egress 845
AM104 Smoke Detection 846

APPENDIX N VENTING METHODS. 847

**APPENDIX O AUTOMATIC VEHICULAR
GATES 853**

Section

AO101 General 853
AO102 Definitions 853
AO103 Automatic Vehicular Gates 853

**APPENDIX P SIZING OF WATER
PIPING SYSTEM 855**

Section

AP101 General 855
AP102 Information Required 855
AP103 Selection of Pipe Size. 855
AP201 Selection of Pipe Size. 872

**APPENDIX Q ICC INTERNATIONAL
RESIDENTIAL CODE ELECTRICAL
PROVISIONS/NATIONAL
ELECTRICAL CODE CROSS
REFERENCE 875**

INDEX. 891

Part I—Administrative

CHAPTER 1

SCOPE AND ADMINISTRATION

PART 1—SCOPE AND APPLICATION

SECTION R101 GENERAL

R101.1 Title. These provisions shall be known as the *Residential Code for One- and Two-family Dwellings* of [NAME OF JURISDICTION], and shall be cited as such and will be referred to herein as “this code.”

R101.2 Scope. The provisions of the *International Residential Code for One- and Two-family Dwellings* shall apply to the construction, *alteration*, movement, enlargement, replacement, repair, equipment, use and occupancy, location, removal and demolition of detached one- and two-family dwellings and townhouses not more than three stories above *grade plane* in height with a separate means of egress and their *accessory structures*.

Exceptions:

1. Live/work units complying with the requirements of Section 419 of the *International Building Code* shall be permitted to be built as one- and two-family *dwellings* or townhouses. Fire suppression required by Section 419.5 of the *International Building Code* when constructed under the *International Residential Code for One- and Two-family Dwellings* shall conform to Section P2904.
2. Owner-occupied lodging houses with five or fewer guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-family Dwellings* when equipped with a fire sprinkler system in accordance with Section P2904.

R101.3 Intent. The purpose of this code is to establish minimum requirements to safeguard the public safety, health and general welfare through affordability, structural strength, means of egress facilities, stability, sanitation, light and ventilation, energy conservation and safety to life and property from fire and other hazards attributed to the built environment and to provide safety to fire fighters and emergency responders during emergency operations.

SECTION R102 APPLICABILITY

R102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case, different sections of this code specify different materials, methods

of construction or other requirements, the most restrictive shall govern.

R102.2 Other laws. The provisions of this code shall not be deemed to nullify any provisions of local, state or federal law.

R102.3 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

R102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections R102.4.1 and R102.4.2.

Exception: Where enforcement of a code provision would violate the conditions of the *listing* of the *equipment* or *appliance*, the conditions of the *listing* and manufacturer’s instructions shall apply.

R102.4.1 Differences. Where differences occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

R102.4.2 Provisions in referenced codes and standards. Where the extent of the reference to a referenced code or standard includes subject matter that is within the scope of this code, the provisions of this code, as applicable, shall take precedence over the provisions in the referenced code or standard.

R102.5 Appendices. Provisions in the appendices shall not apply unless specifically referenced in the adopting ordinance.

R102.6 Partial invalidity. In the event any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

R102.7 Existing structures. The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, the *International Property Maintenance Code* or the *International Fire Code*, or as is deemed necessary by the *building official* for the general safety and welfare of the occupants and the public.

R102.7.1 Additions, alterations or repairs. *Additions, alterations* or repairs to any structure shall conform to the requirements for a new structure without requiring the existing structure to comply with all of the requirements of this code, unless otherwise stated. *Additions, alterations* or repairs shall not cause an existing structure to become unsafe or adversely affect the performance of the building.