

**ASME MFC-5.1–2011**

**(Revision and Partition of ANSI/ASME MFC-5M–1985)**

# **Measurement of Liquid Flow in Closed Conduits Using Transit-Time Ultrasonic Flowmeters**

---

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME MFC-5.1–2011**

**(Revision and Partition of ANSI/ASME MFC-5M–1985)**

# **Measurement of Liquid Flow in Closed Conduits Using Transit-Time Ultrasonic Flowmeters**

---

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**Three Park Avenue • New York, NY • 10016 USA**

Date of Issuance: June 17, 2011

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this document. Periodically certain actions of the ASME MFC Committee may be published as Cases. Cases and interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Three Park Avenue, New York, NY 10016-5990

Copyright © 2011 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	iv
Committee Roster .....	v
Correspondence With the MFC Committee .....	vi
<b>1 General</b> .....	<b>1</b>
<b>2 General Ultrasonic Flowmeter Descriptions</b> .....	<b>2</b>
<b>3 Transit-Time Flowmeter Descriptions</b> .....	<b>2</b>
<b>4 Uncertainty Sources and Uncertainty Reduction</b> .....	<b>7</b>
<b>5 Installation and Selection Guidelines</b> .....	<b>10</b>
<b>6 Calibration, Verification, and Diagnostics</b> .....	<b>11</b>
<b>Figures</b>	
3-1 Wetted Transducer Configurations .....	3
3-2 Protected Configuration With Both an External Mount and a Wetted Smooth Bore .....	5
3-3 Acoustic Path Configurations .....	6
4-1 A Typical Cross Path Ultrasonic Flowmeter Configuration .....	9
<b>Tables</b>	
1-1 Symbols .....	3
1-2 Subscripts .....	3