

IEEE Standard for Local Area Network/Wide Area Network (LAN/WAN) Node Communication Protocol to Complement the Utility Industry End Device Data Tables

Sponsored by the
IEEE Standards Coordinating Committee 31 on
Automatic Meter Reading and Energy Management

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1703™-2012

29 June 2012

IEEE Standard for Local Area Network/Wide Area Network (LAN/WAN) Node Communication Protocol to Complement the Utility Industry End Device Data Tables

Sponsor
**IEEE Standards Coordinating Committee 31 on
Automatic Meter Reading and Energy Management**

Approved 29 March 2012

IEEE-SA Standards Board

Abstract: A set of application layer messaging services are provided in this standard that are applicable for the enterprise and End Device ends of an Advanced Metering Infrastructure (AMI). The application services include those useful for managing the AMI network assets defined by this standard. These messages may be transported over a wide range of underlying network transports such as TCP/IP, UDP, IEEE 802.11, IEEE 802.15.4 IEEE 802.16, PLC, and SMS over GSM, over a wide range of physical media. Additionally, interfaces are defined for a Communication Module and a Local Port (e.g., an IEEE 1701 optical port).The described protocol is tailored for, but not limited to, the transport of IEEE 1377 Table data.Also, a means by which information can be sent in a secure manner using AES-128 and the EAX' mode is provided in this standard. This standard was developed jointly with ANSI (published as ANSI C12.22) and Measurement Canada (published as MC12.22).

Keywords: ACSE, ANSI C12.22, C12.19 Device, Communication Module, End Device, IEEE 1703

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2012 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 29 June 2012. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-7234-7 STD97221
Print: ISBN 978-0-7381-7248-4 STDPD97221

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or nondiscriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this standard was completed, the End Device/Telemetry Interface Unit Subcommittee Working Group had the following membership:

Edward Beroset, *Chair*
Richard D. Tucker, *Vice Chair*
Avygdor Moise, *Editor*

Michael Anderson
Martin Burns
Brent Cain
Lawrence Kotewa

Vuong Nguyen
James Pace
Terry Penn

Chris Schafer
Kendall Smith
Aaron Snyder
Virginia Zinkowski

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Ali Al Awazi
Chris Bagge
Hugh Barrass
Edward Beroset
Keith Chow
Ron Greenthaler
Randall Groves
David Haynes
Brad Johnson

Piotr Karocki
Lawrence Kotewa
Jim Kulchisky
William Lumpkins
Greg Luri
Faramarz Maghsoodlou
Gary Michel
Avygdor Moise
Jose Morales
Vuong Nguyen

Terry Penn
Bartien Sayogo
Gil Shultz
Aaron Snyder
Walter Struppler
Richard D. Tucker
Scott Weikel
Oren Yuen
Virginia Zinkowski

When the IEEE-SA Standards Board approved this standard on 29 March 2012, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert Grow, *Past Chair*
Judith Gorman, *Secretary*

Satish Aggarwal
Masayuki Ariyoshi
Peter Balma
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure

Alexander Gelman
Paul Houzé
Jim Hughes
Young Kyun Kim
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling

Oleg Logvinov
Ted Olsen
Gary Robinson
Jon Walter Rosdahl
Mike Seavey
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Julie Alessi
IEEE Standards Program Manager, Document Development

Soo H. Kim
IEEE Client Services Manager, Professional Services

Introduction

This introduction is not part of IEEE Std 1703-2012, IEEE Standard for Local Area Network/Wide Area Network (LAN/WAN) Node Communication Protocol to Complement the Utility Industry End Device Data Tables.

This standard is intended to accommodate the network messaging requirements of an advanced metering infrastructure such as that identified by the Office of Electricity Delivery and Energy Reliability of the U.S. Department of Energy; the Smart Metering Initiative of the Ontario Ministry of Energy (Canada) and the stated requirements of Measurement Canada for the approval of a metering device for use in Canada.

This standard describes four different but related communication modes of operation. One is the operation of an End Device (node) over any network, a feature that all IEEE 1703 compliant nodes need to implement. The second is an exposed point-to-point interface between an IEEE 1703 Device, e.g., a meter, and an IEEE 1703 Communication Module, e.g., a network adaptor. The third is the capture, translation and transmission of one-way messages (blurts). The fourth is communication with the End Device over a dedicated IEEE 1701 ANSI Type 2 optical local port.

This standard assigns roles to all Utility AMI network assets to enable the automated deployment and configuration of network nodes in a distributed AMI enterprise system. The roles provide for Relays, Master Relays, and Gateways; simple Hosts, Authentication Hosts, and Notification Hosts; and sensory End Devices. These devices work together to realize a Utility enterprise network in a manner that provides for a universal application framework that can operate any compliant appliance so that it may be deployed, accessed and communicated with seamlessly over any network infrastructure, hardware and available bandwidth. This is accomplished through the provision of well-defined network management services (e.g., trace, resolve, register, and de-register), data access service (e.g., read and write), session management (e.g., logon, logoff, terminate, and disconnect), message segmentation and assembly, message playback rejection, security and privacy.

The protocol is well suited for two-way and one-way communication using an extremely wide network address space (using ApTitles). It implements subscription and node discovery services so that any Utility enterprise (e.g., MDMS, DA, DR, or any other willing network appliance, such as a home energy monitoring system or a thermostat) can register themselves as Notification Hosts so that they can receive advisory messages and alerts about network asset changes or changes in the state of the network. Network subscription services may be managed through distributed Authentication Hosts.

Altogether, this standard was designed to be simple and small. Therefore it can meet the requirements of the smallest of AMI networks, while providing well-defined capacities that can grow and adapt to the largest of enterprise AMI networks and operations as needed. As such, this standard together with IEEE Std 1377™-2012 addresses the end-to-end distributed AMI network needs from the smallest to the largest of enterprise AMI systems.

The body of this standard was developed jointly with ANSI C12.22 and MC12.22. The joint agreement calls for the standards and regulatory organizations IEEE, ANSI and MC to maintain the body of this standard in step as they publish versions and revisions of the standard. A number of editorial errors and errors of omission were discovered after the publication of ANSI C12.22-2008, just before the acceptance of IEEE Std 1703-2012. These errors are listed in Annex K – Listing of Editorial Errors and Errors of Omission in ANSI C12.22-2008. All reported errors were identified in the body of this standard and **highlighted** to indicate that the text was in error and was corrected. In addition, errors of omission were corrected in the body of this document and similarly **highlighted**.

Contents

1	Overview	1
1.1	Introduction	1
1.2	Scope	1
1.3	Purpose	3
2	Normative references	4
3	Definitions and syntax	6
3.1	Definitions	6
3.2	Document syntax	10
3.3	Table syntax	10
4	Reference topology	11
5	C12.22 Node to C12.22 Network Segment details	13
5.1	C12.22 Node to C12.22 Network Segment reference	13
5.2	Data encoding rules	14
5.3	Layer 7—application layer	16
5.4	Layer 6—presentation layer	79
5.5	Layer 5—session layer	79
5.6	Layer 4—transport layer	79
5.7	Layer 3—network layer	79
5.8	Layer 2—data link layer	79
5.9	Layer 1—physical layer	79
6	Protocol Details: C12.22 Device to C12.22 Communication Module interface	80
6.1	Interface architecture	80
6.2	Interface diagram	80
6.3	Implementation guidelines	81
6.4	Layer 7—application layer	83
6.5	Layer 6—presentation layer	83
6.6	Layer 5—session layer	83
6.7	Layer 4—transport layer	83
6.8	Layer 3—network layer	100
6.9	Layer 2—data link layer	100
6.10	Layer 1—physical layer	108
7	Local Port communication protocol details	111
7.1	Protocol definition	111
7.2	C12.22 Local Port communication using a C12.18 Optical Port	112
8	Backward compatibility	114
9	Compliance	115
	Annex A (normative) Relays	116
	Annex B (informative) Routing examples	120
	Annex C (normative) Modifications and extensions to ANSI C12.19	122
	Annex D (normative) Universal Identifier	170
	Annex E (normative) One-way devices	172

Annex F (informative) APDU Response Timeout algorithm	174
Annex G (informative) Communication examples	176
Annex H (informative) CRC examples	189
Annex I (normative) The EAX' Cryptographic Mode	191
Annex J (informative) Connectionless-ACSE-1 equivalent reduced syntax for C12.22 Message transmission	208
Annex K (informative) Bibliography	210
Annex L (informative) Listing of editorial errors and errors of omission in ANSI C12.22-2008	211

IEEE Standard for Local Area Network/Wide Area Network (LAN/WAN) Node Communication Protocol to Complement the Utility Industry End Device Data Tables

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1 Overview

1.1 Introduction

This standard *defines* network Application Services for the exchange of Table data and control elements. These services need to be implemented by all C12.22 Nodes, including “back-office” or “Head-end” systems.

1.2 Scope

Initially, communications with electronic devices consisted of transporting memory data via proprietary protocols that were unique to each manufacturer. The desire for interoperability and support for multiple manufacturers by reading and programming systems created a need for standardization of data formats and transport protocols.

The first step was to standardize data formats. Internal data was abstracted as a set of Tables. A set of standard Table contents and formats were defined in [ANSI C12.19/MC12.19/IEEE 1377](#), “Utility Industry End Device Data Tables.”¹

¹ Information on references can be found in Clause 2.