


STP-PT-052

ALIGN MECHANICAL AND CIVIL-STRUCTURAL EARTHQUAKE DESIGN AND QUALIFICATION RULES FOR ASME B31 PIPING SYSTEMS AND PIPELINES



STP-PT-052

**ALIGN MECHANICAL AND
CIVIL-STRUCTURAL
EARTHQUAKE DESIGN AND
QUALIFICATION RULES FOR
ASME B31 PIPING SYSTEMS
AND PIPELINES**

Prepared by:

George Antaki
Becht Engineering Company



Date of Issuance: June 15, 2012

This report was prepared as an account of work sponsored by ASME Pressure Technologies Codes and Standards and the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, ASME ST-LLC, the author, nor others involved in the preparation or review of this report, nor any of their respective employees, members or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof. The views and opinions of the authors, contributors and reviewers of the report expressed herein do not necessarily reflect those of ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof.

ASME ST-LLC does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a publication against liability for infringement of any applicable Letters Patent, nor assumes any such liability. Users of a publication are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of the American Society of Mechanical Engineers.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

ASME Standards Technology, LLC
Three Park Avenue, New York, NY 10016-5990
ISBN No. 978-0-7918-3428-2

Copyright © 2012 by
ASME Standards Technology, LLC
All Rights Reserved

TABLE OF CONTENTS

Foreword	v
Abstract	vi
1 Recommendations for Seismic Design and Qualification	1
1.1 Objective	1
1.2 Overview: Piping Systems Seismic Design and Qualification Standards	1
1.3 How the Interface Should Work.....	2
1.4 Recommendations for MSS-SP-127-2001	3
1.5 Recommendations for ASCE-7-05	5
1.6 Recommendations Regarding ASCE-7 Factor a_p	6
1.7 Recommendations Regarding ASCE-7 Factor R_p	6
1.8 Recommendation for ASME B31 and ASME III.....	7
2 Earthquake and Seismic Test Performance of Piping Systems Experimental Methods	8
2.1 Chronological Bibliography	8
2.2 Conclusions from Seismic Tests	21
2.3 Conclusions from Post-Earthquake Investigations.....	21
3 Seismic Testing of Piping Systems.....	25
3.1 Codes and Standards	25
3.2 Test Plan.....	25
3.3 U.S. Test Facilities	26
Annex A - Stress Analysis Outline.....	27
Acknowledgments	30

LIST OF TABLES

Table 1 - ASCE 43 F_{μ} Inelastic Energy Absorption Factor.....	7
Table 2 - Seismic Shake Tables in the U.S.	26

LIST OF FIGURES

Figure 1 - How the Seismic Analysis and Qualification Process Should Work.....	2
Figure 2 - Classic Example of Ductility of Non-Corroded, Well-Constructed, Welded Steel Pipe.....	6
Figure 3 - E.M. Beaney Test, 1985	11
Figure 4 - E.M. Beaney Test, 1991	11
Figure 5 - K. Yahiaoui, et al. Test, 1992	12
Figure 6 - EPRI, 1994, Component Tests.....	12
Figure 7 - EPRI, System 1 Test.....	13
Figure 8 - EPRI Test Elbow Failure	14
Figure 9 - EPRI Test Vessel-Pipe Nozzle Weld Failure	14

Figure 10 - EPRI Test Fatigue Ratcheting	15
Figure 11 - EPRI, System 2 Test	16
Figure 12 - EPRI System Test 2 Tee Failure	17
Figure 13 - ETEC System Test	17
Figure 14 - Westinghouse Hanford Test	18
Figure 15 - Heissdampfreactor (Germany) Test	18
Figure 16 - Tadotsu 1/2.5 Modified Loop Scale Test	19
Figure 17 - EPRI Prototype Test	19
Figure 18 - KWU/TUV System Test	20
Figure 19 - KWU Loop Test	20
Figure 20 - Seismic Anchor Motion Failure	22
Figure 21 - Failure of Ceiling-Attached Pipe Supports	22
Figure 22 - Failure of Pipe Supports Due to Insufficient Edge Distance	23
Figure 23 - Failure of Overhead Pipe Sliding Guide	23
Figure 24 - Failure of Welded Attachment to Backup Structure	23
Figure 25 - Ground Liquefaction Causes the Saddle Supports to Sag Down, Pipe Did Not Fail	24
Figure 26 - Failure of Mechanical Pipe Coupling	24
Figure 27 - Instance of Inertial-Induced Failure of Threaded Elbow	24

FOREWORD

This report provides recommendations for an improved interface between current seismic design, analysis and qualification codes and standards, as well as recommendations for improvements of these codes and standards, to achieve a consistent, complete, and non-redundant set of requirements and guidance for the design engineers.

Established in 1880, the American Society of Mechanical Engineers (ASME) is a professional not-for-profit organization with more than 127,000 members promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety, and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit www.asme.org for more information.

The ASME Standards Technology, LLC (ASME ST-LLC) is a not-for-profit Limited Liability Company, with ASME as the sole member, formed in 2004 to carry out work related to newly commercialized technology. The ASME ST-LLC mission includes meeting the needs of industry and government by providing new standards-related products and services, which advance the application of emerging and newly commercialized science and technology and providing the research and technology development needed to establish and maintain the technical relevance of codes and standards. Visit www.stllc.asme.org for more information.

ABSTRACT

The objective of this report is three-fold:

1. Conduct and document a literature search to obtain data on the performance (displacements, support and anchor loads, and failure) of piping subjected to earthquake motions. The document will present in a clear and structured format information concerning seismic performance of piping systems from experimental data and from high magnitude earthquake data on piping performance collected from post-earthquake investigation reports.
2. Provide recommendations for an improved interface between current seismic design, analysis and qualification codes and standards, as well as recommendations for improvements of these codes and standards, to achieve a consistent, complete, and non-redundant set of requirements and guidance for the design engineers.
3. Summarize U.S. seismic shake table test capabilities for piping components and piping systems.

The current situation regarding codes and standards for the seismic analysis and qualification of piping systems needs improvements. In Section 1 of this report, specific recommendations are made for improvement of the interface between ASCE, ASME, and MSS-SP and improvements within ASCE-7 and MSS-SP-127. These recommendations are intended to achieve a better fit between the codes and standards, and clarify their requirements.

A diagram depicts how the interface between ASCE, ASME, and MSS-Sp should work. Annex A outlines the contents of a good piping system seismic analysis and qualification procedure.

Section 2 documents experience in seismic testing of piping components and piping, and their performance in real earthquakes.

Section 3 summarizes capabilities for seismic shake table testing in the U.S.