


CRITERIA DOCUMENT FOR SHELL-AND-TUBE HEAT EXCHANGERS ACCORDING TO PART UHX OF ASME SECTION VIII DIVISION 1



STP-PT-053

**CRITERIA DOCUMENT FOR
SHELL-AND-TUBE HEAT
EXCHANGERS ACCORDING
TO PART UHX OF ASME
SECTION VIII DIVISION 1**

Prepared by:

Francis Osweiler
OSWECONSULT



Date of Issuance: March 22, 2013

This report was prepared as an account of work sponsored by ASME Pressure Technologies Codes and Standards and the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, ASME ST-LLC, the author, nor others involved in the preparation or review of this report, nor any of their respective employees, members or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof. The views and opinions of the authors, contributors and reviewers of the report expressed herein do not necessarily reflect those of ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof.

ASME ST-LLC does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a publication against liability for infringement of any applicable Letters Patent, nor assumes any such liability. Users of a publication are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of the American Society of Mechanical Engineers.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

ASME Standards Technology, LLC
Two Park Avenue, New York, NY 10016-5990

ISBN No. 978-0-7918-6876-8

Copyright © 2013 by
ASME Standards Technology, LLC
All Rights Reserved

TABLE OF CONTENTS

Foreword	xi
Abstract	xii
PART 1 INTRODUCTION.....	1
1 SCOPE.....	2
2 HISTORICAL BACKGROUND.....	3
3 TYPES OF HEAT EXCHANGERS COVERED.....	5
4 TYPES OF TS CONFIGURATIONS	7
5 LOADING CASES.....	9
6 STRUCTURE OF PART UHX	10
7 STRUCTURE OF THE DOCUMENT.....	11
8 NOTATIONS.....	12
References—Part 1	13
PART 2 TUBESHEET CHARACTERISTICS.....	14
1 SCOPE (UHX-11.1)	15
2 NOTATIONS.....	16
3 DESIGN ASSUMPTIONS (UHX-11.2)	17
4 LIGAMENT EFFICIENCIES (UHX-11.5.1).....	18
4.1 Introduction	18
4.2 Historical Background.....	19
4.3 LE in Part UHX (UHX-11.5.1)	20
5 EFFECTIVE ELASTIC CONSTANTS (UHX-11.5.2).....	25
5.1 Introduction	25
5.2 Historical Background.....	25
5.3 The Square Pattern Problem.....	26
5.4 Synthesis of Results.....	27
5.5 Determination of EEC for the Full Range of μ^* ($0.1 \leq \mu^* \leq 1.0$)	28
5.6 Determination of EECS for UHX Rules (UHX-11.5.2).....	28
5.7 Conclusion.....	29
References—Part 2.....	33
PART 3 ANALYTICAL TREATMENT OF FIXED TUBESHEET HEAT EXCHANGERS	34
1 SCOPE (UHX-13.1)	35
2 HISTORICAL BACKGROUND.....	36
3 GENERAL.....	37
3.1 TS Configurations (UHX-13.1).....	37
3.2 Notations (UHX-13.3).....	38

3.3	Loading Cases (UHX-13.4)	42
3.4	Design Assumptions (UHX-13.2)	43
3.5	Basis of Analytical Treatment	44
3.5.1	General	44
3.5.2	Free Body Diagram	46
4	AXIAL DISPLACEMENTS AND FORCES ACTING ON THE TUBES AND ON THE SHELL	47
4.1	Axial Displacement and Force Acting on the Tubes (Figure 18)	47
4.2	Axial Displacement and Force Acting on the Shell	48
5	DEFLECTION AND LOADS ACTING ON THE TUBESHEET	51
5.1	Equivalent Plate Resting on an Elastic Foundation	51
5.2	Determination of Integration Constants A and B	55
5.3	Deflection	56
5.4	Net Effective Pressure	57
5.5	Rotation	57
5.6	Shear Force	57
5.7	Bending Moment	59
5.8	Conclusion	59
6	TREATMENT OF THE UNPERFORATED RIM	60
6.1	Edge Loads Applied on Shell and Channel at their Connection to the TS	60
6.2	Equilibrium of the Unperforated Rim	62
6.3	Edge Loads V_a and M_a Applied to the Tubesheet	65
7	EQUIVALENT PRESSURE ACTING ON TUBESHEET	69
7.1	Definition	69
7.2	Determination of P_e	70
8	STRESSES IN THE HEAT-EXCHANGER COMPONENTS	74
8.1	TS Net Effective Pressure	74
8.2	TS Axial Displacement	74
8.3	TS Rotation	75
8.4	Stresses in the Tubesheet	76
8.5	Axial Membrane Stress in Tubes	79
8.6	Stresses in the Shell	80
8.7	Stresses in the Channel	83
8.8	How to use the Rules	84
9	DETERMINATION OF THE ALLOWABLE STRESS LIMITS	85
9.1	General Considerations	85
9.2	Allowable Stress Limit in the Tubesheet	86
9.3	Allowable Stress Limit in the Tubes	86
9.4	Allowable Membrane Stress Limit in the Shell	86

9.5 Allowable Membrane+Bending Stress Limit in the Shell.....	87
9.6 Allowable Membrane+Bending Stress Limit in the Channel.....	87
9.7 Conclusions	87
10 ADDITIONAL RULES	88
10.1 Effect of Different Shell Thickness and Material Adjacent to the TS (UHX-13.6)	88
10.2 Effect of Plasticity at Tubesheet-Shell-Channel Joint (UHX-13.7).....	90
10.3 Effect of Radial Thermal Expansion Adjacent to the Tubesheet (UHX-13.8).....	92
10.4 Calculation Procedure for Simply Supported Tubesheets (UHX-13.9).....	95
10.5 Tubesheet Flange Extension (UHX-9)	96
10.6 HE Set-up with a Thin-Walled Expansion Joint (UHX-13.16).....	97
10.7 HE Set-up with a Thick-Walled Expansion Joint (UHX-13.17)	97
11 CHECKING OF THE RESULTS.....	98
11.1 Comparison with FEA	98
11.2 Comparison with CODAP French Rules.....	100
11.3 Comparison with TEMA Rules	105
11.4 Comparison with Circular Plates Subject to Pressure.....	112
11.5 Conclusions.....	114
References—Part 3.....	115
PART 4 FLOATING TUBESHEETS.....	116
1 SCOPE	117
2 HISTORICAL BACKGROUND.....	118
3 GENERAL.....	119
3.1 TS CONFIGURATIONS (UHX-14.1).....	119
3.2 Notations	120
3.3 Loading Cases (UHX-14.4).....	124
3.4 Design Assumptions (UHX-14.2)	125
3.5 Basis of Analytical Treatment.....	126
3.5.1 General	126
3.5.2 Free body diagram for ST TS.....	127
3.5.3 Free body diagram for FL TS.....	128
4 AXIAL DISPLACEMENTS AND FORCES ACTING ON THE TUBES AND ON THE SHELL	130
4.1 Axial Displacement and Force Acting on the Tubes (Figure 42).....	130
4.2 Axial Displacement and Force Acting on the Shell (Figure 43)	131
5 DEFLECTION AND LOADS ACTING ON THE TUBESHEET.....	132
5.1 Equivalent Plate Resting on an Elastic Foundation (Figure 44).....	132
5.2 Determination of Integration Constants A and B	133
6 TREATMENT OF THE UNPERFORATED RIM	134
6.1 Edge Loads Applied on Shell and Channel at their Connection to the TS.....	134
6.2 Equilibrium of the Unperforated Rim	134

6.2.1	Due to Axial Loads	134
6.2.2	Due to Applied Moments.....	140
6.2.3	Edge Loads V_a and M_a Applied to the Tubesheet	140
7	EQUIVALENT PRESSURE ACTING ON THE TUBESHEET	141
8	STRESSES IN THE HEAT-EXCHANGER COMPONENTS	142
9	DETERMINATION OF ALLOWABLE STRESS LIMITS	143
10	ADDITIONAL RULES	144
11	HOW TO USE THE RULES	145
11.1	Stationary TS.....	145
11.2	Floating TS.....	145
11.3	Calculation Procedure	145
11.4	Calculation Using a Fixed TS HE Software.....	146
	References—Part 4	147
	PART 5 ANALYTICAL TREATMENT OF U-TUBE TUBESHEET HEAT EXCHANGERS.....	148
1	SCOPE.....	149
2	HISTORICAL BACKGROUND	150
3	GENERAL	151
3.1	TS Configurations (UHX-12.1)	151
3.2	Notations	151
3.3	Loading Cases (UHX-12.4)	154
3.4	Design Assumptions (UHX-12.2).....	155
3.5	Basis of Analytical Treatment	155
3.5.1	General.....	155
3.5.2	Free Body Diagram.....	156
4	TREATMENT OF THE PERFORATED TUBESHEET	158
5	TREATMENT OF THE UNPERFORATED RIM.....	159
5.1	Edge Loads Applied on Shell and Channel at their Connection to the TS	159
5.2	Equilibrium of the Unperforated Solid Rim	159
6	STRESSES IN THE HEAT-EXCHANGER COMPONENTS	165
6.1	Stresses in the Tubesheet	165
6.2	Stresses in the Shell and Channel	165
6.3	Determination of Stresses using the Fixed TS Rules.....	166
7	DETERMINATION OF THE ALLOWABLE STRESS LIMITS.....	167
8	ADDITIONAL RULES	168
8.1	Effect of Plasticity at Tubesheet-Shell-Channel Joint (UHX-12.5).....	168
9	HOW TO USE THE RULES	169
10	COMPARISON WITH TEMA RULES	170
10.1	TEMA Formula	170

10.2 Numerical Comparisons	170
References—Part 5	172
PART 6 SUMMARY AND CONCLUSIONS.....	173
1 SUMMARY AND CONCLUSIONS	174

LIST OF ANNEXES

Annex A —Values of Effective Elastic Constants from Various Authors.....	177
Annex B —Values of Effective Elastic Constants for the Full Range of μ ($0.1 \leq \mu^* \leq 1.0$)	179
B.1 Introduction	179
B.2 Curves (From [13]).....	179
B.3 Numerical Values (From [13]).....	180
B.4 Polynomials.....	185
Annex C —Poisson’s Ratio in Tubes and Shell	186
Annex D —Shell Pressure Acting on Expansion Joint Sidewalls	188
Annex E —Differential Pressure Acting on the Equivalent Solid Plate.....	189
Annex F —Solution of Differential Equation $w(x)$	191
Annex G —Coefficients Z_d, Z_v, Z_w, Z_m ; Q_m, Q_v ; Q_α, Q_β ; F_m, F_t	193
Annex H —Radial Displacement and Rotation of the Shell at its Connection with the Ring	199
H.1 Radial Displacement Due to Internal Pressure P_s	199
H.2 Radial Displacement and Rotation due to Edge Loads Q_s and M_s	200
H.3 Radial Displacement due to Internal Pressure and Edge Loads.....	200
H.4 Channel	201
Annex I —Shell-Ring Connection in Radial Direction	202
Annex J —Minimum Length of Shell and Channel when Integral with the TS.....	204
Annex K —Formulas for a Hemispherical Channel when Integral with the TS	206
K.1 Radial Displacement due to Internal Pressure P_c	206
K.2 Radial Displacement and Rotation due to Edge Loads Q_s AND M_s	207
K.3 Radial Displacement due to Internal Pressure and Edge Loads.....	207
Annex L —Equilibrium of Ring Subjected to Edge Moments.....	208
Annex M —Direct Determination of the Equivalent Pressure	215
Annex N —Formulas to be used when $P_e=0$	219
N.1 Net Effective Pressure: $q(x)$	219
N.2 Axial Displacement: $w(x)$	219
N.3 Rotation: $\theta(x)$	219
N.4 Bending Stress: $\sigma(x)$	219
N.5 Shear Stress: $\tau(x)$	220
N.6 Axial Stress in Tubes: $\sigma_t(x)$	220

Annex O — Tabular and Graphical Representation of Coefficient $F_t(x)$	221
Annex P — Tabular and Graphical Representation of Coefficient $F_m(x)$	238
Annex Q — Tabular and Graphical Representation of Coefficient $F_Q(x)$	249
Annex R — Calculation Sheet of a Fixed TS HE (EXAMPLE UHX-20.2.3).....	261
Annex S — Determination of the Allowable Buckling Stress Limits	262
Annex T — Common Intersection of Curves $\sigma_t(x)$	267
T.1 General.....	267
T.2 Determination of Common Intersection x_o for $\sigma_t(x)$	267
T.3 Generalization to Other Stresses	268
Annex U — Determination of Stresses Using the Fixed TS Rules	269
Annex V — Calculation Using a Floating or Fixed TS HE Software	273
Annex W — UHX14 Example 1 (2010 Edition) Stationary.....	274
Annex X — UHX14 – Example 1 (2010 Edition) Floating.....	275
Annex Y — UHX13 – Example 3 (2010 Edition) with General Equations	276
Annex Z — UHX12 – Example 4 (2010 Edition)	277
Acknowledgements.....	278
Abbreviations and Acronyms	279

LIST OF TABLES

Table 1—Values for E^*/E and ν^* for triangular pattern from Meijers [12].....	26
Table 2—Values of E^*/E and ν^* for square pattern in pitch and diagonal directions from Slot and O'Donnell [7].....	27
Table 3—Comparison of TEMA and ASME TS thicknesses for 4 U-tube HEs	171
Table 4—Comparison of Effective Elastic Constants E^* and ν^* values by various theoretical methods for plane stress problem.....	177
Table 5—Values of Curves ν^* as a function of μ^* for ratios $h/p=0.1, 0.15, 0.25, 0.5, 1.0$ and 2.0 for TRIANGULAR pattern.....	181
Table 6—Values of Curves ν^* as a function of μ^* for ratios $h/p=0.1, 0.15, 0.25, 0.5, 1.0$ and 2.0 for SQUARE pattern.....	182

LIST OF FIGURES

Figure 1—Three types of tubesheet heat exchangers	6
Figure 2—Tubesheet configurations.....	8
Figure 3—Ligament area in the actual tubesheet.....	18
Figure 4—Ligament orientation in the actual tubesheet	19
Figure 5—Ligament efficiency used in TEMA	20
Figure 6—TS equivalent diameter D_o	20

Figure 7—TS with unperforated lanes	22
Figure 8—Tube expansion depth ratio $\rho=lt,x/h$	22
Figure 9—Pass partition groove on tube side of the TS.....	24
Figure 10—Pitch and diagonal directions for square pattern	27
Figure 11—Curves for the determination of E^*/E and v^* (triangular pattern)	30
Figure 12—Curves for the determination of E^*/E and v^* (square pattern)	31
Figure 13—Curves E^*/E for square pattern obtained from polynomial approximation given in Figure 12.....	32
Figure 14 – Fixed tubesheet heat exchanger	35
Figure 15—Tubesheet configurations	38
Figure 16—Analytical model used in design method	45
Figure 17—Free body diagram of the analytical model.....	46
Figure 18—Axial displacement of tubes.....	47
Figure 19—Axial displacement of the shell.....	48
Figure 20—Loads acting on TS	51
Figure 21—TS displacement.....	52
Figure 22.....	56
Figure 23—Ring equilibrium of the TS	62
Figure 24.....	69
Figure 25—Bending stress distribution throughout the TS for $Q3=0.0$ and $Xa=1, 3, 5, 7, 10$ and 15	77
Figure 26—Shell with increased thickness adjacent to TSs.....	89
Figure 27—Temperature gradient at TS-shell-channel joint.....	93
Figure 28.....	96
Figure 29—Minimum required thickness of the tubesheet flanged extension, h ,.....	97
Figure 30—Comparison of tube stresses calculated per UHX and FEA (Example UHX-20.2.3).....	99
Figure 31—Tube stress distribution obtained by UHX, CODAP and FEA throughout the TS from $r=0$ to $r=ao$	105
Figure 32—TEMA and ASME-CODAP coefficient F for X varying from $X=0$ to $X=20$	107
Figure 33—TEMA coefficient F	107
Figure 34—TEMA design range.....	108
Figure 35—Coefficient Fq as a function of X for SS and CL TS	110
Figure 36—Floating tubesheet heat exchangers.....	117
Figure 37—Stationary tubesheet configurations.....	119
Figure 38—Floating tubesheet configurations	120

Figure 39—Analytical model used in design method.....	127
Figure 40—Free body diagram of the analytical model for the ST TS	128
Figure 41—Free body diagram of the analytical model for the FL TS	129
Figure 42—axial displacement of tubes.....	130
Figure 43—Axial displacement of the shell	131
Figure 44—Loads acting on TS	132
Figure 45—TS displacement	133
Figure 46—Ring equilibrium of the ST TS	134
Figure 47—Ring equilibrium of the FL TS	135
Figure 48—Immersed Floating TS HE.....	137
Figure 49—Externally sealed Floating TS HE	138
Figure 50—Internally sealed Floating TS HE	139
Figure 51—U-tube tubesheet heat exchangers	149
Figure 52—TS configurations	151
Figure 53—Free body diagram of the analytical model for the TS	157
Figure 54—Ring equilibrium of the TS.....	160
Figure 55—Synthesis of E^*/E and ν^* values from [1], provided by various authors for triangular and square pattern	178
Figure 56—Curves of Effective Elastic Constants for the full range of μ^* ($0.1 \leq \mu^* \leq 1.0$).....	179
Figure 57.....	199
Figure 58.....	202
Figure 59.....	202
Figure 60—Hemispherical head	206
Figure 61—Configuration a.....	208
Figure 62—Configuration b.....	210
Figure 63—Configuration c.....	212
Figure 64.....	215
Figure 65.....	215
Figure 66.....	216
Figure 67.....	217
Figure 68—Tube buckling.....	263
Figure 69—Determination of buckling safety factor FS	265
Figure 70—Graphs giving $\sigma_t(x)$ and $F_t(x)$ for the 7 loading cases.....	267

FOREWORD

The purpose of this document is to justify and provide technical criteria for the rules of Part UHX of ASME Section VIII Division 1, 2010 Edition, devoted to the design of U-tube, Fixed and Floating head Tubesheet Heat Exchangers. Confirmation and documentation of the basis for UHX-rules is important for the SG-HTE members for future reference and developments or if additional confirmation or comparisons are required. It will be a valuable reference for early career engineers that are using the UHX rules or becoming involved in Code developments of such rules in the future.

Established in 1880, the American Society of Mechanical Engineers (ASME) is a professional not-for-profit organization with more than 127,000 members promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety, and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit www.asme.org for more information.

The ASME Standards Technology, LLC (ASME ST-LLC) is a not-for-profit Limited Liability Company, with ASME as the sole member, formed in 2004 to carry out work related to newly commercialized technology. The ASME ST-LLC mission includes meeting the needs of industry and government by providing new standards-related products and services, which advance the application of emerging and newly commercialized science and technology and providing the research and technology development needed to establish and maintain the technical relevance of codes and standards. Visit www.stllc.asme.org for more information.

ABSTRACT

The purpose of this document is to justify and provide technical criteria for the rules of Part UHX of ASME Section VIII Division 1, 2010 Edition, devoted to the design of U-tube, Fixed and Floating head Tubesheet Heat Exchangers. The criteria document applies also to paragraph 4.18 of Section VIII, Division 2 which is entirely based on Part UHX.

The analytical treatment of the fixed tubesheet heat exchangers is based on classical discontinuity analysis methods to determine the moments and forces that the tubesheet, tubes, shell and channel must resist.

- The heat exchanger is assumed to be a symmetrical unit with identical tubesheets on both ends.
- The Tubes are replaced by an equivalent elastic foundation.
- The Perforated tubesheet is replaced by an equivalent solid circular plate with effective elastic constants depending on the ligament efficiency of the tubesheet. This equivalent solid circular plate is treated by the theory of thin circular plates subjected to pressure and other applied loads to determine the stresses in the tubesheet
- The unperforated tubesheet rim is treated as a rigid ring.
- Its Connection to the shell and channel accounts for the edge displacements and rotations of these 3 components. Shell and channel are treated by the elastic theory of thin shells of revolution subjected to edge loads to determine the maximum stresses.

The treatment provides, at any radius of the perforated tubesheet, the deflection, the rotation, the bending and shear stresses and the axial stress in the tubes.

- A parametric study permits to determine the maximum stresses in the tubesheet and in the tubes which are given in UHX-13.
- The treatment also determines the loads and displacements acting on the shell and channel at their connection to the tubesheets and then the shell and channel stresses.
- The maximum stresses in tubesheets, tubes, shell and channel so determined are limited to the appropriate allowable stress-based classifications of Section VIII Division 2 Appendix 4, 2004 edition.

The Floating Tubesheet and U-tube Tubesheet heat exchangers are treated as simplified cases of fixed tubesheets heat exchangers.

A checking of the results obtained is provided by comparison with FEA, TEMA, French pressure vessel code CODAP. Applying the appropriate simplifications, the classical formulas for circular plates subjected to pressure have been obtained.

PART 1

Introduction

1 SCOPE

Develop a criteria document covering the development of the TS design rules for the U-tube, Fixed, and Floating Head TS HEs configurations contained in Part UHX of Section VIII Division 1, 2010 Edition. The criteria document will apply also to paragraph 4.18 of Section VIII, Division 2 which is entirely based on Part UHX.

The free body diagram of the HE, the equilibrium and compatibility equations, the solution of resulting differential equations and all intermediate steps are provided to show the derivation of:

- the deflection and the rotation at any radius of the TS,
- the bending and shear stress at any radius of the TS,
- the axial stresses in the tubes at any radius of the TS,
- the axial stretch force acting in the shell,
- the axial displacement of the shell.

The document provides the technical basis of the following items:

- the required loading case combinations,
- the acceptance criteria for each TS configuration, as applicable,
- the TS characteristics including the Effective Elastic Constants,
- the TSs extended as a flange.

The following effects are in addition to the above basic items:

- the effect of different shell material or thickness adjacent to the TS,
- the effect of plasticity at TS-shell-channel joint,
- the effect of radial differential thermal expansion between the TS and integral shell and channel,
- the tubesheet calculated as simply supported TS.