



BSI Standards Publication

Electrostatics

Part 4-2: Standard test methods for specific applications — Electrostatic properties of garments

National foreword

This Published Document is the UK implementation of IEC/TS 61340-4-2:2013.

The UK participation in its preparation was entrusted to Technical Committee GEL/101, Electrostatics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 62113 0

ICS 17.220.99; 29.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 July 2013.

Amendments issued since publication

Amd. No.	Date	Text affected
-----------------	-------------	----------------------



TECHNICAL SPECIFICATION

SPÉCIFICATION TECHNIQUE



**Electrostatics –
Part 4-2: Standard test methods for specific applications – Electrostatic
properties of garments**

**Électrostatique –
Partie 4-2: Méthodes d'essai normalisées pour des applications spécifiques –
Propriétés électrostatiques des vêtements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XA**
CODE PRIX

ICS 17.220.99; 29.020

ISBN 978-2-83220-891-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Atmosphere for conditioning and testing	8
5 Preparation of samples and test materials	9
5.1 Samples	9
5.2 Test equipment and materials.....	9
6 Test methods.....	9
6.1 General	9
6.2 Resistance and resistivity	10
6.2.1 Selection of the appropriate resistance measurement test method.....	10
6.2.2 Conversion to resistivity values	11
6.3 Charge decay time	11
6.3.1 Selection of the appropriate charge decay time test method	11
6.3.2 Corona charging method	12
6.3.3 Induction charging method.....	12
6.3.4 Charge decay by conduction through a garment to a human body	12
6.3.5 Surface potential suppression of isolated garments	12
6.4 Measurement of electrostatic discharges	12
6.5 Field suppression	13
6.6 Tribocharging tests.....	13
6.6.1 General	13
6.6.2 Tribocharging by removal of garments	14
6.6.3 Tribocharging the outer surface of garments.....	14
6.6.4 Tribocharging using seats.....	14
6.7 Clinging tests	14
6.8 Capacitance loading.....	14
Annex A (normative) Tribocharging by removal of garments.....	16
Annex B (normative) Tribocharging using seats	20
Annex C (normative) Test of chargeability.....	25
Annex D (normative) Capacitance loading	37
Annex E (informative) Simple tribocharging tests	49
Bibliography.....	50
Figure A.1 – Test equipment for measuring body voltage and charge on removed garments	17
Figure B.1 – Example of test equipment set up for measuring body voltage when rising from a seat	22
Figure B.2 – Typical body voltage recordings.....	24
Figure C.1 – Diagram of the test stand with a mannequin	26
Figure C.2 – Measuring scheme with a mannequin and Faraday cage	27
Figure C.3 – Measuring scheme with a mannequin and net table	27
Figure C.4 – Net table used to measure the charging level of clothes	28

Figure C.5 – Measuring scheme with a test person and net table	29
Figure C.6 – Possible ways of taking off clothes from the mannequin trunk or from the test person.....	32
Figure C.7 – Diagram of the stand for testing mechanical tribocharging on the outer surface of clothing	34
Figure C.8 – Diagram of the system for measurement of the test person charging level resulting from manual rubbing of its clothing	35
Figure D.1 – Example of an arrangement for measurement of corona charge decay and arrangements for ‘open backing’ and ‘earthed backing’	38
Figure D.2 – Equipment for charge decay time calibration.....	40
Figure D.3 – Arrangement for measuring received charge.....	41
Figure D.4 – Example of variation of capacitance loading with quantity of corona	45
Figure D.5 – Adjustment of factor for matching induction to conduction measurements	48
Table 1 – Suitability of test methods for garments and garment materials	10
Table 2 – Test method standards for resistance measurements	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROSTATICS –**Part 4-2: Standard test methods for specific applications –
Electrostatic properties of garments**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

This document is being issued in the Technical Specification series of publications (according to the ISO/IEC Directives, Part 1, 3.1.1.1) as a “prospective standard for provisional application” in the field of determination of the electrostatic properties of garments and garment materials because there is an urgent need for guidance on how standards in this field should be used to meet an identified need.

This document is not to be regarded as an “International Standard”. It is proposed for provisional application so that information and experience of its use in practice may be gathered. Comments on the content of this document should be sent to the IEC Central Office.

A review of this technical specification will be carried out not later than 3 years after its publication with the options of: extension for another 3 years; conversion into an International Standard; or withdrawal.

IEC 61340-4-2, which is a technical specification, has been prepared by IEC technical committee 101: Electrostatics.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
101/374/DTS	101/388/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International Standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The garments worn by most people in their everyday lives are not usually designed to dissipate static electricity. Some natural fibres, such as cotton or linen, have sufficient retained moisture to provide some degree of conductivity and may dissipate charge at an acceptable rate. However, synthetic fibres, such as polyester or polyamide, or natural fibres under low humidity conditions are not able to dissipate charge quickly. If electrostatic charge builds up on a garment it may cause a number of effects:

- a) dust and airborne contaminants can be attracted to the surface of charged garments;
- b) light-weight garments can cling to the body of the wearer;
- c) the electric field associated with charge on garments can damage or disrupt sensitive electronic systems or components;
- d) electrostatic discharges from garments can ignite flammable or explosive materials and can damage or disrupt sensitive electronic systems or components;
- e) charge on garments induces a potential on the body of an isolated person wearing the garments and this can lead to damaging or hazardous spark discharges from the body.

Some of the effects can often be tolerated but in many situations the presence of these effects is unacceptable. In order to evaluate whether or not there is a potential problem, it is necessary to determine the propensity of garments to acquire charge or produce electrostatic discharges, or to determine their ability to dissipate charge within an acceptable time. If normal garments are found to be unacceptable, they are replaced with garments specifically designed and manufactured to prevent the undesirable effects of static electricity, i.e. static control garments. Suitable test methods are required both to evaluate the extent of potential problems and to determine the effectiveness of charge dissipation mechanisms in static control garments.

ELECTROSTATICS –

Part 4-2: Standard test methods for specific applications – Electrostatic properties of garments

1 Scope

This part of IEC 61340, which is a technical specification, describes test methods and procedures that can be used to evaluate the electrostatic charging and discharging propensity, field suppression properties and charge dissipation properties of garments and materials from which garments are constructed.

The test methods described are suitable for evaluating garments worn on or about the upper and lower body, including headwear, but excluding footwear, which is covered in other parts of IEC 61340 (see IEC 61340-4-3 and IEC 61340-4-5)[1]¹, and excluding gloves and finger cots.

The test methods described may not be suitable for evaluating garments and garment materials in relation to safety of personnel.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TR 61340-1:2012, *Electrostatics – Part 1: Electrostatic phenomena – Principle and measurements*

IEC 61340-2-1:2002, *Electrostatics – Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge*

IEC/TR 61340-2-2, *Electrostatics – Part 2-2: Measurement methods – Measurement of chargeability*

IEC 61340-2-3:2000, *Electrostatics – Part 2-3: Methods of test for determining the resistance and resistivity of solid planar materials used to avoid electrostatic charge accumulation*

IEC 61340-4-9, *Electrostatics – Part 4-9: Standard test methods for specific applications – Garments*

ISO 3175-2, *Textiles – Professional care, drycleaning and wetcleaning of fabrics and garments – Part 2: Procedure for testing performance when cleaning and finishing using tetrachloroethene*

ISO 3175-3, *Textiles – Professional care, drycleaning and wetcleaning of fabrics and garments – Part 3: Procedure for testing performance when cleaning and finishing using hydrocarbon solvents*

¹ Numbers in square brackets refer to the Bibliography.