

PD IEC/TS 60079-32-1:2013



BSI Standards Publication

Explosive atmospheres

Part 32-1: Electrostatic hazards, guidance

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of IEC/TS 60079-32-1:2013.

The UK participation in its preparation was entrusted to Technical Committee EXL/31, Equipment for explosive atmospheres.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013
Published by BSI Standards Limited 2013

ISBN 978 0 580 81629 1
ICS 29.260.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 November 2013.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------



TECHNICAL SPECIFICATION

Explosive atmospheres – Part 32-1: Electrostatic hazards, guidance

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XH**

ICS 29.260.20

ISBN 978-2-8322-1055-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	13
2 Normative references	13
3 Terms and definitions	16
4 Nomenclature	19
5 General	20
6 Static electricity in solid materials.....	21
6.1 General considerations	21
6.2 The use of conductive or dissipative materials in place of insulating ones.....	23
6.2.1 General considerations	23
6.2.2 Dissipative solid materials	23
6.2.3 Earthing of conductive and dissipative items.....	24
6.3 Precautions required when using insulating solid materials	25
6.3.1 General	25
6.3.2 Restrictions on the size of chargeable insulating surfaces	26
6.3.3 Earthed metal meshes	27
6.3.4 Insulating coatings on earthed conductive surfaces	27
6.3.5 Conductive or dissipative coatings on insulating materials	28
6.3.6 Static dissipative agents	29
6.3.7 Humidification.....	29
6.3.8 Ionisation / Charge Neutralisation	29
6.3.9 Methods to determine the incendivity of discharges	30
6.4 Conveyor belts and transmission belts	31
6.4.1 General	31
6.4.2 Conveyor belts	31
6.4.3 Transmission belts.....	32
7 Static electricity in liquids	33
7.1 General considerations	33
7.1.1 Occurrence of flammable atmospheres	33
7.1.2 Ignition sensitivity and limitations to the scope of advice.....	34
7.1.3 Charging mechanisms	35
7.1.4 Charge accumulation and conductivity classifications	35
7.1.5 Incendive discharges produced during liquid handling operations	36
7.2 Summary of precautions against ignition hazards during liquid handling operations.....	37
7.2.1 Earthing and avoidance of isolated conductors	37
7.2.2 Restricting charge generation	37
7.2.3 Avoidance of a flammable atmosphere	38
7.2.4 Promoting charge dissipation.....	38
7.3 Tanks and Containers	38
7.3.1 General	38
7.3.2 Conductive tanks and containers	39
7.3.3 Tanks and containers made entirely of dissipative material.....	52

7.3.4	Tanks and containers with insulating surfaces	52
7.3.5	Use of liners in containers	56
7.4	High viscosity liquids.....	57
7.5	High charging equipment	57
7.5.1	Filters, water separators and strainers	57
7.5.2	Pumps and other equipment	58
7.6	Gauging and sampling in tanks	59
7.6.1	General	59
7.6.2	Precautions during gauging and sampling.....	59
7.7	Pipes and hose assemblies for liquids.....	60
7.7.1	General	60
7.7.2	Pipes	60
7.7.3	Hoses and hose assemblies	63
7.8	Special filling procedures	69
7.8.1	Aircraft fuelling	69
7.8.2	Road tanker deliveries	70
7.8.3	Retail filling stations	71
7.8.4	Mobile or temporary liquid handling equipment	75
7.9	Plant processes (blending, stirring, mixing, crystallisation and stirred reactors)	75
7.9.1	General	75
7.9.2	Earthing	75
7.9.3	In-line blending	75
7.9.4	Blending in vessels or tanks	76
7.9.5	Jet mixing	76
7.9.6	High speed mixing	77
7.10	Spraying liquids and tank cleaning	77
7.10.1	General	77
7.10.2	Tank cleaning with low or medium pressure water jets (up to about 12 bar)	77
7.10.3	Tank cleaning with low conductivity liquids	78
7.10.4	Tank cleaning with high pressure water or solvent jets (above 12 bar).....	78
7.10.5	Steam cleaning tanks	78
7.10.6	Water deluge systems	79
7.11	Glass systems	79
7.11.1	General	79
7.11.2	Precautions to be taken for low conductivity liquids	79
8	Static electricity in gases	80
8.1	General.....	80
8.2	Grit blasting	80
8.3	Fire extinguishers	81
8.4	Inerting	81
8.5	Steam cleaning	81
8.6	Accidental leakage of compressed gas	81
8.7	Spraying of flammable paints and powders	82
8.7.1	General	82
8.7.2	Earthing	82
8.7.3	Plastic spray cabinets	82

8.8	Vacuum cleaners, fixed and mobile	82
8.8.1	General	82
8.8.2	Fixed systems.....	82
8.8.3	Portable systems	83
8.8.4	Vacuum trucks.....	83
9	Static electricity in powders	83
9.1	General.....	83
9.2	Discharges, occurrence and incendivity	84
9.3	Procedural measures	85
9.3.1	General	85
9.3.2	Humidification.....	85
9.3.3	Hoses for pneumatic transfer	85
9.3.4	Ionisation.....	85
9.4	Bulk materials in the absence of flammable gases and vapours	86
9.4.1	General	86
9.4.2	Equipment and objects made of conductive or dissipative materials.....	86
9.4.3	Equipment and objects made of insulating materials	86
9.4.4	Dust separators	87
9.4.5	Silos and Containers.....	87
9.5	Additional requirements for bulk material in the presence of flammable gases and vapours.....	93
9.5.1	General	93
9.5.2	Measures for resistivity greater equal 100 MΩ m	93
9.5.3	Measures for resistivity less than 100 MΩ m	93
9.5.4	Filling of bulk material into a container.....	94
9.6	Flexible intermediate bulk containers (FIBC).....	95
9.6.1	General	95
9.6.2	Additional precautions when using FIBC	97
10	Static electricity when handling explosives and electro-explosive devices.....	98
10.1	Explosives manufacture, handling and storage.....	98
10.1.1	General	98
10.1.2	First degree protection.....	98
10.1.3	Intermediate protection	98
10.1.4	Second degree protection	98
10.2	Handling of electro-explosive devices	99
10.2.1	General	99
10.2.2	Earthing.....	99
10.2.3	Precautions during storage and issue	100
10.2.4	Precautions during preparation for use	100
11	Static electricity on people.....	100
11.1	General considerations	100
11.2	Static dissipative floors	101
11.3	Dissipative and conductive footwear	101
11.4	Supplementary devices for earthing of people	102
11.5	Clothing	102
11.6	Gloves	104
11.7	Other Items.....	104
12	Electrostatic shock	104

12.1	Introduction.....	104
12.2	Discharges relevant to electrostatic shocks.....	105
12.3	Sources of electrostatic shock.....	105
12.4	Precautions to avoid electrostatic shocks.....	106
12.4.1	Sources of electrostatic shocks.....	106
12.4.2	Reported shocks from equipment or processes.....	106
12.4.3	Shocks as a result of people being charged.....	106
12.5	Precautions in special cases.....	107
12.5.1	Pneumatic conveying.....	107
12.5.2	Vacuum cleaners.....	107
12.5.3	Reels of charged film or sheet.....	107
12.5.4	Fire extinguishers.....	108
13	Earthing and bonding.....	108
13.1	General.....	108
13.2	Criteria for the dissipation of static electricity from a conductor.....	109
13.2.1	Basic considerations.....	109
13.2.2	Practical criteria.....	109
13.3	Earthing requirements in practical systems.....	111
13.3.1	All-metal systems.....	111
13.3.2	Metal plant with insulating parts.....	112
13.3.3	Insulating materials.....	113
13.3.4	Conductive and dissipative materials.....	114
13.3.5	Earthing via intrinsic safety circuits.....	114
13.3.6	Earthing of ships.....	114
13.4	The establishment and monitoring of earthing systems.....	114
13.4.1	Design.....	114
13.4.2	Monitoring.....	115
Annex A (informative)	Fundamentals of static electricity.....	116
A.1	Electrostatic charging.....	116
A.1.1	Introduction.....	116
A.1.2	Contact charging.....	116
A.1.3	Contact charging of liquids.....	116
A.1.4	Charge generation on liquids flowing in pipes.....	117
A.1.5	Charge generation in filters.....	120
A.1.6	Charge generation during stirring and mixing of liquids.....	120
A.1.7	Settling potentials.....	120
A.1.8	Breakup of liquid jets.....	120
A.1.9	Contact charging of powders.....	120
A.1.10	Charging by induction.....	121
A.1.11	Charge transfer by conduction.....	121
A.1.12	Charging by corona discharge.....	121
A.2	Accumulation of electrostatic charge.....	121
A.2.1	General.....	121
A.2.2	Charge accumulation on liquids.....	122
A.2.3	Charge accumulation on powders.....	123
A.3	Electrostatic discharges.....	124
A.3.1	Introduction.....	124
A.3.2	Sparks.....	124
A.3.3	Corona.....	125

A.3.4	Brush discharges	125
A.3.5	Propagating brush discharges.....	126
A.3.6	Lightning like discharges	126
A.3.7	Cone discharges.....	127
A.4	Measurements for risk assessment	127
Annex B (informative)	Electrostatic discharges in specific situations	129
B.1	Incendive discharges involving insulating solid materials	129
B.1.1	General	129
B.1.2	Sparks from isolated conductors	129
B.1.3	Brush discharges from insulating solid materials.....	129
B.1.4	Propagating brush discharges from insulating solid materials	129
B.2	Incendive discharges produced during liquid handling.....	130
B.2.1	General	130
B.2.2	Calculated maximum safe flow velocities for filling medium-sized vertical axis storage tanks	130
B.3	Incendive discharges produced during powder handling and storage	132
B.3.1	General	132
B.3.2	Discharges from bulk powder.....	132
B.3.3	Discharges from powder clouds	132
B.3.4	Discharges involving insulating containers and people.....	132
B.3.5	The use of liners in powder processes	132
B.3.6	Spark discharges in powder processes	133
B.3.7	Brush discharges in powder processes	133
B.3.8	Corona discharges in powder processes.....	133
B.3.9	Propagating brush discharges in powder processes.....	133
Annex C (informative)	Flammability properties of substances.....	135
C.1	General.....	135
C.2	Effect of oxygen concentration and ambient conditions	135
C.3	Explosive limits for gases and liquids	135
C.4	Inerting	135
C.5	Flash point.....	136
C.6	Minimum ignition energies.....	136
C.7	Combustible powders.....	139
C.8	Biofuels.....	139
Annex D (informative)	Classification of hazardous areas.....	140
D.1	Concept of zoning	140
D.2	Classification	140
D.3	Explosion groups	140
D.3.1	General	140
D.3.2	Group I	140
D.3.3	Group II	141
D.3.4	Group III	141
Annex E (informative)	Classification of equipment protection level.....	142
Annex F (informative)	Flow chart for a systematic electrostatic evaluation	143
Annex G (informative)	Tests	145
G.1	General.....	145
G.2	Surface resistance	145
G.2.1	General	145

	G.2.2	Principle	145
	G.2.3	Apparatus	145
	G.2.4	Test sample	146
	G.2.5	Procedure	147
	G.2.6	Acceptance criteria	147
	G.2.7	Test report	147
G.3		Surface resistivity	147
G.4		Leakage resistance	148
	G.4.1	General	148
	G.4.2	Principle	148
	G.4.3	Apparatus	148
	G.4.4	Test sample	148
	G.4.5	Procedure	149
	G.4.6	Acceptance criteria	149
	G.4.7	Test report	149
G.5		In-use testing of footwear	149
	G.5.1	General	149
	G.5.2	Principle	149
	G.5.3	Apparatus	149
	G.5.4	Procedure	150
	G.5.5	Acceptance criteria	150
	G.5.6	Test report	150
G.6		In-use testing of gloves	150
	G.6.1	General	150
	G.6.2	Principle	150
	G.6.3	Apparatus	151
	G.6.4	Procedure	151
	G.6.5	Acceptance criteria	151
	G.6.6	Test report	151
G.7		Powder resistivity	151
	G.7.1	General	151
	G.7.2	Principle	151
	G.7.3	Apparatus	152
	G.7.4	Procedure	152
	G.7.5	Acceptance criteria	153
	G.7.6	Test report	153
G.8		Liquid conductivity	153
	G.8.1	General	153
	G.8.2	Principle	153
	G.8.3	Apparatus	153
	G.8.4	Procedure	154
	G.8.5	Acceptance criteria	154
	G.8.6	Test report	154
G.9		Capacitance	155
	G.9.1	General	155
	G.9.2	Principle	155
	G.9.3	Apparatus	155
	G.9.4	Test sample	155
	G.9.5	Procedure for moveable items	155

G.9.6	Procedure for installed items	156
G.9.7	Acceptance criteria	156
G.9.8	Test report.....	156
G.10	Transferred charge	157
G.10.1	General	157
G.10.2	Principle	157
G.10.3	Apparatus	157
G.10.4	Test sample.....	158
G.10.5	Procedure.....	158
G.10.6	Acceptance criteria	159
G.10.7	Test report.....	159
G.11	Ignition test.....	160
G.11.1	General	160
G.11.2	Apparatus	160
G.11.3	Procedure.....	163
G.11.4	Acceptance criteria	163
G.11.5	Test report.....	163
G.12	Measuring of charge decay	164
G.12.1	General	164
G.12.2	Principle	164
G.12.3	Apparatus	164
G.12.4	Test sample.....	165
G.12.5	Procedure.....	165
G.12.6	Acceptance criteria	166
G.12.7	Test report.....	166
G.13	Breakthrough voltage	166
G.13.1	General	166
G.13.2	Principle	166
G.13.3	Apparatus	166
G.13.4	Test procedure	167
G.13.5	Acceptance criteria	167
G.13.6	Test report.....	167
Bibliography.....		169
Figure 1 – Flow diagram: Assessment of bulk material with $\rho \leq 1 \text{ M}\Omega \text{ m}$		89
Figure 2 – Flow diagram: Assessment of bulk material with $1 \text{ M}\Omega \text{ m} < \rho \leq 10 \text{ G}\Omega \text{ m}$		90
Figure 3 – Flow diagram: Assessment of bulk material with $\rho > 10 \text{ G}\Omega \text{ m}$		91
Figure 4 – Difference between earthing and bonding		108
Figure 5 – Hazardous earthed conductor in contact with a flowing insulator		113
Figure A.1 – Equivalent electrical circuit for an electrostatically charged conductor.....		122
Figure B.1 – Calculated maximum safe filling velocities for medium sized tanks (see 7.3.2.2.5.2)		131
Figure F.1 – Flowchart for a systematic electrostatic evaluation.....		144
Figure G.1 – Test sample with applied electrodes		146
Figure G.2 – Measuring cell for powder resistivity		152
Figure G.3 – Measuring cell for liquid conductivity		154
Figure G.4 – Ignition probe		162

Figure G.5 – Perforated plate of ignition probe.....	163
Figure G.6 – Example of an arrangement for measurement of charge decay.....	165
Figure G.7 – Electrodes for measuring breakthrough voltage of sheets.....	167
Table 1 – Boundary limits at (23 ± 2) °C and (25 ± 5) % RH for the characterisation of solid materials and examples for the classification of objects.....	22
Table 2 – Maximum allowed isolated capacitance in Zones with explosive atmosphere.....	25
Table 3 – Restriction on size of insulating solid materials in hazardous areas.....	27
Table 4 – Maximum acceptable transferred charge.....	31
Table 5 – Requirements for conveyor belts.....	32
Table 6 – Requirements for transmission belts.....	33
Table 7 – Conductivities and relaxation times of some liquids.....	36
Table 8 – Precautions for filling large conductive tanks with low conductivity liquids.....	41
Table 9 – Filling rate limits for filling medium-sized vertical-axis tanks through schedule 40 pipes.....	47
Table 10 – Velocity and filling rate limits for loading low conductivity liquids into short (N=1), fixed horizontal axis tanks via schedule 40 pipes.....	48
Table 11 – Vehicles and compartments suitable for high-speed loading for ADR compliant vehicles.....	49
Table 12 – Influence of the sulphur content on middle distillate vd limits for road tankers.....	50
Table 13 – Velocity and filling rate limits for road tankers based on schedule 40 pipes; rates for hoses will be similar.....	50
Table 14 – Velocity and filling rate limits for loading rail tankers.....	51
Table 15 – Classification of end-to-end hose resistances for control of hazards from static electricity and stray current.....	64
Table 16 – ISO 8031 classification of hose grades.....	66
Table 17 – Hybrid grades of hoses and hose assemblies.....	67
Table 18 – Hose selection Table for flammable liquid service.....	68
Table 19 – Use of the different types of FIBC.....	96
Table 20 – Inner liners and FIBC: combinations that are permissible and not permissible in hazardous atmospheres.....	97
Table 21 – Determination of requirement for electrostatic dissipative protective clothing and other items of personal protective equipment.....	103
Table 22 – Summary of maximum earthing resistances for the control of static electricity in hazardous areas.....	110
Table A.1 – Charge build up on powders.....	121
Table A.2 – Values of capacitances for typical conductors.....	125
Table C.1 – Typical MIE intervals with examples.....	137
Table C.2 – Minimum ignition energy MIE and minimum ignition charge MIQ.....	138
Table G.1 – Volume concentrations of flammable gas mixtures.....	161

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –**Part 32-1: Electrostatic hazards, guidance**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 60079-32-1, which is a technical specification, has been prepared by IEC Technical Committee 31: Equipment for explosive atmospheres, and IEC Technical Committee 101: Electrostatics.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
31/1033/DTS	31/1076/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

transformed into an International standard,
reconfirmed,
withdrawn,
replaced by a revised edition, or
amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This IEC Technical Specification is based on CENELEC TR 50404:2003, *Code of practice for the avoidance of hazards due to static electricity* and a number of other documents:

- from the UK: BS 5958, Parts 1 & 2:1991, *Control of undesirable static electricity*,
- from Germany: TRBS 2153:2009, *Preventing risks of ignition due to electrostatic charges*,
- from Shell International Petroleum: *Static electricity – Technical and safety aspects*,
- from the US: NFPA 77, *Recommended Practice on Static Electricity (2007)*,
- from Japan: JNIOOSH TR42, *Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry (2007)*,
- from ASTM, EUROPIA, IEC, International chamber of shipping, ISO etc.

It gives the best available accepted state of the art guidance for the avoidance of hazards due to static electricity.

This document is mainly written for designers and users of processes and equipment, manufacturers and test houses. It can also be used by suppliers of equipment (e.g. machines) and flooring or apparel when no product family or dedicated product standard exists or where the existing standard does not deal with electrostatic hazards.

A second part, IEC 60079-32-2, *Electrostatic Hazards, Tests*, is under development.

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

1 Scope

This part of IEC 60079 gives guidance about the equipment, product and process properties necessary to avoid ignition and electrostatic shock hazards arising from static electricity as well as the operational requirements needed to ensure safe use of the equipment, product or process. It can be used in a risk assessment of electrostatic hazards or for the preparation of product family or dedicated product standards for electrical or non-electrical machines or equipment.

The hazards associated with static electricity in industrial processes and environments that most commonly give problems are considered. These processes include the handling of solids, liquids, powders, gases, sprays and explosives. In each case, the source and nature of the electrostatic hazard are identified and specific recommendations are given for dealing with them.

The purpose of this document is to provide standard recommendations for the control of static electricity, such as earthing of conductors, reduction of charging and restriction of chargeable areas of insulators. In some cases static electricity plays an integral part of a process, e.g. electrostatic coating, but often it is an unwelcome side effect and it is with the latter that this guidance is concerned. If the standard recommendations given in this document are fulfilled it can be expected that the risk of hazardous electrostatic discharges in an explosive atmosphere is at an acceptably low level.

If the requirements of this document cannot be fulfilled, alternative approaches can be applied under the condition that at least the same level of safety is achieved.

Basic information about the generation of undesirable static electricity in solids, liquids, gases, explosives, and also on people, together with descriptions of how the charges generated cause ignitions or electrostatic shocks, is given in the annexes and in IEC/TR 61340-1.

This Technical Specification is not applicable to the hazards of static electricity relating to lightning or to damage to electronic components.

This Technical Specification is not intended to supersede standards that cover specific products and industrial situations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*