



**ASA/ANSI S12.11-2013/Part 2 / ISO
10302-2:2011**

Reaffirmed by ANSI July 13, 2018

AMERICAN NATIONAL STANDARD

**Acoustics – Measurement of airborne noise
emitted and structure-borne vibration induced
by small air-moving devices –
Part 2: Structure-borne vibration measurements
(a nationally adopted international standard)**

Secretariat:

Acoustical Society of America

Approved on December 4, 2013:

American National Standards Institute, Inc.

Abstract

ANSI/ASA S12.11-2013/Part 2 / ISO 10302-2:2011 covers vibration levels from small air-moving devices (AMDs) with mounting footprints of less than 0.48 m × 0.90 m for the full-size test plenum defined in ANSI/ASA S12.11/Part 1 / ISO 10302-1 and less than 0.18 m × 0.3 m for the half-size plenum.

It covers all types of AMDs which can be mounted on, and are self-supported at, the discharge or inlet plane of a test plenum box as specified in ANSI/ASA S12.11-2013/Part 1 / ISO 10302-1:2011.

The procedures defined in this part of this American National Standard specify methods for determining the vibration levels that a small AMD would induce in an average structure used in information technology and telecommunications equipment. The methods specified in this part of this American National Standard allow the determination of induced vibration levels for the individual AMD that is tested. These data can be used to determine the statistical values of vibration levels for a production series if levels are measured for several units of that series.

AMERICAN NATIONAL STANDARD

Acoustics – Measurement of airborne noise emitted and structure-borne vibration induced by small air-moving devices – Part 2: Structure-borne vibration measurements (a nationally adopted international standard)

ANSI/ASA S12.11-2013/Part 2 /
ISO 10302-2 :2011

Accredited Standards Committee S12, Noise

Standards Secretariat
Acoustical Society of America
35 Pinelawn Road, Suite 114 E
Melville, NY 11747-3177

The American National Standards Institute, Inc. (ANSI) is the national coordinator of voluntary standards development and the clearinghouse in the U.S.A. for information on national and international standards.

The Acoustical Society of America (ASA) is an organization of scientists and engineers formed in 1929 to increase and diffuse the knowledge of acoustics and to promote its practical applications.



ANSI/ASA S12.11-2013/Part 2/ ISO 10302-2:2011
(Revision of ANSI/ASA S12.11-2003/Part 2 (R 2008))

AMERICAN NATIONAL STANDARD

**Acoustics – Measurement of airborne noise emitted
and structure-borne vibration induced by small air-
moving devices – Part 2: Structure-borne vibration
measurements
(a nationally adopted international standard)**

Secretariat:

Acoustical Society of America

Approved on December 4, 2013 by:

American National Standards Institute, Inc.

Abstract

ANSI/ASA S12.11-2013/Part 2 / ISO 10302-2:2011 covers vibration levels from small air-moving devices (AMDs) with mounting footprints of less than 0.48 m × 0.90 m for the full-size test plenum defined in ANSI/ASA S12.11/Part 1 / ISO 10302-1 and less than 0.18 m × 0.3 m for the half-size plenum.

It covers all types of AMDs which can be mounted on, and are self-supported at, the discharge or inlet plane of a test plenum box as specified in ANSI/ASA S12.11-2013/Part 1 / ISO 10302-1:2011.

The procedures defined in this part of this American National Standard specify methods for determining the vibration levels that a small AMD would induce in an average structure used in information technology and telecommunications equipment. The methods specified in this part of this American National Standard allow the determination of induced vibration levels for the individual AMD that is tested. These data can be used to determine the statistical values of vibration levels for a production series if levels are measured for several units of that series.

AMERICAN NATIONAL STANDARDS ON ACOUSTICS

The Acoustical Society of America (ASA) provides the Secretariat for Accredited Standards Committees S1 on Acoustics, S2 on Mechanical Vibration and Shock, S3 on Bioacoustics, S3/SC 1 on Animal Bioacoustics, and S12 on Noise. These committees have wide representation from the technical community (manufacturers, consumers, trade associations, organizations with a general interest, and government representatives). The standards are published by the Acoustical Society of America as American National Standards after approval by their respective Standards Committees and the American National Standards Institute (ANSI).


These standards are developed and published as a public service to provide standards useful to the public, industry, and consumers, and to Federal, State, and local governments.

Each of the Accredited Standards Committees (operating in accordance with procedures approved by ANSI) is responsible for developing, voting upon, and maintaining or revising its own Standards. The ASA Standards Secretariat administers Committee organization and activity and provides liaison between the Accredited Standards Committees and ANSI. After the Standards have been produced and adopted by the Accredited Standards Committees, and approved as American National Standards by ANSI, the ASA Standards Secretariat arranges for their publication and distribution.

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made towards their resolution.

The use of an American National Standard is completely voluntary. Their existence does not in any respect preclude anyone, whether he or she has approved the Standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the Standards.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this Standard.



Acoustical Society of America
Standards Secretariat
35 Pinelawn Road, Suite 114E
Melville, New York 11747-3177
Telephone: 1 (631) 390-0215
Fax: 1 (631) 390-0217
E-mail: asastds@aip.org

© 2013 by Acoustical Society of America. This standard may not be reproduced in whole or in part in any form for sale, promotion, or any commercial purpose, or any purpose not falling within the provisions of the U.S. Copyright Act of 1976, without prior written permission of the publisher. For permission, address a request to the Standards Secretariat of the Acoustical Society of America.

These materials are subject to copyright claims of ISO, ANSI, and ASA. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of the Acoustical Society of America (ASA). All requests pertaining to this standard should be submitted to the ASA at the address above.

Contents

1	Scope.....	1
2	Normative references	1
3	Terms and definitions.....	2
4	Descriptors.....	2
5	Measurement uncertainty.....	3
6	Design and performance requirements for test fixture.....	3
6.1	Basic design	3
6.2	Damped panel.....	4
6.3	Mounting area.....	4
7	Installation.....	5
7.1	Orientation of the AMD.....	5
7.2	Mounting of the AMD.....	5
7.3	Damped panel opening.....	5
8	Operation of AMDs	5
8.1	Input power	5
8.2	Points of operation	6
9	Instrumentation	6
9.1	Plenum pressure measurements	6
9.2	Accelerometer and accelerometer system.....	6
9.3	Signal conditioners.....	7
9.4	Analyzer.....	7
9.5	Basic calibration	7
10	Measurement procedure	7
10.1	Preparation	7
10.2	Operational test for AMD.....	7
10.3	Operational calibration.....	8
10.4	Measurement	8
10.5	Corrections for background acceleration levels.....	9
10.6	Accelerometer mounting.....	10
10.7	Accelerometer cable	11
10.8	Accelerometer locations	11
10.9	Data acquisition time.....	11
11	Test report	12
11.1	Information to be recorded	12
11.2	Information to be reported.....	13
	Annex A (informative) Suggested data format for presentation	14
	Annex B (informative) Recommended voltages for testing AMDs that operate with variable speeds	19
B.1	Background of measurement.....	19
B.2	Recommended procedure	19

Annex C (informative) Sample specification of AMD structure-borne vibratory acceleration levels	20
C.1 Recommended specification format.....	20
C.2 Optional specification format.....	20
C.3 Determination of specification values	20
Annex D Guidance on the development of information on measurement uncertainty	21
D.1 General.....	21
D.2 Model function	21
D.3 Input quantities and their contributions to measurement uncertainty	22
D.4 Uncertainty budget.....	24
D.5 Combined standard uncertainty and expanded uncertainty.....	25

Tables

Table 1 — Estimated values of the standard deviation of reproducibility of vibratory acceleration levels of air-moving devices determined in accordance with this part of this American National Standard.....3

Table D.1 — Example of an uncertainty budget for determination of vibratory acceleration levels

Foreword

[This Foreword is for information only, and is not a part of the American National Standard **ANSI/ASA S12.11-2013/Part 2 / ISO 10302-2:2011** American National Standard Acoustics – Measurement of airborne noise emitted and structure-borne vibration induced by small air-moving devices – Part 2: Structure-borne vibration measurements.]

This standard comprises a part of a group of definitions, standards, and specifications for use in noise. It was developed and approved by Accredited Standards Committee S12 Noise, under its approved operating procedures. Those procedures have been accredited by the American National Standards Institute (ANSI). The Scope of Accredited Standards Committee S12 is as follows:

Standards, specifications, and terminology in the field of acoustical noise pertaining to methods of measurement, evaluation, and control, including biological safety, tolerance, and comfort, and physical acoustics as related to environmental and occupational noise.

This standard is an identical national adoption of ISO 10302-2:2011. It revises and replaces ANSI/ASA S12.11-2003/Part 2 (R 2008) American National Standard Acoustics – Measurement of Noise and Vibration of Small Air-Moving Devices – Part 2: Structure-Borne Vibration. ISO 10302-2:2011 was prepared by Technical Committee ISO/TC 43 Subcommittee SC 1, Noise.

In conformance with ANSI and ISO rules, the words "this part of this American National Standard" replace the words "this part of ISO 10302" where they appear in the ISO document, decimal points were substituted in place of the decimal commas used in ISO documents, and American English spelling is used in place of British English spelling.

The ANSI/ASA equivalent for one of the ISO standards referenced in this standard is:

- ANSI/ASA S12.11-2013 Part 1 / ISO 10302-1:2011 is the identical national adoption of ISO 10302-1:2011

At the time this Standard was submitted to Accredited Standards Committee S12, Noise for approval, the membership was as follows:

W.J. Murphy, *Chair*
S.J. Lind, *Vice-Chair*

S.B. Blaeser, *Secretary*

3M Occupational Health & Environmental Safety Division	E.H. Berger
Acoustical Society of America	R.D. Hellweg
.....	D. Lubman (Alt.)
Air-Conditioning, Heating and Refrigeration Institute	S.J. Lind
.....	D. Abbate (Alt.)
Air Movement & Control Association, Inc.	J.A. Brooks
.....	M. Stevens (Alt.)
American Academy of Audiology	D. Ostergren
.....	S. Gordon-Salant (Alt.)

American Academy of Otolaryngology - Head and Neck Surgery	R.A. Dobie
.....	L.A. Michael (Alt.)
American Industrial Hygiene Association	D. Driscoll
.....	S.N. Hacker (Alt.)
American Speech-Language-Hearing Association	L.A. Wilber
.....	N. DiSarno (Alt.)
Caterpillar, Inc.	K.G. Meitl
Compressed Air and Gas Institute	R.C. Johnson
.....	D.R. Bookshar (Alt.)
Council for Accreditation in Occupational Hearing Conservation	VACANT
.....	L.D. Hager (Alt.)
Emerson Electric – Copeland Corporation	A.T. Herfat
.....	G. Williamson (Alt.)
ETS – Lindgren Acoustic Systems	D. Winker
.....	M. Black (Alt.)
ExxonMobil	B. Moulton
G.R.A.S. Sound & Vibration	J. Soendergaard
.....	B. Schustrich (Alt.)
GE Aviation	R. Majjigi
.....	R. Babbitt (Alt.)
General Motors	D.B. Moore
InfoComm International	R. Derbyshire
.....	J. Bocchiaro (Alt.)
Information Technology Industry Council	W.M. Beltman
.....	J. Rosenberg (Alt.)
Institute of Noise Control Engineering	R.J. Peppin
.....	B. Tinianov (Alt.)
International Safety Equipment Association	J. Birkner
.....	C.Z. Fargo (Alt.)
John Deere	K.B. Washburn
.....	K. Cone (Alt.)
National Council of Acoustical Consultants	J. Erdreich
.....	G.E. Winzer (Alt.)
National Hearing Conservation Association	P.A. Brogan

National Institute for Occupational Safety and Health	W.J. Murphy
.....	E. Zechmann (Alt.)
National Institute of Standards and Technology – National Voluntary Laboratory Accreditation Program	B.A. Sandoval
National Park Service	M. McKenna
.....	K. Fristrup (Alt.)
Noise Control Engineering, Inc.	M.A. Bahtiarian
.....	R. Fischer (Alt.)
Noise Pollution Clearinghouse	L. Blomberg
PCB Group	K. Cox
.....	L. Harbaugh (Alt.)
Power Tool Institute, Inc.	W.D. Spencer
.....	M. Hickok (Alt.)
Schomer and Associates, Inc.	P.D. Schomer
Sperian Hearing Protection, LLC	R. Ghent
.....	B. Witt (Alt.)
U.S. Air Force	R.L. McKinley
.....	H. Gallagher (Alt.)
U.S. Army Aeromedical Research Lab	W.A. Ahroon
U.S. Army Construction Engineering Research Laboratory	M.J. White
.....	M. Swearingen (Alt.)
U.S. Army Public Health Command	C. Stewart
.....	M. Grantham (Alt.)
U.S. Army Research Laboratory, Human Research and Engineering Directorate	J. Gaston
.....	M.S. Binseel (Alt.)
U.S. Department of Transportation	K. Grasty
U.S. Naval Surface Warfare Center - Carderock	M. Craun
Université du Québec ETS	J. Voix
.....	F. Laville (Alt.)

Individual Experts of Accredited Standards Committee S12, Noise, were:

P.K. Baade	W.W. Lang	R.J. Peppin
E.H. Berger	D. Lubman	J. Schmitt
B.M. Brooks	D. Michaud	P.D. Schomer
A.J. Campanella	N.P. Miller	L.C. Sutherland
L.S. Finegold	W.J. Murphy	W.R. Thornton
R.D. Godfrey	M.A. Nobile	L.A. Wilber
R.D. Hellweg		G.E. Winzer

Working Group S12/WG 3, Measurement of Noise from Information Technology and Telecommunications Equipment, which assisted Accredited Standards Committee S12, Noise, in the development of this standard, had the following membership.

S. Bard, Chair

D. Ali	R.D. Hellweg	C. Saunder
B.A. Bard	K.X.C. Man	J. Schmitt
E. Baugh	A. Nava	R. Underwood
W.M. Beltman	M.A. Nobile	L. Wittig
J. DeMoss	V. Ojeda	J. Wong
E. Dunens	R.J. Peppin	Y. Xu
	D. Quinlan	

Suggestions for improvements of this standard will be welcomed. They should be sent to Accredited Standards Committee S12, Noise, in care of the Standards Secretariat of the Acoustical Society of America, 35 Pinelawn Road, Suite 114E, Melville, New York 11747-3177. Telephone: 631-390-0215; Fax: 631-390-0217; E-mail: asastds@aip.org.

American National Standard

Acoustics – Measurement of airborne noise emitted and structure-borne vibration induced by small air-moving devices – Part 2: Structure-borne vibration measurements (a nationally adopted international standard)

1 Scope

This part of this American National Standard covers vibration levels from small air-moving devices (AMDs) with mounting footprints of less than $0.48\text{ m} \times 0.90\text{ m}$ for the full-size test plenum defined in ISO 10302-1 and less than $0.18\text{ m} \times 0.3\text{ m}$ for the half-size plenum.

It covers all types of AMDs which can be mounted on, and are self-supported at, the discharge or inlet plane of a test plenum box as specified in ISO 10302-1.

The procedures defined in this part of this American National Standard specify methods for determining the vibration levels that a small AMD would induce in an average structure used in information technology and telecommunications equipment. The methods specified in this part of this American National Standard allow the determination of induced vibration levels for the individual AMD that is tested. These data can be used to determine the statistical values of vibration levels for a production series if levels are measured for several units of that series.

2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 266, *Acoustics — Preferred frequencies*

ISO 5348, *Mechanical vibration and shock — Mechanical mounting of accelerometers*

ISO 10302-1:2011, *Acoustics — Measurement of airborne noise emitted and structure-borne vibration induced by small air-moving devices — Part 1: Airborne noise measurement*

ISO 16063-11, *Methods for the calibration of vibration and shock transducers — Part 11: Primary vibration calibration by laser interferometry*

ISO 16063-21, *Methods for the calibration of vibration and shock transducers — Part 21: Vibration calibration by comparison to a reference transducer*

IEC 61260, *Electroacoustics — Octave-band and fractional-octave-band filters*

ISO/IEC Guide 98-3, *Uncertainty in measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*