

Planning for Load Handling Activities

AN AMERICAN NATIONAL STANDARD



The American Society of
Mechanical Engineers



INTENTIONALLY LEFT BLANK



ASME P30.1-2014

Planning for Load Handling Activities

AN AMERICAN NATIONAL STANDARD



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Copyright © 2014 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



Date of Issuance: March 31, 2014

The next edition of this Standard is scheduled for publication in 2017. This Standard will become effective 1 year after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.



CONTENTS

Foreword	iv
Committee Roster	v
Introduction	vi
Chapter 1 Scope and Definitions	
1-1 Scope	1
1-2 Definitions	1
Chapter 2 Load Handling Activity Considerations and Plan Categories	
2-1 Load Handling Activity Considerations	2
2-2 Plan Categories	4
Chapter 3 Personnel and Responsibilities	
3-1 Personnel Qualification/Competence	5
3-2 Roles and Responsibilities	5
Chapter 4 Standard Lift Plan	
4-1 Introduction	6
4-2 Standard Lift Plan Development	6
4-3 Pre-Lift Review	6
4-4 Executing the Standard Lift Plan	6
4-5 Post-Lift Review	6
Chapter 5 Critical Lift Plan	
5-1 Introduction	7
5-2 Critical Lift Plan Development	7
5-3 Pre-Lift Meeting	8
5-4 Executing the Critical Lift Plan	9
5-5 Post-Lift Review	9
Figure	
2-1-1 Load Handling Activity Categorization	3
Nonmandatory Appendices	
A Example Lift Plan	11
B Industry References	18



FOREWORD

As load handling activities grow in complexity, there is an increased need to develop a set of recognized planning guidelines. While some guidance for planning of load handling activities, also referred to as lift planning, has been available in publications, literature from equipment manufacturers, and in-house procedures of various organizations and companies, there has not been any published comprehensive, broadly authoritative guidance available. The absence of uniform considerations or comprehensive practices has created an uneven range of planning activities.

In 2008, the B30 Standard Committee created a Task Group to consider the feasibility of developing a standard for lift planning. Based upon the report of the Task Group, the B30 Standard Committee favored the creation of a standard but recognized that such a standard would not fit the equipment-based orientation of B30. The American Society of Mechanical Engineers (ASME) and the American National Standards Institute (ANSI) were petitioned to form a committee to develop a lift planning standard.

The formation of the ASME P30 Standards Committee, *Planning for the Use of Cranes, Derricks, Hoists, Cableways, Aerial Devices, and Lifting Accessories*, was approved by ASME on June 8, 2010, and a Project Initiation Notification System (PINS) was posted in ANSI Standards Action on July 2, 2010. The Committee held its inaugural meeting on September 20, 2010, with the intent to develop a standard that provides guidance on general planning considerations and practices for load handling operations occurring in all industries, so that users could apply the Standard as a template and adapt it to the needs of their specific industry or situation.

This Edition of ASME P30.1 was approved by ANSI on January 14, 2014.



ASME P30 COMMITTEE

Planning for the Use of Cranes, Derricks, Hoists, Cableways, Aerial Devices, and Lifting Accessories

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

R. M. Parnell, *Chair*
M. W. Mills, *Vice Chair*
K. M. Hyam, *Secretary*

STANDARDS COMMITTEE PERSONNEL

J. K. Anderson, Bechtel
T. L. Blanton, NACB Group, Inc.
J. T. Cahill, J. F. White Contracting Co.
B. Closson, Craft Forensic Service
D. Decker, Becket, LLC
J. Dudley, Archer Western Contractors
M. J. Eggenberger, Bay Ltd., A Berry Co.
E. D. Fidler, The Manitowoc Co., Inc.
M. Gardiner, Haag Engineering Co.
K. M. Hyam, The American Society of Mechanical Engineers
D. F. Jordan, BP America
D. L. McCabe, Babcock & Wilcox Co.
M. W. Mills, Liberty Mutual Insurance Group
K. B. O'Neill, Siefert Associates
R. M. Parnell, ITI-Field Service
B. A. Pickett, Forensic Engineering & Applied Science Institute
S. K. Rammelsberg, CB&I
J. Randall, PCL Industrial Construction
L. K. Shapiro, Howard I. Shapiro & Associates

B. J. Silbernagel, Morrow Equipment Co.
C. Warren, Webber, LLC
J. Yates, Barnhart Crane & Rigging
W. Erwin, *Contributing Member*, Essex Crane Rental Group
C. W. Hauber, *Contributing Member*, CL Consulting, LLC
C. E. Johnson, Jr., *Contributing Member*, IUOE Local 450
D. A. Johnson, *Contributing Member*, SmithAmundsen, LLC
Y. Morin, *Contributing Member*, Kraning
G. E. Nally, *Contributing Member*, SANY America
R. S. Stemp, *Contributing Member*, Lampson International, LLC
M. J. Van Daal, *Contributing Member*, The Works International
M. E. Brunet, *Alternate*, Manitowoc Cranes/The Manitowoc Crane Group
C. Calderon, *Alternate*, Bay Ltd.
W. C. Dickinson, Jr., *Alternate*, Crane Industry Services, LLC
J. S. Kuzar, *Alternate*, Industrial Training International
D. R. Morton, *Alternate*, Massman Construction Co.
J. F. Rabovsky, *Alternate*, Liberty Mutual Insurance Group
C. L. Richardson, *Alternate*, Lone Star Rigging, LP
S. Sparrow, *Alternate*, HLI Consulting, LLC



PLANNING FOR THE USE OF CRANES, DERRICKS, HOISTS, CABLEWAYS, AERIAL DEVICES, AND LIFTING ACCESSORIES

P30 STANDARD INTRODUCTION

SECTION I: CHARTER FOR P30 — PLANNING FOR THE USE OF CRANES, DERRICKS, HOISTS, CABLEWAYS, AERIAL DEVICES, AND LIFTING ACCESSORIES COMMITTEE

The development and maintenance of standards that support load handling activities where mechanical equipment including, but not limited to, cranes, derricks, hoists, cableways, aerial devices, material lifting accessories, and combinations thereof are used.

SECTION II: PURPOSE

The P30 Standard is intended to

(a) prevent or minimize injury to people, and otherwise provide for the protection of life, limb, and property by offering guidance for planning efforts that enhance the safety of load handling activities

(b) provide guidance to work site personnel, equipment owners, employers, users, and others concerned with or responsible for the safety of load handling activities

(c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION III: USE BY REGULATORY AGENCIES

This Standard may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other codes and standards in this Standard may be changed to refer to the corresponding regulations of the regulatory agency or governmental authorities.

SECTION IV: EFFECTIVE DATE

(a) *Effective Date.* The effective date of this Standard shall be 1 yr after its date of issuance.

(b) The need to meet the guidelines established in the current edition of this Standard shall be evaluated by a qualified person, and any recommended changes to the user's planning activities shall be made within 1 yr.

SECTION V: REQUIREMENTS AND RECOMMENDATIONS

Requirements of this Standard are characterized by use of the word "shall."

Recommendations of this Standard are characterized by the word "should."

SECTION VI: REQUESTS FOR REVISION

The P30 Standards Committee will consider requests for revision. Such requests should be directed to

Secretary, P30 Standards Committee
ASME Codes and Standards
Two Park Avenue
New York, NY 10016-5990

SECTION VII: REQUESTS FOR INTERPRETATION

The P30 Standards Committee will render an interpretation of the provisions of the P30 Standard. Such requests should be directed to

Secretary, P30 Standards Committee
ASME Codes and Standards
Two Park Avenue
New York, NY 10016-5990

Interpretations to the P30 Standard will be published in the subsequent edition of the standard, and will be available online at <http://cstools.asme.org/>.

SECTION VIII: ADDITIONAL GUIDANCE

Load handling activities addressed by the P30 Standard are subject to hazards that cannot be abated solely through planning. Only by the application of knowledge, care, common sense, and experience can safe load handling activities be anticipated. It is therefore essential that personnel responsible for the planning and implementation of load handling activities are competent, qualified, and trained with the skills to satisfactorily accomplish their assigned tasks.

The P30 Standards Committee recognizes the importance of proper design factors, minimum or maximum dimensions, and other limiting criteria of equipment



used in load handling activities. The P30 Committee expects that the equipment used to execute load handling activities meets the requirements of applicable equipment safety standards. The P30 Committee also expects that any recommendations or requirements provided in those standards are interpreted and applied correctly.



INTENTIONALLY LEFT BLANK



PLANNING FOR LOAD HANDLING ACTIVITIES

Chapter 1 Scope and Definitions

1-1 SCOPE

This Standard establishes planning considerations and practices that apply to load handling equipment (LHE), other associated equipment, and activities when moving loads vertically or horizontally. The planning guidance contained in this Standard is divided into two categories dependent upon the nature of the load handling activity and the degree of exposure to the issues that impact safety. The categories are designated as standard lift plan and critical lift plan. This Standard does not preclude the user of this Standard from creating subcategories based on their specific load handling activity considerations.

The P30.1 Standard does not exclude any particular equipment or industry. This Standard may not address all of the hazards that could be encountered during a load handling activity. It is the responsibility of the user of this Standard to assess and address the hazards associated with a particular load handling activity.

An example lift plan template can be found in Nonmandatory Appendix A. A list of industry standards applicable to the equipment that may be used in load handling activities can be found in Nonmandatory Appendix B.

1-2 DEFINITIONS

D/d ratio: the ratio between the diameter of curvature, D , taken by the sling when in contact with an object

and the diameter of the wire rope, synthetic rope, or chain, d .

dynamic load: forces introduced into the LHE as a result of change in motion.

lift: to move a load vertically or horizontally with the LHE.

lift director (load handling director): the person designated to direct the load handling activity.

lift plan: information and/or instruction, written or verbal, used in support of a load handling activity.

load handling equipment (LHE): equipment used to move a load vertically or horizontally.

qualified person: a person who, by possession of a recognized degree or certificate of professional standing in an applicable field, or by extensive knowledge, training, and experience, has successfully demonstrated the ability to solve or resolve problems relating to the subject matter and work.

shall: term used to indicate that a rule is mandatory and must be followed.

should: term used to indicate that a rule is a recommendation, the advisability of which depends on the facts in each situation.