

PD IEC/PAS 61249-8-5:2014



BSI Standards Publication

Qualification and performance specification of permanent solder mask and flexible cover materials

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of IEC/PAS 61249-8-5:2014.

The UK participation in its preparation was entrusted to Technical Committee EPL/501, Electronic assembly technology & Printed Electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014.
Published by BSI Standards Limited 2014

ISBN 978 0 580 85441 5
ICS 31.180

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2014.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



PUBLICLY AVAILABLE SPECIFICATION

PRE-STANDARD

Qualification and performance specification of permanent solder mask and flexible cover materials

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

U

ICS 31.180

ISBN 978-2-8322-1633-0

Warning! Make sure that you obtained this publication from an authorized distributor.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

QUALIFICATION AND PERFORMANCE SPECIFICATION OF PERMANENT SOLDER MASK AND FLEXIBLE COVER MATERIALS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 61249-8-5, submitted by IPC has been processed by IEC technical committee 91: Electronics assembly technology. It is based on IPC-SM-840E. It is published as a double-logo PAS. The structure and editorial rules used in this PAS reflect the practice of the organization which submitted it.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
91/1157/PAS	91/1174/RVD

Following publication of this PAS, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 3 years starting from the publication date. The validity may be extended for a single period up to a maximum of 3 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

IPC-SM-840E

2010 - December

Qualification and Performance Specification of Permanent Solder Mask and Flexible Cover Materials

Supersedes IPC-SM-840D

April 2007

A standard developed by IPC

Association Connecting Electronics Industries



The Principles of Standardization

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

Standards Should:

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

Standards Should Not:

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

Notice

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

IPC Position Statement on Specification Revision Change

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

Why is there a charge for this document?

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publications development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit www.ipc.org or call 847/597-2872.

Thank you for your continued support.

Licensed copy: Tech Street, ISO Exchange - Michigan, Version correct as of 25/06/2014, (c) The British Standards Institution 2014



IPC-SM-840E

Qualification and Performance Specification of Permanent Solder Mask and Flexible Cover Materials

Developed by the Solder Mask Performance Task Group (5-33B) of the Cleaning and Coating Committee (5-30) and the Covercoat Materials Task Group (D-13B) of the Flexible Circuits Committee (D-10) of IPC

Supersedes:

IPC-SM-840D - April 2007
IPC-SM-840C -
Amendment 1 - June 2000
IPC-SM-840C - January 1995
IPC-SM-840B - May 1988
IPC-SM-840A - July 1983
IPC-SM-840 - November 1977

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC
3000 Lakeside Drive, Suite 309S
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105

This Page Intentionally Left Blank

Acknowledgment

Any document involving a complex technology draws material from a vast number of sources. While the principal members of the Solder Mask Performance Task Group (5-33B) of the Cleaning and Coating Committee (5-30) and the Covercoat Materials Task Group (D-13B) of the Flexible Circuits Committee (D-10) are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of IPC extend their gratitude.

Flexible Circuits Committee

Chair
Douglas O. Pauls
Rockwell Collins

Vice-Chair
Debora L. Obitz
Trace Laboratories - East

Solder Mask Performance Task Group

Chair
David A. Vaughan
Taiyo America, Inc.

Vice-Chair
Douglas O. Pauls
Rockwell Collins

Covercoat Materials Task Group

Chair
Steve A. Musante
Raytheon Missile Systems

Technical Liaisons of the IPC Board of Directors

Peter Bigelow
IMI Inc.

Sammy Yi
Aptina Imaging Corporation

Solder Mask Performance Task Group and Covercoat Materials Task Group

Gregory Bartlett, Teledyne Printed Circuit Technologies	Russell Griffith, Flexible Circuits Inc.	Roger J. Miedico, Raytheon Company
John Bauer, Rockwell Collins	Michael J. Jawitz, Boeing Satellite Development Center	William Ortloff, Raytheon Company
Michael Beauchesne, Amphenol Printed Circuits, Inc.	Nick Koop, Minco Products Inc.	Robert Sheldon, Pioneer Circuits Inc.
Joshua Civiello, Defense Supply Center Columbus	Karin LaBerge, Microtek Laboratories	Terry Shepler, Electro-Materials, Inc.
Mark Finstad, Flexible Circuit Technologies, Inc.	John Leschisin, Minco Products Inc.	Douglas J. Sober, Kaneka Texas Corporation
Thomas F. Gardeski, Gemini Sciences	Anne Lomonte, Draeger Medical Systems, Inc.	Brent Sweitzer, Multek Flexible Circuits, Inc.
Marc Goudreau, Vulcan Flex Circuit Corporation	Duane B. Mahnke, DBMahnke Consulting	Steve J. Vetter, NSWC Crane
	Thomas McCarthy, Taconic Advanced Dielectric Division	Clark F. Webster, ALL Flex LLC
		Miou Yamaoka, Meiko Electronics Co. Ltd.

This Page Intentionally Left Blank

Table of Contents

1 SCOPE AND DESIGNATION	1	3.2.3 Shelf Life	7
1.1 Scope	1	3.2.4 Color	7
1.2 Purpose	1	3.2.5 Cure	7
1.3 Classes	1	3.2.6 Non-Nutrient	7
1.4 Presentation	2	3.3 Visual Requirements	7
1.5 Terms and Definitions	2	3.3.1 Appearance	7
1.5.1 As Agreed Between User and Supplier (AABUS)	2	3.3.2 Discoloration (Metallic Surfaces)	7
1.5.2 Blistering	2	3.3.3 Discoloration (Solder Mask or Cover Material)	7
1.5.3 Chalking (Cured Solder Mask or Cover Material)	2	3.4 Dimensional Requirements	7
1.5.4 Color Change (Cured Solder Mask or Cover Material)	2	3.4.1 Solder Mask or Cover Material Thickness	7
1.5.5 CoC	2	3.5 Physical Requirements	7
1.5.6 Covercoat	2	3.5.1 Pencil Hardness	7
1.5.7 Coverfilm	2	3.5.2 Adhesion	7
1.5.8 Cover Material	2	3.5.3 Machinability	8
1.5.9 Craze (Conformal or Solder Mask or Cover Material)	2	3.5.4 Flexibility	9
1.5.10 Delamination (Cured Solder Mask or Cover Material)	2	3.6 Chemical Requirements	9
1.5.11 FTIR	2	3.6.1 Resistance to Fabrication Solvents, Cleaning Agents and Fluxes	9
1.5.12 Liquefaction (Cured Solder Mask or Cover Material)	3	3.6.2 Hydrolytic Stability	9
1.5.13 Peeling (Cured Solder Mask)	3	3.6.3 Flammability	9
1.5.14 SAC 305	3	3.7 Soldering Requirements	9
1.5.15 Softening (Cured Solder Mask or Cover Material)	3	3.7.1 Solderability	9
1.5.16 Solder Mask	3	3.7.2 Resistance to Tin-Lead Solder	9
1.5.17 Swelling (Cured Solder Mask or Cover Material)	3	3.7.3 Resistance to Lead Free Solder	10
1.5.18 Tackiness (Solder Mask or Cover Material)	3	3.8 Electrical Requirements	10
1.5.19 Wicking (Solder Mask or Covercoat)	3	3.8.1 Dielectric Strength	10
1.6 Revision Level Changes	3	3.8.2 Insulation Resistance	10
2 APPLICABLE DOCUMENTS	3	3.9 Environmental Requirements	10
2.1 IPC	3	3.9.1 Moisture and Insulation Resistance	10
2.2 Underwriters Laboratories	4	3.9.2 Electrochemical Migration	10
2.3 ASTM	4	3.9.3 Thermal Shock	10
2.4 Precedence of Documents	4	4 QUALITY ASSURANCE PROVISIONS	11
3 REQUIREMENTS	4	4.1 Responsibility for Testing/Inspection	11
3.1 Qualification/Conformance	4	4.1.1 Initial Qualification Testing	11
3.1.1 Material Qualification and Conformance	4	4.1.2 Test or Inspection Facilities	11
3.1.2 Printed Board Process Qualification and Assessment	5	4.2 Qualification Inspection	11
3.1.3 Requalification	5	4.2.1 Sample Size	11
3.2 Materials	5	4.2.2 Inspection Routine	11
3.2.1 Formulation Change	5	4.2.3 Failures	11
3.2.2 Compatibility	5	4.3 Quality Conformance Testing/Inspection	11
		4.3.1 Testing/Inspection of Product for Delivery	11
		4.4 Preparation of Specimens for Test	12
		4.4.1 Standard Laboratory Conditions	12
		4.4.2 Specimen Selection	13
		4.4.3 Coating	13
		4.4.4 Number	14

5 PREPARATION OF SOLDER MASK OR COVER MATERIAL FOR DELIVERY15

5.1 Preservation, Packaging and Packing15

6 NOTES15

6.1 Specifying Solder Mask or Cover Material on Printed Boards15

6.2 Class FT/FH Test Methods15

6.3 Special Requirements15

Figures

Figure 4-1 IPC-B-25A (Note: No solder mask or cover material shall be applied to contact fingers).....14

Figure 4-2 IPC-2221 Test Coupon E Layer 1 (“Y” Configuration)14

Tables

Table 3-1 Requirements of Qualification6

Table 3-2 Adhesion to Rigid Printed Boards (IPC-B-25A Test Board and/or Production Printed Board)8

Table 3-3 Moisture & Insulation Resistance10

Table 3-4 Electrochemical Migration10

Table 3-5 Thermal Shock Conditions11

Table 4-1 Sample Requirements/Suggested Test Sequence for Table 3-1, Column A IPC-B-25A Standard Test Boards12

Table 4-2 Sample Requirements/Suggested Test Sequence for Table 3-1, Column B IPC-B-25A Boards – Production Process or Conformance Coupons Or Production Printed Boards13

Qualification and Performance Specification of Permanent Solder Mask and Flexible Cover Materials

1 SCOPE AND DESIGNATION

1.1 Scope This specification **shall** define the criteria for and method of obtaining the maximum information about and confidence in cured permanent solder mask and cover material under evaluation with the minimum of test redundancy.

This specification **shall** establish the requirements for:

- The evaluation of solder mask and cover materials
- The conformance of solder mask and cover material properties
- The qualification of the solder mask and cover material via the appropriate test substrate
- The qualification assessment of the solder mask and cover material in conjunction with the production printed board process

1.2 Purpose This specification **shall** establish the requirements, based on applicable test methods and conditions, for the evaluation of a solder mask and cover material and for the determination of the acceptability of use on a printed board. These same requirements **shall** also be used to qualify a printed board production process based on conformance criteria defined by the reliability requirements of the end use environment. Acceptability and/or verification criteria of the production printed board **shall** be determined in accordance with the applicable performance requirements (e.g., IPC-6012, IPC-6013, IPC-6018, etc.).

The solder mask materials described herein, when applied to the printed board substrate are intended to prevent and/or minimize the formation and adherence of solder balls, solder bridging, solder build-up and physical damage to the printed board substrate. The solder mask material **shall** retard electromigration and other forms of detrimental or conductive growth.

The cover materials described herein, when applied to the printed board substrate, **shall** provide a flexible dielectric protective layer over the etched conductors and other conductive features. The cover materials are intended to prevent and/or minimize the formation and adherence of solder balls, solder bridging, solder build-up and physical damage to the printed board substrate. The cover materials **shall** retard electromigration and other forms of detrimental or conductive growth.

NOTE: The determination of compatibility between solder mask and cover materials and post soldering products and processes is beyond the scope of this specification. The use of Test Methods specified herein to determine the compatibility and the requirement to do so **shall** be as agreed between user and supplier (AABUS).

This specification **shall** list the base requirements for solder mask and cover materials and their production processes. The solder mask and cover material **shall** be cured per the manufacturer's recommended process in accordance with those conditions specified for that product. Additional requirements or deviations from these requirements **shall** be AABUS.

1.3 Classes This specification provides four classes of requirements, T, FT, H, and FH to reflect functional performance requirements and testing severity based on industry/end use requirements. Qualification to a particular class **shall not** be extended to cover any other class.

Note: The reference of a single class does not preclude invoking or allowing specific requirements defined in other classes.

T — Telecommunication This includes computers, telecommunication equipment, sophisticated business machines, instruments, and certain non-critical military applications. Solder mask and cover material on printed boards in this class is suitable for high performance commercial and industrial products in which extended performance life is required but for which interrupted service is not life threatening.

H — High Reliability/Military This includes that equipment where continued performance is critical, equipment down-time cannot be tolerated and/or the equipment is a life support item. Solder mask and cover material on printed boards of this class is suitable for applications where high levels of assurance are required and uninterrupted service is essential.

FT — Flexible Printed Board Applications (Telecommunications) This applies to cover materials for flexible printed board applications used in Telecommunications applications.