

ASME B31.8S-2014
(Revision of ASME B31.8S-2012)

Managing System Integrity of Gas Pipelines

**ASME Code for Pressure Piping, B31
Supplement to ASME B31.8**

AN INTERNATIONAL PIPING CODE®



**The American Society of
Mechanical Engineers**

Copyright © 2014 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



INTENTIONALLY LEFT BLANK



ASME B31.8S-2014
(Revision of ASME B31.8S-2012)

Managing System Integrity of Gas Pipelines

**ASME Code for Pressure Piping, B31
Supplement to ASME B31.8**

AN INTERNATIONAL PIPING CODE®



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Copyright © 2014 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



Date of Issuance: September 30, 2014

The next edition of this Code is scheduled for publication in 2016.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations, Code Cases, and errata are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.



CONTENTS

Foreword	v
Committee Roster	vi
Summary of Changes	x
1 Introduction	1
2 Integrity Management Program Overview	2
3 Consequences	8
4 Gathering, Reviewing, and Integrating Data	9
5 Risk Assessment	12
6 Integrity Assessment	18
7 Responses to Integrity Assessments and Mitigation (Repair and Prevention)	22
8 Integrity Management Plan	27
9 Performance Plan	29
10 Communications Plan	34
11 Management of Change Plan	34
12 Quality Control Plan	35
13 Terms, Definitions, and Acronyms	36
14 References and Standards	42
Figures	
2.1-1 Integrity Management Program Elements	3
2.1-2 Integrity Management Plan Process Flow Diagram	4
3.2.4-1 Potential Impact Area	9
7.2.1-1 Timing for Scheduled Responses: Time-Dependent Threats, Prescriptive Integrity Management Plan	25
13-1 Hierarchy of Terminology for Integrity Assessment	37
Tables	
4.2.1-1 Data Elements for Prescriptive Pipeline Integrity Program	10
4.3-1 Typical Data Sources for Pipeline Integrity Program	11
5.6.1-1 Integrity Assessment Intervals: Time-Dependent Threats, Internal and External Corrosion, Prescriptive Integrity Management Plan	15
7.1-1 Acceptable Threat Prevention and Repair Methods	23
8.3.4-1 Example of Integrity Management Plan for Hypothetical Pipeline Segment (Segment Data: Line 1, Segment 3)	29
8.3.4-2 Example of Integrity Management Plan for Hypothetical Pipeline Segment (Integrity Assessment Plan: Line 1, Segment 3)	30
8.3.4-3 Example of Integrity Management Plan for Hypothetical Pipeline Segment (Mitigation Plan: Line 1, Segment 3)	30
9.2.3-1 Performance Measures	31
9.4-1 Performance Metrics	32
9.4-2 Overall Performance Measures	33



Nonmandatory Appendices

A	Threat Process Charts and Prescriptive Integrity Management Plans	45
B	Direct Assessment Process	65
C	Preparation of Technical Inquiries	66



FOREWORD

Pipeline system operators continuously work to improve the safety of their systems and operations. In the United States, both liquid and gas pipeline operators have been working with their regulators for several years to develop a more systematic approach to pipeline safety integrity management.

The gas pipeline industry needed to address many technical concerns before an integrity management standard could be written. A number of initiatives were undertaken by the industry to answer these questions; as a result of 2 yr of intensive work by a number of technical experts in their fields, 20 reports were issued that provided the responses required to complete the 2001 edition of this Code. (The list of these reports is included in the reference section of this Code.)

This Code is nonmandatory, and is designed to supplement B31.8, ASME Code for Pressure Piping, Gas Transmission and Distribution Piping Systems. Not all operators or countries will decide to implement this Code. This Code becomes mandatory if and when pipeline regulators include it as a requirement in their regulations.

This Code is a process code that describes the process an operator may use to develop an integrity management program. It also provides two approaches for developing an integrity management program: a prescriptive approach and a performance- or risk-based approach. Pipeline operators in a number of countries are currently utilizing risk-based or risk-management principles to improve the safety of their systems. Some of the international standards issued on this subject were utilized as resources for writing this Code. Particular recognition is given to API and their liquids integrity management standard, API 1160, which was used as a model for the format of this Code.

The intent of this Code is to provide a systematic, comprehensive, and integrated approach to managing the safety and integrity of pipeline systems. The task force that developed this Code hopes that it has achieved that intent.

The 2004 Supplement was approved by the B31 Standards Committee and by the ASME Board on Pressure Technology Codes and Standards. It was approved as an American National Standard on March 17, 2004.

The 2010 Supplement was approved by the B31 Standards Committee and by the ASME Board on Pressure Technology Codes and Standards. It was approved as an American National Standard on April 20, 2010.

The 2012 Edition of the Supplement was a compilation of the 2010 Edition and the revisions that occurred following the issuance of the 2010 Edition.

The 2014 Edition of the Supplement is a compilation of the 2012 Edition and the revisions that have occurred since the issuance of the 2012 Edition. This Edition was approved by ANSI on August 15, 2014.



ASME B31 COMMITTEE

Code for Pressure Piping

(The following is the roster of the Committee at the time of approval of this Code.)

STANDARDS COMMITTEE OFFICERS

J. E. Meyer, *Chair*
J. W. Frey, *Vice Chair*
N. Lobo, *Secretary*

STANDARDS COMMITTEE PERSONNEL

R. J. Appleby , ExxonMobil Development Co.	G. A. Jolly , Flowserve/Gestra USA
C. Becht IV , Becht Engineering Co.	N. Lobo , The American Society of Mechanical Engineers
A. E. Beyer , Fluor Enterprises, Inc.	W. J. Mauro , American Electric Power
K. C. Bodenhamer , Willbros Professional Services, Engineering	J. E. Meyer , Louis Perry and Associates, Inc.
R. Bojarczuk , ExxonMobil Research and Engineering Co.	T. Monday , Team Industries, Inc.
C. J. Campbell , Air Liquide	M. L. Nayyar , NICE
J. S. Chin , TransCanada Pipelines U.S.	G. R. Petru , Enterprise Products Co.
D. D. Christian , Victaulic	E. H. Rinaca , Dominion Resources, Inc.
R. P. Deubler , Fronex Power Systems, LLC	M. J. Rosenfeld , Kiefner/Applus – RTD
C. H. Eskridge, Jr. , Jacobs Engineering	R. J. Silvia , Process Engineers and Constructors, Inc.
D. J. Fetzner , BP Exploration (Alaska), Inc.	W. J. Sperko , Sperko Engineering Services, Inc.
P. D. Flenner , Flenner Engineering Services	J. Swezy, Jr. , Boiler Code Tech, LLC
J. W. Frey , Stress Engineering Services, Inc.	F. W. Tatar , FM Global
D. R. Frikken , Becht Engineering Co.	K. A. Vilminot , Black & Veatch
R. A. Grichuk , Fluor Enterprises, Inc.	G. A. Antaki , <i>Ex-Officio Member</i> , Becht Engineering Co.
R. W. Haupt , Pressure Piping Engineering Associates, Inc.	L. E. Hayden, Jr. , <i>Ex-Officio Member</i> , Consultant
B. P. Holbrook , Babcock Power, Inc.	A. J. Livingston , <i>Ex-Officio Member</i> , Kinder Morgan

B31.8 EXECUTIVE COMMITTEE

A. P. Maslowski , <i>Secretary</i> , The American Society of Mechanical Engineers	M. J. Rosenfeld , Kiefner/Applus – RTD
D. D. Anderson , Columbia Pipeline Group	J. Zhou , TransCanada Pipelines Ltd.
R. J. Appleby , ExxonMobil Development Co.	E. K. Newton , <i>Ex-Officio Member</i> , Southern California Gas Co.
K. B. Kaplan , KBR	B. J. Powell , <i>Ex-Officio Member</i> , NiSource, Inc.
K. G. Lewis , Dynamic Risk Assessment Systems, Inc.	W. J. Walsh , <i>Ex-Officio Member</i> , ArcelorMittal Global R&D



B31.8 GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS SECTION COMMITTEE

R. J. Appleby, *Chair*, ExxonMobil Development Co.
D. D. Anderson, *Vice Chair*, Columbia Pipeline Group
A. P. Maslowski, *Secretary*, The American Society of Mechanical Engineers
R. C. Becken, Energy Experts International
C. A. Bullock, Centerpoint Energy
J. S. Chin, TransCanada Pipelines U.S.
S. C. Christensen, Consultant
A. M. Clarke, Spectra Energy Transmission
P. M. Dickinson, Resolute Energy Corp.
J. W. Fee, Consultant
D. J. Fetzner, BP Exploration (Alaska), Inc.
M. W. Gragg, ExxonMobil Development Co.
M. E. Hovis, Energy Transfer
M. D. Huston, ONEOK Partners, LP
M. Israni, U.S. DOT – PHMSA
D. L. Johnson, Energy Transfer
K. B. Kaplan, KBR
R. W. Kivela, Spectra Energy
M. P. Lamontagne, Lamontagne Pipeline Assessment Corp.
K. G. Leewis, Dynamic Risk Assessment Systems, Inc.

R. D. Lewis, Rosen USA
W. J. Manegold, Pacific Gas and Electric Co.
M. J. Mechlowicz, Southern California Gas Co.
C. J. Miller, Fluor Enterprises, Inc.
D. K. Moore, TransCanada Pipelines U.S.
E. K. Newton, Southern California Gas Co.
G. E. Ortega, Conoco Phillips
B. J. Powell, NiSource, Inc.
M. J. Rosenfeld, Kiefner/Applus – RTD
R. A. Schmidt, Canadoil
P. L. Vaughan, ONEOK Partners, LP
F. R. Volgstadt, Volgstadt and Associates, Inc.
W. J. Walsh, ArcelorMittal Global R&D
D. H. Whitley, EDG, Inc.
D. W. Wright, Wright Tech Services, LLC
M. R. Zerella, National Grid
J. Zhou, TransCanada Pipelines Ltd.
J. S. Zurcher, Process Performance Improvement Consultants
S. C. Gupta, *Delegate*, Bharat Petroleum Corp. Ltd.
A. Soni, *Delegate*, Engineers India Ltd.
R. W. Gailing, *Contributing Member*, Southern California Gas Co.
J. K. Wilson, *Contributing Member*, Williams

B31.8 SUBGROUP ON DESIGN, MATERIALS, AND CONSTRUCTION

M. J. Rosenfeld, *Chair*, Kiefner/Applus – RTD
R. J. Appleby, ExxonMobil Development Co.
R. C. Becken, Energy Experts International
B. W. Bingham, T. D. Williamson, Inc.
J. S. Chin, TransCanada Pipelines U.S.
A. M. Clarke, Spectra Energy Transmission
P. M. Dickinson, Resolute Energy Corp.
J. W. Fee, Consultant
D. J. Fetzner, BP Exploration (Alaska), Inc.
S. A. Frehse, Southwest Gas Corp.
R. W. Gailing, Southern California Gas Co.
D. Haim, Bechtel Corp. – Oil, Gas and Chemicals
R. D. Hurliaux, Consultant
M. D. Huston, ONEOK Partners, LP
K. B. Kaplan, KBR

M. J. Mechlowicz, Southern California Gas Co.
C. J. Miller, Fluor Enterprises, Inc.
E. K. Newton, Southern California Gas Co.
M. Nguyen, Lockwood International
G. E. Ortega, Conoco Phillips
W. L. Raymundo, Pacific Gas and Electric Co.
E. J. Robichaux, Atmos Energy
R. A. Schmidt, Canadoil
J. Sieve, U.S. DOT – PHMSA-OPS
H. Tiwari, FMC Technologies, Inc.
P. L. Vaughan, ONEOK Partners, LP
F. R. Volgstadt, Volgstadt and Associates, Inc.
W. J. Walsh, ArcelorMittal Global R&D
D. H. Whitley, EDG, Inc.
J. Zhou, TransCanada Pipelines Ltd.
M. A. Boring, *Contributing Member*, Kiefner and Associates, Inc.

B31.8 SUBGROUP ON DISTRIBUTION

E. K. Newton, *Chair*, Southern California Gas Co.
B. J. Powell, *Vice Chair*, NiSource, Inc.
J. Faruq, American Gas Association
S. A. Frehse, Southwest Gas Corp.
J. M. Groot, Southern California Gas Co.
W. J. Manegold, Pacific Gas and Electric Co.

M. J. Mechlowicz, Southern California Gas Co.
E. J. Robichaux, Atmos Energy
V. Romero, Southern California Gas Co.
J. Sieve, U.S. DOT – PHMSA-OPS
F. R. Volgstadt, Volgstadt and Associates, Inc.
M. R. Zerella, National Grid

B31.8 SUBGROUP ON EDITORIAL REVIEW

K. G. Leewis, *Chair*, Dynamic Risk Assessment Systems, Inc.
R. C. Becken, Energy Experts International
J. P. Brandt, BP Exploration (Alaska), Inc.
R. W. Gailing, Southern California Gas Co.

D. Haim, Bechtel Corp. – Oil, Gas and Chemicals
K. B. Kaplan, KBR
R. D. Lewis, Rosen USA
D. K. Moore, TransCanada Pipelines U.S.



B31.8 SUBGROUP ON OFFSHORE PIPELINES

K. B. Kaplan, *Chair*, KBR
R. J. Appleby, ExxonMobil Development Co.
K. K. Emeaba, National Transportation Safety Board

M. W. Gragg, ExxonMobil Development Co.
J. Sieve, U.S. DOT – PHMSA-OPS
H. Tiwari, FMC Technologies, Inc.

B31.8 SUBGROUP ON OPERATION AND MAINTENANCE

D. D. Anderson, *Chair*, Columbia Pipeline Group
M. E. Hovis, *Vice Chair*, Energy Transfer
R. P. Barry, ENSTAR Natural Gas Co.
A. Bhatia, Alliance Pipeline Ltd.
J. P. Brandt, BP Exploration (Alaska), Inc.
C. A. Bullock, Centerpoint Energy
K. K. Emeaba, National Transportation Safety Board
J. D. Gilliam, U.S. DOT – PHMSA
J. M. Groot, Southern California Gas Co.
J. Hudson, EN Engineering
L. J. Huyse, University of Calgary
M. Israni, U.S. DOT – PHMSA
D. L. Johnson, Energy Transfer
R. W. Kivela, Spectra Energy

M. P. Lamontagne, Lamontagne Pipeline Assessment Corp.
K. G. Lewis, Dynamic Risk Assessment Systems, Inc.
R. D. Lewis, Rosen USA
C. A. Mancuso, Jacobs
W. J. Manegold, Pacific Gas and Electric Co.
D. K. Moore, TransCanada Pipelines U.S.
M. Nguyen, Lockwood International
B. J. Powell, NiSource, Inc.
M. T. Reed, Alliance Pipeline Ltd.
D. R. Thornton, The Equity Engineering Group
J. K. Wilson, Williams
D. W. Wright, Wright Tech Services, LLC
M. R. Zerella, National Grid
J. S. Zurcher, Process Performance Improvement Consultants
D. E. Adler, *Contributing Member*, Columbia Pipeline Group

B31.8 GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS, INDIA IWG

N. B. Babu, *Chair*, Gujarat State Petronet Ltd.
A. Karnatak, *Vice Chair*, Gail India Ltd.
P. V. Gopalan, L&T Valdel Engineering Ltd.
R. D. Goyal, Gail India Ltd.
M. Jain, Gail India Ltd.
P. Kumar, Gail India Ltd.
A. Modi, Gail India Ltd.
D. S. Nanaware, Indian Oil Corp. Ltd.
Y. S. Navathe, Adani Energy Ltd.

S. Prakask, ILFS Engineering and Construction Co.
V. T. Randeria, Gujarat Gas Co. Ltd.
S. Sahani, TDW India Ltd.
K. K. Saini, Reliance Gas Transportation Infrastructure Ltd.
R. B. Singh, Adani Energy Ltd.
J. Sivaraman, Reliance Gas Transportation Infrastructure Ltd.
I. Somasundaram, Gail India Ltd.
A. Soni, Engineers India Ltd.
M. Sharma, *Contributing Member*, ASME India PVT. Ltd.

B31.8 INTERNATIONAL REVIEW GROUP

R. J. Appleby, *Chair*, ExxonMobil Development Co.
H. M. Al-Muslim, Saudi Aramco

Q. Feng, PetroChina Pipeline Co.
W. Feng, PetroChina Pipeline Co.

B31 CONFERENCE GROUP

T. A. Bell, Bonneville Power Administration
R. A. Coomes, State of Kentucky, Department of Housing/Boiler Section
D. H. Hanrath, Consultant
C. J. Harvey, Alabama Public Service Commission
D. T. Jagger, Ohio Department of Commerce
K. T. Lau, Alberta Boilers Safety Association
R. G. Marini, New Hampshire Public Utilities Commission
I. W. Mault, Manitoba Department of Labour
A. W. Meiring, Fire and Building Safety Division/Indiana
R. F. Mullaney, British Columbia Boiler and Pressure Vessel Safety Branch

P. Sher, State of Connecticut
M. E. Skarda, Arkansas Department of Labor
D. A. Starr, Nebraska Department of Labor
D. J. Stursma, Iowa Utilities Board
R. P. Sullivan, The National Board of Boiler and Pressure Vessel Inspectors
J. E. Troppman, Division of Labor/State of Colorado Boiler Inspections
W. A. West, Lighthouse Assistance, Inc.
T. F. Wickham, Rhode Island Department of Labor



B31 EXECUTIVE COMMITTEE

J. E. Meyer, *Chair*, Louis Perry and Associates, Inc.
N. Lobo, *Secretary*, The American Society of Mechanical Engineers
G. A. Antaki, Becht Engineering Co.
R. J. Appleby, ExxonMobil Development Co.
D. D. Christian, Victaulic
J. W. Frey, Stress Engineering Services, Inc.
D. R. Frikken, Becht Engineering Co.

R. A. Grichuk, Fluor Enterprises, Inc.
L. E. Hayden, Jr., Consultant
G. A. Jolly, Flowserve/Gestra USA
A. J. Livingston, Kinder Morgan
M. L. Nayyar, NICE
G. R. Petru, Enterprise Products Co.
R. A. Appleton, *Contributing Member*, Refrigeration Systems Co.

B31 FABRICATION AND EXAMINATION COMMITTEE

J. Swezy, Jr., *Chair*, Boiler Code Tech, LLC
F. Huang, *Secretary*, The American Society of Mechanical Engineers
R. D. Campbell, Bechtel Corp.
D. Couch, Electric Power Research Institute
R. J. Ferguson, Metallurgist
P. D. Flenner, Flenner Engineering Services
S. Gingrich, URS Corp.

J. Hainsworth, Consultant
A. D. Nalbandian, Thielsch Engineering, Inc.
R. J. Silvia, Process Engineers and Constructors, Inc.
W. J. Sperko, Sperko Engineering Services, Inc.
P. L. Vaughan, ONEOK Partners, LP
K. Wu, Stellar Energy Systems

B31 MATERIALS TECHNICAL COMMITTEE

R. A. Grichuk, *Chair*, Fluor Enterprises, Inc.
N. Lobo, *Secretary*, The American Society of Mechanical Engineers
W. P. Collins, WPC Solutions, LLC
R. P. Deubler, Fronex Power Systems, LLC
C. H. Eskridge, Jr., Jacobs Engineering
G. A. Jolly, Flowserve/Gestra USA
C. J. Melo, S&B Engineers and Constructors, Ltd.

M. L. Nayyar, NICE
M. B. Pickell, Willbros Engineers, Inc.
D. W. Raho, CCM 2000
R. A. Schmidt, Canadoil
H. R. Simpson, Stantec
J. L. Smith, Jacobs Engineering Group
Z. Djilali, *Contributing Member*, Sonatrach

B31 MECHANICAL DESIGN TECHNICAL COMMITTEE

G. A. Antaki, *Chair*, Becht Engineering Co.
J. C. Minichiello, *Vice Chair*, Bechtel National, Inc.
R. Lucas, *Secretary*, The American Society of Mechanical Engineers
D. Arnett, Chevron ETC
C. Becht IV, Becht Engineering Co.
R. Bethea, Huntington Ingalls Industries, Newport News Shipbuilding
J. P. Breen, Becht Engineering Co.
P. Cakir-Kavcar, Bechtel Corp. – Oil, Gas and Chemicals
N. F. Consumo, Sr., Consultant
J. P. Ellenberger, Consultant
D. J. Fetzner, BP Exploration (Alaska), Inc.
D. A. Fraser, NASA Ames Research Center
J. A. Graziano, Consultant

R. W. Haupt, Pressure Piping Engineering Associates, Inc.
B. P. Holbrook, Babcock Power, Inc.
W. J. Koves, Pi Engineering Software, Inc.
R. A. Leishear, Savannah River National Laboratory
G. D. Mayers, Alion Science and Technology
J. F. McCabe, General Dynamics Electric Boat
T. Q. McCawley, TQM Engineering PC
J. E. Meyer, Louis Perry and Associates, Inc.
A. Paulin, Paulin Research Group
R. A. Robleto, KBR
M. J. Rosenfeld, Kiefner/Applus – RTD
T. Sato, Japan Power Engineering and Inspection Corp.
G. Stevick, Berkeley Engineering and Research, Inc.
H. Kosasayama, *Delegate*, JGC Corp.
E. C. Rodabaugh, *Honorary Member*, Consultant

B31 NATIONAL INTEREST REVIEW GROUP

American Pipe Fitting Association — H. Thielsch
American Society of Heating, Refrigerating and Air-Conditioning Engineers — H. R. Kornblum
Chemical Manufacturers Association — D. R. Frikken
Copper Development Association — A. Cohen
Ductile Iron Pipe Research Association — T. F. Stroud
Edison Electric Institute — R. L. Williams
International District Heating Association — G. M. Von Bargen

Manufacturers Standardization Society of the Valve and Fittings Industry — R. A. Schmidt
National Association of Plumbing-Heating-Cooling Contractors — R. E. White
National Certified Pipe Welding Bureau — D. Nikpourfard
National Fire Protection Association — T. C. Lemoff
National Fluid Power Association — H. G. Anderson
Valve Manufacturers Association — R. A. Handschumacher



ASME B31.8S-2014

SUMMARY OF CHANGES

Following approval by the ASME B31 Standards Committee, the ASME Board on Pressure Technology Codes and Standards, and ASME, and after public review, ASME B31.8S-2014 was approved by the American National Standards Institute on August 15, 2014.

ASME B31.8S-2014 consists of B31.8S-2012; editorial changes, revisions, and corrections; as well as the following changes identified by a margin note, **(14)**.

<i>Page</i>	<i>Location</i>	<i>Change</i>
1	1.1	Second paragraph, last sentence revised
8, 9	3.2	Revised
	Fig. 3.2.4-1	Fig. 3.2-1 revised and redesignated as Fig. 3.2.4-1
21	6.4.2	Third paragraph, last sentence revised
32	Table 9.4-1	Table 9.4(b)-1 redesignated as Table 9.4-1
33	Table 9.4-2	Table 9.4(c)-1 redesignated as Table 9.4-2
36, 40	13	Definition of <i>pipeline</i> revised
42–44	14	Updated



MANAGING SYSTEM INTEGRITY OF GAS PIPELINES

1 INTRODUCTION

(14) 1.1 Scope

This Code applies to onshore pipeline systems constructed with ferrous materials and that transport gas. The principles and processes embodied in integrity management are applicable to all pipeline systems.

This Code is specifically designed to provide the operator (as defined in section 13) with the information necessary to develop and implement an effective integrity management program utilizing proven industry practices and processes. The processes and approaches described within this Code are applicable to the entire pipeline.

1.2 Purpose and Objectives

Managing the integrity of a gas pipeline system is the primary goal of every pipeline system operator. Operators want to continue providing safe and reliable delivery of natural gas to their customers without adverse effects on employees, the public, customers, or the environment. Incident-free operation has been and continues to be the gas pipeline industry's goal. The use of this Code as a supplement to the ASME B31.8 Code will allow pipeline operators to move closer to that goal.

A comprehensive, systematic, and integrated integrity management program provides the means to improve the safety of pipeline systems. Such an integrity management program provides the information for an operator to effectively allocate resources for appropriate prevention, detection, and mitigation activities that will result in improved safety and a reduction in the number of incidents.

This Code describes a process that an operator of a pipeline system can use to assess and mitigate risks in order to reduce both the likelihood and consequences of incidents. It covers both a prescriptive-based and a performance-based integrity management program.

The prescriptive process, when followed explicitly, will provide all the inspection, prevention, detection, and mitigation activities necessary to produce a satisfactory integrity management program. This does not preclude conformance with the requirements of ASME B31.8. The performance-based integrity management program alternative utilizes more data and more extensive risk analyses, which enables the operator to achieve a greater degree of flexibility in order to meet or exceed the requirements of this Code specifically in

the areas of inspection intervals, tools used, and mitigation techniques employed. An operator cannot proceed with the performance-based integrity program until adequate inspections are performed that provide the information on the pipeline condition required by the prescriptive-based program. The level of assurance of a performance-based program or an alternative international standard must meet or exceed that of a prescriptive program.

The requirements for prescriptive-based and performance-based integrity management programs are provided in each of the sections in this Code. In addition, Nonmandatory Appendix A provides specific activities, by threat categories, that an operator shall follow in order to produce a satisfactory prescriptive integrity management program.

This Code is intended for use by individuals and teams charged with planning, implementing, and improving a pipeline integrity management program. Typically, a team will include managers, engineers, operating personnel, technicians, and/or specialists with specific expertise in prevention, detection, and mitigation activities.

1.3 Integrity Management Principles

A set of principles is the basis for the intent and specific details of this Code. They are enumerated here so that the user of this Code can understand the breadth and depth to which integrity shall be an integral and continuing part of the safe operation of a pipeline system.

Functional requirements for integrity management shall be engineered into new pipeline systems from initial planning, design, material selection, and construction. Integrity management of a pipeline starts with sound design, material selection, and construction of the pipeline. Guidance for these activities is primarily provided in ASME B31.8. There are also a number of consensus standards that may be used, as well as pipeline jurisdictional safety regulations. If a new line is to become a part of an integrity management program, the functional requirements for the line, including prevention, detection, and mitigation activities, shall be considered in order to meet this Code. Complete records of material, design, and construction for the pipeline are essential for the initiation of a good integrity management program.

