

PD CEN/TR 14245:2014



BSI Standards Publication

Cement — Guidelines for the application of EN 197-2 Conformity Evaluation

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of CEN/TR 14245:2014. It supersedes PD CR 14245:2001 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee B/516/12, Sampling and testing.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 85282 4

ICS 03.120.20; 91.100.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2014.

Amendments issued since publication

Date	Text affected
------	---------------

English Version

**Cement - Guidelines for the application of EN 197-2 Conformity
Evaluation**Ciment - Lignes directrices pour l'application de l'EN 197-2 -
Evaluation de la conformitéZement - Richtlinien für die Anwendung von EN 197-2
Konformitätsbewertung

This Technical Report was approved by CEN on 18 August 2014. It has been drawn up by the Technical Committee CEN/TC 51.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

Contents		Page
Foreword.....		4
Introduction to this Guidelines Document.....		5
1 Scope		7
2 Normative references		7
3 Terms and definitions		8
4 Factory production control by the manufacturer		11
4.1 General requirements		11
4.1.1 Concept		11
4.1.2 Works' quality manual		11
4.1.3 Management systems		13
4.1.4 System of documentation		14
4.2 Internal quality control		15
4.2.1 Process control		15
4.2.2 Measuring and testing		17
4.2.3 Handling, storage, packaging and delivery		18
4.3 Autocontrol testing of samples		18
4.3.1 Sampling and testing		18
4.3.2 Corrective action		19
4.3.3 Measuring and test equipment for autocontrol testing		20
4.3.4 Quality records		21
5 Tasks for the product certification body		21
5.1 General		21
5.2 Continuous surveillance, assessment and evaluation of the factory production control		21
5.2.1 Inspection tasks		21
5.2.2 Frequency of inspections		22
5.2.3 Reports		22
5.3 Evaluation of the results of autocontrol testing of samples		23
5.3.1 Evaluation tasks		23
5.3.2 Number and timing of evaluations		23
5.3.3 Control period		23
5.3.4 Evaluation of test results		24
5.3.5 Reports		27
5.4 Audit testing of samples taken at the factory/depot and determination of the product-type by testing		27
5.4.1 Sampling		27
5.4.2 Number of samples		27
5.4.3 Properties and test methods		28
5.4.4 Testing		28
5.4.5 Evaluation of test results		28
5.4.6 Reports		29
5.4.7 Proficiency testing		29
5.5 Initial inspection of the factory and the factory production control		30
5.5.1 Inspection of a new factory		30
5.5.2 Inspection of an existing factory		31
5.5.3 Criteria for the assessment of the production equipment		31
5.5.4 Criteria for the assessment of laboratories		31
5.5.5 Reports		32
5.6 Evaluation of test results during the initial period		32

5.6.1	Initial period	32
5.6.2	Evaluation of test results	32
5.6.3	Reports	32
6	Actions in the event of non-conformity	33
6.1	Actions to be taken by the manufacturer.....	33
6.2	Actions to be taken by the product certification body	33
6.2.1	Following continuous surveillance, assessment and evaluation of the factory production control (see 5.2) and evaluation of the results of autocontrol testing (see 5.3)	33
6.2.2	Following evaluation of the results of the audit testing of samples taken at the factory/depot (see 5.4 and Annex A)	34
7	Procedure for third party certification of constancy of performance of the product	35
8	Certificate of constancy of performance of the product and conformity mark	36
8.1	Indication of constancy of performance of the product.....	36
8.2	Certificate of constancy of performance of the product	36
9	Requirements for dispatching centres.....	38
9.1	General requirements	38
9.2	Tasks for the intermediary.....	38
9.2.1	Measures to maintain the cement quality	38
9.2.2	Confirmation autocontrol testing of samples taken at the dispatching centre	39
9.3	Tasks for the third party	39
9.3.1	Continuous surveillance, assessment and evaluation of the measures to maintain the cement quality and of the confirmation autocontrol	39
9.3.2	Audit testing of samples taken at the dispatching centre	39
9.3.3	Decisions to be taken.....	39
Annex A	(normative) Evaluation of the representativeness and the accuracy of the 28 day strength test results	42
A.1	General	42
A.2	Sets of results considered.....	42
A.3	Evaluation procedure	42
A.3.1	Introduction.....	42
A.3.2	Symbols.....	42
A.3.3	Evaluation of whether set A and set B belong to the same population (sampling error check)	43
A.3.4	Comparison between set B and set C in order to check the accuracy of the autocontrol testing (testing error check)	44
A.3.5	Masonry cement	44
A.3.6	Calcium aluminate cement	44
Annex B	(informative) Procedure for certification of constancy of performance of cement	45
Annex C	(informative) Comparison of terminology according to the CPD and the CPR.....	46

Foreword

This document (CEN/TR 14245:2014) has been prepared by Technical Committee CEN/TC 51 “Cement and building limes”, the secretariat of which is held by NBN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CR 14245:2001.

Compared with CR 14245:2001, the following changes have been made:

- Guidelines harmonized with EN 197-2:2014 and standard text of EN 197-2:2014 included.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Report: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction to this Guidelines Document

Purpose

The purpose of this Guidelines Document is to provide explanatory detail on points not fully elaborated in EN 197-2. It is intended for use by manufacturers and by product certification bodies involved in the certification of cement following EN 197-2, in particular for the issuing of an EC certificate of constancy of performance.

This document does not deal with the necessary internal procedures that the product certification bodies will have.

It is an objective of this Guidelines Document that its use will assist in the establishment of equivalent procedures for certification of cement. It is expected that, following this document, traditional good procedures and practices that may be different can continue to be used, provided that they are not in contradiction with EN 197-2 and the relevant product specification standard. Such existing good procedures and practices, applied in conjunction with these Guidelines, are not considered to be an impediment to the achievement of the uniform level of certification throughout Europe, and by different product certification bodies, that is expected from the application of EN 197-2 together with these Guidelines.

This Guidelines Document is based on existing situations for production, evaluation of conformity and certification of cements. It may happen that product certification bodies be confronted by a situation different to those included in this document. In such a case, specific procedures should be elaborated on a case by case situation and be approved and fully recorded by the product certification body. These specific procedures should always fulfil the requirements of EN 197-1 and EN 197-2 and lead to the same level of confidence in product conformity that would be achieved by application of this Guidelines Document.

Arrangement

The clause numbering system of EN 197-2 is followed. The text of each of the clauses of the European Standard is reproduced in full and is followed by guidance, which is provided only for those clauses where clarification or elaboration is needed.

Clauses of EN 197-2

Foreword

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Factory production control by the manufacturer
- 5 Tasks for the product certification body
- 6 Actions in the event of non-conformity
- 7 Procedure for third party certification of constancy of performance of the product
- 8 Certificate of constancy of performance of the product and conformity mark
- 9 Requirements for dispatching centres

Tables 1 and 2

Annexes A, B, and C.

Foreword

This document (EN 197-2:2014) has been prepared by Technical Committee CEN/TC 51 “Cement and building limes”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2014, and conflicting national standards shall be withdrawn at the latest by July 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 197-2:2000.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

Compared to the version EN 197-2:2000, the following major changes have been made in this document:

- use of the terminology given by the Construction Products Regulation (Regulation (EU) No 305/2011) and comparison with the earlier terminology according to the Construction Products Directive (Directive 89/106/EEC) (Annex C);
- link between this European Standard and Annexes ZA of European Standards covering cements;
- guidance concerning the uncertainty of measurements in the evaluation of test results;
- numerical criteria for the evaluation procedure for calcium aluminate cement conforming to EN 14647, (Annex A);
- figure describing the procedure for certification of constancy of performance of cement in a new factory or of a new type of cement in an existing factory (Annex B).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the scheme for the assessment and verification of constancy of performance (AVCP) of cements to their corresponding product specification standards, including certification of constancy of performance by a product certification body.

The standard provides technical rules for factory production control by the manufacturer, including autocontrol testing of samples, and for the tasks of the product certification body. It also provides rules for actions to be followed in the event of non-conformity, the procedure for the AVCP and requirements for dispatching centres.

In this European Standard, the word “cement” is used to refer both to common cements as defined in EN 197-1 and to other cements and binders for which the relevant product specification standard makes reference to this European Standard and which are submitted for certification. Such a cement is produced at a given factory and belongs to a particular type and a particular strength class, as defined and specified in the relevant product specification standard.

The guidelines given in the Technical Report CEN/TR 14245 [1]¹⁾ should be used for the application of this European Standard.

This European Standard should be linked with Annexes ZA of European Standards covering cements and binders, i.e. EN 197-1, EN 14216, EN 14647, EN 413-1, EN 15743, in particular for the assignments of tasks to the manufacturer and to the product certification body.

NOTE The reason for having drafted this separate document is that the provisions it includes are applicable to different products covered by different European Standards.

Guidance

EN 197-2 deals with the evaluation of conformity of cements and binders that are submitted for certification. It deals in particular with cases where “further testing” of the product is undertaken, as is the case for attestation system 1+ under the Construction Products Regulation. The products for which EN 197-2 is applicable are: the common cement products and the low heat cements and the sulfate resisting cements, refer to EN 197-1, the very low heat special cements, refer to EN 14216, the supersulfated cements, refer to EN 15743, the calcium aluminate cements, refer to EN 14647, and the masonry cements, refer to EN 413-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 196-7, *Methods of testing cement - Part 7: Methods of taking and preparing samples of cement*

EN 413-1, *Masonry cement - Part 1: Composition, specifications and conformity criteria*

EN 14647, *Calcium aluminate cement - Composition, specifications and conformity criteria*

ISO 2854, *Statistical interpretation of data — Techniques of estimation and tests relating to means and variances*

¹⁾ CEN/TR 14245 is currently in preparation and will revise CR 14245:2001.