

American National Standard

*for Consumer Turf Care Equipment –
Pedestrian-Controlled Mowers
and Ride-On Mowers –
Safety Specifications*



ANSI/OPEI B71.1-2012
Revision and redesignation of
ANSI B71.1-2003

American National Standard
for Consumer Turf Care Equipment –
**Pedestrian-Controlled Mowers
and Ride-On Mowers –
Safety Specifications**

Sponsor

Outdoor Power Equipment Institute, Inc.

Approved April 23, 2012

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**American National Standards Institute, Inc.
25 West 43rd Street, New York, NY 10036**

Copyright © 2012 by Outdoor Power Equipment Institute, Inc.
All rights reserved.

No part of this publication may be reproduced in any form, stored in an electronic retrieval system, or transmitted in any form or by any means (electronic, photocopying, recording, or otherwise), without prior written permission of the Outdoor Power Equipment Institute, Inc.

Printed in the United States of America

Contents

	Page
Foreword.....	vi
Part I: General	
1 Scope.....	1
2 Normative references.....	1
3 Definitions	3
Part II: Pedestrian-controlled mowers	
4 Controls.....	5
4.1 Control identification.....	5
4.2 Shutoff control device.....	5
4.3 Handle-mounted engine speed controls	5
4.4 Self-propelled mowers	5
5 Guards and shields	5
5.1 Power drives	5
5.2 Hot surfaces	6
5.3 Fuel ignition protection	6
5.4 Attachment of guards and shields.....	6
6 Servicing	7
6.1 General requirements	7
6.2 Servicing points.....	7
7 Electrical requirements.....	7
7.1 General	7
7.2 Line voltage.....	7
7.3 Low voltage battery powered circuits (not including magneto-grounding circuits).....	7
8 Label durability requirements	8
8.1 General	8
8.2 Additional requirements	8
8.3 Types considered durable.....	8
8.4 Silk screening.....	8
9 General requirements - Blade rotation warning	8
10 Specific requirements - Rotary mowers	8
10.1 Blade enclosure	8
10.2 Protective guards	9
10.3 Performance tests	9

	Page
10.4 Starting arrangement	16
10.5 Mower stabilization.....	16
10.6 Blade speed	16
10.7 Handle structure.....	16
11 Specific requirements - Reel mowers	17
11.1 Blade stopping time.....	17
11.2 Handle structure.....	17
11.3 Self-propelled (SP) interlock	17
12 Safety messages - Pedestrian-controlled mowers.....	17
12.1 On-product labeling.....	17
12.2 Safety instructions.....	18
12.3 Safety pictorials and wording	18
13 Requirements - Mowers which meet the exclusions of CPSC 1205.1 (c).....	18
13.1 Machine identification.....	18
13.2 Foot probe.....	18
13.3 Safety label	18
13.4 Blade stop	19
Part III: Ride-on mowers	
14 Machine identification.....	19
15 Controls.....	19
15.1 General requirements	19
15.2 Ride-on mowers	19
16 Guards and shields	25
16.1 Power drives	25
16.2 Hot surfaces	25
16.3 Fuel ignition protection.....	26
16.4 Attachment of guards and shields.....	26
16.5 Movable seat structures	26
17 Servicing	27
17.1 General requirements	27
17.2 Servicing points.....	27
18 Electrical requirements.....	27
18.1 General	27
18.2 Line voltage.....	27

	Page
18.3 Low voltage battery powered circuits (not including magneto grounding circuits)	27
19 Label durability requirements	28
19.1 General.....	28
19.2 Additional requirements.....	28
19.3 Types considered durable	28
19.4 Silk screening	28
20 Requirements - Ride-on mowers.....	28
20.1 General requirements.....	28
20.2 Stability tests	29
20.3 Braking requirements	32
20.4 Attachment drive clutch	34
21 Safety messages - Ride-on mowers.....	34
21.1 On-product labeling	34
21.2 Safety instructions	34
21.3 Safety pictorials	34
22 General requirements - Ride-on rotary and reel mowers	35
22.1 Blade rotation warning.....	35
22.2 Blade stopping time.....	35
22.3 Controls - Attachments.....	35
23 Specific requirements - Ride-on rotary mowers and mower attachments	36
23.1 Blade enclosure.....	36
23.2 Guards and grass catchers	36
23.3 Performance tests	37
23.4 Blade speed	43
Tables	
Table 1 - Method for the use of the test cones	6
Table 2 - Air inlet hole for structural integrity test for pedestrian-controlled mowers and mower attachments.....	12
Table 3 - Average hits in any zone.....	16
Table 4 - Method for the use of the test cones	26
Table 5 - Air inlet hole for structural integrity test for ride-on rotary mowers and mower attachments	39
Table 6 - Average hits in any zone.....	43

Figures

Figure 1 - Test cones for the determination of hot parts accessibility	44
Figure 2 - Single spindle pedestrian-controlled mower	45
Figure 3 - Multi-spindle pedestrian-controlled mower	45
Figure 4a - Impact test fixture, schematic plan view	46
Figure 4b - Impact test fixture, test arrangement	47
Figure 5a - Test enclosure, general layout.....	48
Figure 5b - Single spindle pedestrian-controlled mower - test enclosure	49
Figure 5c - Multi-spindle pedestrian-controlled mower - test enclosure.....	50
Figure 5d - Single spindle ride-on mower - test enclosure.....	51
Figure 5e - Two spindle ride-on mower - test enclosure	52
Figure 5f - Three spindle ride-on mower - test enclosure	53
Figure 5g - Test fixture for corrugated cardboard penetration tests.....	54
Figure 5h - Nail plan of test fixture base	55
Figure 5i - Thrown object test fixture - base detail	55
Figure 5j - Test enclosure walls and base.....	56
Figure 5k - Data sheet for thrown object test	57
Figure 6 - Safety instructions for pedestrian-controlled mowers	58
Figure 7 - Finger probe	61
Figure 8 - Safety instructions for ride-on mowers	62
Figure 9 - Characteristic dimensions for a blade enclosure	65
Figure 10 - Operator zones for 95th percentile man	66
Figure 11a - Foot probe	67
Figure 11b - Foot probe, schematic plan view	67
Figure 11c - Side view of a foot probe for a rotary mower	68
Figure 12a - Plan view of a single-blade front discharge, fixture for structural integrity test	68
Figure 12b - Plan view of a single-blade side discharge, fixture for structural integrity test	69
Figure 12c - Plan view of a single-blade top discharge, fixture for structural integrity test	69
Figure 12d - Plan view of a multi-blade side discharge, fixture for structural integrity test	70
Figure 12e - Plan view of a multi-blade rear discharge, fixture for structural integrity test	71
Figure 12f - Test arrangement with grass collection system.....	72

	Page
Figure 12g - Views of rear discharge pedestrian-controlled mower with grass collection system	73
Annexes	
Annex A Rationale.....	74
Annex B Pictorials	89
Annex C CPSC Requirements	92
PART 1205 - SAFETY STANDARD FOR WALK-BEHIND POWER LAWN MOWERS	
Subpart A - The Standard	92
§ 1205.1 Scope of the standard.	92
§ 1205.2 Effective date.....	93
§ 1205.3 Definitions.....	93
§ 1205.4 Walk behind rotary power mower protective shields.	94
§ 1205.5 Walk behind rotary power mower controls.	98
§ 1205.6 Warning label for reel type and rotary power mowers.	99
§ 1205.7 Prohibited stockpiling.	100
§ 1205.8 Findings.....	100
Subpart B - Certification	103
§ 1205.30 Purpose, scope and application.	103
§ 1205.31 Effective date.....	104
§ 1205.32 Definitions.....	104
§ 1205.33 Certification testing.	104
§ 1205.34 Recordkeeping requirements.	105
§ 1205.35 Product certification and labeling by manufacturers.....	105
§ 1205.36 Product certification and labeling by importers.....	105

Foreword (This foreword is not part of American National Standard ANSI/OPEI B71.1-2012.)

This standard is a revision of American National Standard for Consumer Turf Care Equipment - Walk-Behind Mowers and Ride-On Machines with Mowers - Safety Specifications, ANSI B71.1-2003. The first edition of this standard was approved and published by the American National Standards Institute in 1960. It has been revised thirteen times since initial publication, including this revision.

The present revision was prepared by the Outdoor Power Equipment Institute's (OPEI) Lawn Mower Committee, as part of OPEI's continuing work on standards.

The effective implementation date of this standard shall be two (2) years after the approval date and shall apply to all products built after that date. Manufacturers may also certify to this standard anytime after the approval date.

A summary of the principal changes included in this revision follows:

- Hot surface requirements revised to use ISO cones;
- Revised on-product safety messages to the most critical message;
- Added requirements for large pedestrian-controlled machines;
- Revised guarding requirements for operator location and rotating engine screens;
- Broadened scope of ROPS requirements for ride-on machines;
- Added requirements for lever-steer park brake and non-powered foot attachment lift;
- Changed lateral stability test to last uphill tire for lift-off;
- Added allowance for machine stability with positive upstop;
- Exempted lever-steer machines from dynamic stability requirement;
- Revised run-in time for blade stop test;
- Added insertion force for foot probe test;
- Eliminated single-color molded-in safety warning on discharge chute;
- Harmonized figures with ANSI B71.4;
- Made numerous editorial and text clarifications and updated references.

Consensus for this standard was achieved by use of the Canvass Method. This standard contains annexes that are all informative and are not considered requirements of this standard.

Suggestions for improvement of the standard are welcome. They should be sent to the Outdoor Power Equipment Institute, 341 South Patrick Street, Alexandria, VA 22314, or www.opei.org

The following organizations, recognized as having an interest in the standardization of safety requirements for pedestrian-controlled mowers and ride-on mowers, were contacted prior to the approval of this revision of the standard. Inclusion in the list does not necessarily imply that the organization concurred with the submittal of the proposal to ANSI.

Alamo Group
Ariens Company
American Society of Agricultural and Biological Engineers (ASABE)
Briggs & Stratton Corporation
Christopherson, Herman P. (independent consultant)
Consumers Union
Consumer Product Safety Commission (CPSC)
Gruenberger, Lawrence M. (independent consultant)
Husqvarna
Kubota Tractor Corporation
MTD Products, Inc.
Scag Power Equipment, Inc.
SGS Consumer Testing Services
Underwriters Laboratories, Inc. (UL)
ValleyCrest Landscape Companies

American National Standard
for Consumer Turf Care Equipment –

Pedestrian-Controlled Mowers and Ride-On Mowers – Safety Specifications

Part I: General

1 Scope

The safety specifications given in this standard are for powered

- (a) reel and rotary pedestrian-controlled lawn mowers,
- (b) reel and rotary ride-on lawn mowers,
- (c) ride-on lawn tractors with mower attachments,
- (d) ride-on lawn and garden tractors with mower attachments, and
- (e) lever-steer and zero-turn ride-on mowers.

These specifications are intended to provide safety requirements and to help ensure uniform operator environments. They are intended to apply to products specifically intended as consumer products for the personal use of a consumer around a house. These specifications are not intended to apply to commercial products customarily used by hired operators or to products designed primarily for agricultural purposes such as defined in SAE J1116. They are not intended to cover sulky-type units, pedestrian-controlled tractors, flail mowers or sickle bar mowers, and are not intended to completely cover electrical requirements. This standard applies to all aftermarket parts, attachments and accessories. Any manufacturer of aftermarket parts, attachments and accessories is responsible for ensuring compliance to this standard. Safety specifications in this standard apply only to a configuration of attachments/implements/accessories approved by their respective manufacturers.

The U.S. Consumer Product Safety Commission (CPSC) has promulgated a mandatory standard relating to certain aspects of pedestrian-controlled power lawn mower operations (SAFETY STANDARD FOR WALK-BEHIND POWER LAWN MOWERS, CPSC 16 CFR PART1205). A copy of the CPSC mandatory standard is contained in Annex C. The CPSC standard contains requirements for products sold in the US by manufacturers of consumer pedestrian-controlled lawn mowers that meet any of the following criteria:

- a) Cutting width between 305 mm (12 inches) and 762 mm (30 inches)
- b) Mass less than 90.7 kg (200 pounds)
- c) Engine horsepower less than 6 kW (8 hp).

2 Normative references

The following standards contain provisions, which through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

ASABE/ISO 3767-1:1998, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment - Symbols for operator controls and other displays – Part 1: Common symbols*¹

ASABE/ISO 3767-2:1991, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment - Symbols for operator controls and other displays – Part 2: Symbols for agricultural tractors and machinery*

¹ ASABE standards available from the American Society of Agricultural and Biological Engineers, 2950 Niles Road, St. Joseph, MI 49085; (269) 429-0300; www.asabe.org.