

C57

Mass Spectrometry for Androgen and Estrogen Measurements in Serum

This guideline is intended to aid the laboratorian in developing appropriate procedures for the use of mass spectrometry in the measurement of androgens and estrogens.

A guideline for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in medical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing medical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement, but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advancements in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential, and may be submitted by anyone, at any time, on any document. All comments are managed according to the consensus process by a committee of experts.

Appeals Process

When it is believed that an objection has not been adequately considered and responded to, the process for appeals, documented in the CLSI Standards Development Policies and Processes, is followed.

All comments and responses submitted on draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For additional information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute
950 West Valley Road, Suite 2500
Wayne, PA 19087 USA
P: +1.610.688.0100
F: +1.610.688.0700
www.clsi.org
standard@clsi.org

Mass Spectrometry for Androgen and Estrogen Measurements in Serum

Julianne Cook Botelho, PhD
Lorin M. Bachmann, PhD, DABCC
Zhimin Cao, MD, PhD, DABCC
Donald Walt Chandler, PhD
Nigel Clarke, PhD
Laurence M. Demers, PhD
Robert L. Fitzgerald, PhD, DABCC
M. P. George, MS

Lisa M. Sapp, MS, MBA
Patrick M. Sluss, PhD, MA
Samuel A. Testino, Jr., PhD
Christina Wang, MD
Randy A. Weintraub, MS, PhD
Regina G. Ziegler, PhD, MPH
Hubert W. Vesper, PhD

Abstract

Clinical and Laboratory Standards Institute document C57—*Mass Spectrometry for Androgen and Estrogen Measurements in Serum* is intended to aid the laboratorian in developing appropriate procedures for the use of mass spectrometry (MS) in the measurement of androgens and estrogens. The primary objectives of this document are to provide guidance and establish uniform practices necessary for producing quality data for quantitation of androgens and estrogens. The guideline provides details specific to androgen and estrogen measurement procedures with respect to preexamination (preanalytical) considerations, MS technologies, measurement procedure and run validation, as well as postexamination (postanalytical) considerations.

Clinical and Laboratory Standards Institute (CLSI). *Mass Spectrometry for Androgen and Estrogen Measurements in Serum*. 1st ed. CLSI guideline C57 (ISBN 1-56238-995-5 [Print]; ISBN 1-56238-996-3 [Electronic]). Clinical and Laboratory Standards Institute, 950 West Valley Road, Suite 2500, Wayne, Pennsylvania 19087 USA, 2015.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI catalog and posted on our website at www.clsi.org. If you or your organization is not a member and would like to become one, and to request a copy of the catalog, contact us at: Telephone: 610.688.0100; Fax: 610.688.0700; E-Mail: customerservice@clsi.org; Website: www.clsi.org.



C57, 1st ed.

Copyright ©2015. Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, companion product, or other material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedure manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

Suggested Citation

CLSI. *Mass Spectrometry for Androgen and Estrogen Measurements in Serum*. 1st ed. CLSI guideline C57. Wayne, PA: Clinical and Laboratory Standards Institute; 2015.

Reaffirmed:

August 2020

ISBN 1-56238-995-5 (Print)
ISBN 1-56238-996-3 (Electronic)
ISSN 1558-6502 (Print)
ISSN 2162-2914 (Electronic)

Volume 35, Number 4

Committee Membership

Consensus Committee on Clinical Chemistry and Toxicology

**David G. Grenache, PhD,
DABCC, FACB
Chairholder
University of Utah and
ARUP Laboratories
USA**

**Loralie J. Langman, PhD
Vice-Chairholder
Mayo Clinic
USA**

Julianne Cook Botelho, PhD
Centers for Disease Control and
Prevention
USA

Johanna Camara, PhD
National Institute of Standards and
Technology
USA

Yung W. Chan, MT(ASCP)
FDA Center for Devices and
Radiological Health
USA

Ann M. Gronowski, PhD
Washington University School of
Medicine
USA

T. Scott Isbell, PhD, DABCC,
FACB
St. Louis University-Laboratory
USA

Gregory T. Maine, PhD, FACB
Abbott
USA

Joseph Passarelli
Roche Diagnostics Corporation
USA

T. Andrew Quintenz
Bio-Rad Laboratories, Inc.
USA

Document Development Committee on Mass Spectrometry for Androgen and Estrogen Measurements in Serum

**Julianne Cook Botelho, PhD
Co-Chairholder
Centers for Disease Control and
Prevention
USA**

**Lorin M. Bachmann, PhD,
DABCC
Co-Chairholder
Virginia Commonwealth
University
USA**

Zhimin Cao, MD, PhD, DABCC
New York State Department of
Health
USA

Laurence M. Demers, PhD
Penn State Hershey
Medical Center
USA

Robert L. Fitzgerald, PhD, DABCC
University of California San Diego
USA

Patrick M. Sluss, PhD, MA
Massachusetts General Hospital
USA

Samuel A. Testino, Jr., PhD
Cryolife, Inc.
USA

Christina Wang, MD
Harbor-UCLA Medical Center
USA

Randy A. Weintraub, MS, PhD
Smithers Viscent Laboratories
USA

Regina G. Ziegler, PhD, MPH
National Cancer Institute
USA

Staff

Clinical and Laboratory Standards
Institute
USA

Luann Ochs, MS
Senior Vice President – Operations

Ron S. Quicho, MS
Project Manager

Megan L. Tertel, MA
Editorial Manager

Joanne P. Christopher, MA
Editor

Patrice E. Polgar
Editor

Acknowledgment

CLSI, the Consensus Committee on Clinical Chemistry and Toxicology, and the Document Development Committee on Mass Spectrometry for Androgen and Estrogen Measurements in Serum gratefully acknowledge the following volunteers for their important contributions to the development of this document:

Donald Walt Chandler, PhD
Endocrine Sciences
USA

M. P. George, MS
Alere Toxicology Services
USA

Hubert W. Vesper, PhD
Centers for Disease Control
and Prevention
USA

Nigel Clarke, PhD
Nichols Institute,
Quest Diagnostics
USA

Lisa M. Sapp, MS, MBA
AB SCIEX
USA

Contents

Abstract.....	i
Committee Membership.....	iii
Foreword.....	vii
1 Scope.....	1
2 Standard Precautions.....	1
3 Terminology.....	2
3.1 A Note on Terminology.....	2
3.2 Definitions.....	2
3.3 Abbreviations and Acronyms.....	4
4 Preexamination (Preanalytical) Considerations.....	5
4.1 Specimen Requirements.....	5
4.2 Collection, Processing, and Storage.....	5
4.3 Preparation of Assay Calibration Materials and Quality Control Samples.....	6
4.4 Sample Preparation and Derivatization.....	8
5 Mass Spectrometry Technologies.....	13
5.1 Gas Chromatography Mass Spectrometry, Liquid Chromatography Mass Spectrometry, Tandem Mass Spectrometry.....	13
5.2 Measurement Procedure Characteristics for Steroid Hormone Measurement by Liquid Chromatography Tandem Mass Spectrometry.....	18
6 Measurement Procedure Validation/Characterization – Analytical Parameters.....	21
6.1 Accuracy/Bias.....	22
6.2 Specificity/Selectivity of the Process.....	22
6.3 Carryover.....	23
6.4 Imprecision.....	23
6.5 Linearity.....	24
6.6 Sensitivity.....	24
6.7 Measurement Uncertainty.....	24
7 Result Evaluation and Reporting.....	24
7.1 Assay Setup.....	24
7.2 Data Collection.....	26
7.3 Use of Confirmation Ions.....	28
7.4 Quality Control Monitoring.....	28
8 Quality Assurance Procedures.....	29
8.1 Staff Training and Competency Assessment.....	29
8.2 Facility and Resource Management.....	29
8.3 Policies and Procedures.....	30
8.4 Quality Assessment and Improvement.....	30
8.5 Proficiency Testing.....	31
9 Harmonization of Results.....	31

Contents (Continued)

10	Postexamination (Postanalytical) Considerations	33
10.1	Reference Intervals	33
10.2	Data Evaluation and Reporting	34
	References.....	35
	Appendix A. Examples of Published Transitions for Selected Reaction Monitoring of Nonderivatized Steroid Hormones by Liquid Chromatography Tandem Mass Spectrometry	40
	Appendix B. Androgens, Estrogens, and Analogs	43
	Appendix C. Checklist for Run Evaluation	45
	Appendix D. Metrological Institutions	46
	The Quality Management System Approach	48
	Related CLSI Reference Materials	50

Foreword

Androgen and estrogen measurements are widely used in clinical research, public health assessments, and patient care; however, problems that impede the translation of research and clinical findings into viable information for clinicians and scientists have been reported in the performance of these tests. As proposed by the Endocrine Society in a 2007 position statement¹ on measuring testosterone and concluded from the 2008 Centers for Disease Control and Prevention workshop² on steroid hormone testing, mass spectrometric procedures can overcome some of the current limitations in testing.

Mass spectrometry (MS) assays need to be developed and properly validated by the laboratory. This new technology, however, is not commonly used in the clinical laboratory and clinical chemists frequently are not familiar with developing these kinds of measurement procedures. As a result, the purpose of this document is to provide accurate, state-of-the-art information and guidance for the appropriate use of MS in the clinical laboratory for selected androgen and estrogen measurements in serum. Thus, this guideline may help in overcoming some of the current limitations in androgen and estrogen testing, and therefore aid in improving patient care and research translation.

Key Words

Androgen, estrogen, mass spectrometry, selected reaction monitoring, steroids

Mass Spectrometry for Androgen and Estrogen Measurements in Serum

1 Scope

This guideline describes principles, requirements, and recommendations of current mass spectrometry (MS) measurement procedures for routine analysis of androgens and estrogens in serum. The main focus of this document is on the analytical validation and clinical application of androgen and estrogen measurement procedures using MS. It includes guidance, references, and QA parameters that will assist with the implementation and operation of MS systems. Information on maintaining appropriate instrument settings and performance parameters, approaches to ensure accurate and precise measurements, measurement procedure validation requirements, QA procedures, and interpretation and reporting of results are included. Recommendations are included for sample preparation, and pre- and postexamination (pre- and postanalytical) considerations.

The intended users of this guideline are laboratorians who perform or plan to perform androgen and/or estrogen tests by MS, MS assay developers, and physicians and researchers involved in androgen and/or estrogen testing.

A general, comprehensive review of MS technologies in the clinical laboratory is provided in CLSI document C50.³ This guideline is limited to the measurement of total androgens and/or estrogens in serum, referring to the free, bioavailable, albumin-bound androgens and estrogens, and free, bioavailable, sex hormone-binding globulin (SHBG)-bound androgens and estrogens. The focus of this guideline is limited to the measurement of androgens and estrogens commonly used in clinical and research settings that include, but are not limited to: dehydroepiandrosterone (DHEA), dehydroepiandrosterone sulfate (DHEAs), androstenedione, testosterone (T), dihydrotestosterone (DHT), estrone (E1), estrone sulfate (E1s), estradiol (E2), and estriol (E3). This guideline provides information on MS that relates to testing of the above-mentioned steroid hormones. In addition, the purpose of this document is to provide guidance on the appropriate use of MS for androgen and estrogen measurements and cannot cover all the possibilities in this rapidly developing field. The recommendations provided should be interpreted in light of the continuing progression in this discipline.

2 Standard Precautions

Because it is often impossible to know what isolates or specimens might be infectious, all patient and laboratory specimens are treated as infectious and handled according to “standard precautions.” Standard precautions are guidelines that combine the major features of “universal precautions and body substance isolation” practices. Standard precautions cover the transmission of all known infectious agents and thus are more comprehensive than universal precautions, which are intended to apply only to transmission of bloodborne pathogens. The Centers for Disease Control and Prevention address this topic in published guidelines that focus on the daily operations of diagnostic medicine in human and animal medicine while encouraging a culture of safety in the laboratory.⁴ For specific precautions for preventing the laboratory transmission of all known infectious agents from laboratory instruments and materials, and for recommendations for the management of exposure to all known infectious diseases, refer to CLSI document M29.⁵