



# 2015 NBIC

NATIONAL BOARD INSPECTION CODE



## **PART 2** INSPECTION

AN AMERICAN NATIONAL STANDARD

THE NATIONAL BOARD OF BOILER AND PRESSURE VESSEL INSPECTORS

**NATIONAL BOARD INSPECTION CODE**  
**2015 EDITION**  
**DATE OF ISSUE — JULY 1, 2015**

This code was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory and jurisdictional agencies, and the public-at-large.


The National Board does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

The National Board does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code.

The National Board accepts responsibility for only those interpretations issued in accordance with governing National Board procedures and policies that preclude the issuance of interpretations by individual committee members.

The footnotes in this document are part of this American National Standard.



The above National Board symbols are registered with the US Patent Office.

“National Board” is the abbreviation for The National Board of Boiler and Pressure Vessel Inspectors.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

All charts, graphs, tables, and other criteria that have been reprinted from the *ASME Boiler and Pressure Vessel Code*, Sections I, IV, VIII, and X are used with the permission of the American Society of Mechanical Engineers. All Rights Reserved.

Library of Congress Catalog Card No. 52-44738  
 Printed in the United States of America  
 All Rights Reserved

[www.nationalboard.org](http://www.nationalboard.org)

Copyright © 2015 by  
 THE NATIONAL BOARD OF BOILER & PRESSURE VESSEL INSPECTORS  
 All rights reserved  
 Printed in U.S.A.

## PART 2 — INSPECTION TABLE OF CONTENTS

<b>Introduction</b>		XIII
<b>Foreword</b>		XVI
<b>Personnel</b>		XVIII
<b>Section 1</b>	<b>General Requirements for Inservice Inspection of Pressure-Retaining Items</b>	<b>1</b>
1.1	Scope	1
1.2	Administration	1
1.3	References to Other Codes and Standards	1
1.4	Personnel Safety	2
1.4.1	Personal Safety Requirements for Entering Confined Spaces	3
1.4.2	Equipment Operation	3
1.5	Inspection Activities	3
1.5.1	Inservice Inspection Activities	4
1.5.2	Pre-Inspection Activities	4
1.5.2.1	Inspection Planning	4
1.5.3	Preparation for Internal Inspection	5
1.5.4	Post-Inspection Activities	6
1.6	Change of Service	6
<b>Section 2</b>	<b>Detailed Requirements for Inservice Inspection of Pressure-Retaining Items</b>	<b>7</b>
2.1	Scope	7
2.2	Boilers	7
2.2.1	Scope	7
2.2.2	Service Conditions	7
2.2.3	Pre-Inspection Activities	7
2.2.4	Condition of Boiler Room or Boiler Location	7
2.2.5	External Inspection	7
2.2.6	Internal Inspection	8
2.2.7	Evidence of Leakage	8
2.2.8	Boiler Corrosion Considerations	8
2.2.9	Waterside Deposits	9
2.2.10	Inspection of Boiler Piping, Parts, and Appurtenances	9
2.2.10.1	Boiler Piping	9
2.2.10.2	Flanged or Other Connections	9
2.2.10.3	Miscellaneous	10
2.2.10.4	Gages	10
2.2.10.5	Pressure Relief Devices	11
2.2.10.6	Controls	11
2.2.11	Records Review	12
2.2.12	Description and Concerns of Specific Types of Boilers	12
2.2.12.1	Cast-Iron Boilers	12
2.2.12.2	Firetube Boilers	13
2.2.12.3	Watertube Boilers	15
2.2.12.4	Electric Boilers	16
2.2.12.5	Fired Coil Water Heaters	16
2.2.12.6	Fired Storage Water Heaters	17
2.2.12.7	Thermal Fluid Heaters	17
2.2.12.8	Waste Heat Boilers	19
2.2.12.9	Kraft or Sulfate Black Liquor Recovery Boilers	20
2.3	Pressure Vessels	22
2.3.1	Scope	22
2.3.2	Service Conditions	22
2.3.3	External Inspection	22
2.3.4	Internal Inspection	23

2.3.5	Inspection of Pressure Vessel Parts and Appurtenances .....	24
2.3.5.1	Gages .....	24
2.3.5.2	Safety Devices .....	25
2.3.5.3	Controls/Devices .....	25
2.3.5.4	Records Review .....	25
2.3.6	Description and Concerns of Specific Types of Pressure Vessels .....	26
2.3.6.1	Deaerators .....	26
2.3.6.2	Compressed Air Vessels .....	26
2.3.6.3	Expansion Tanks .....	27
2.3.6.4	Liquid Ammonia Vessels .....	27
2.3.6.5	Inspection of Pressure Vessels with Quick-Actuating Closures .....	31
2.3.6.6	Transport Tanks.....	33
2.3.6.7	Anhydrous Ammonia Nurse Tanks .....	33
2.3.6.8	Inspection of Pressure Vessels for Human Occupancy (PVHO).....	34
2.4	Piping and Piping Systems.....	36
2.4.1	Scope .....	36
2.4.2	Service Conditions .....	36
2.4.3	Assessment of Piping Design .....	37
2.4.4	External Inspection of Piping .....	37
2.4.5	Internal Inspection of Piping .....	37
2.4.6	Evidence of Leakage .....	38
2.4.7	Provisions for Expansion and Support .....	38
2.4.8	Inspection of Gages, Safety Devices, and Controls .....	38
2.4.8.1	Gages .....	38
2.4.8.2	Safety Devices .....	38
2.4.8.3	Quick-Disconnect Coupling.....	38
2.5	Pressure Relief Devices .....	38
2.5.1	Scope .....	38
2.5.2	Pressure Relief Device Data .....	39
2.5.3	Inservice Inspection Requirements for Pressure Relief Device Conditions .....	39
2.5.4	Inservice Inspection Requirements for Pressure Relief Devices Installation Condition .....	40
2.5.5	Additional Inspection Requirements .....	40
2.5.5.1	Boilers .....	40
2.5.5.2	Pressure Vessels and Piping .....	41
2.5.5.3	Rupture Disks .....	41
2.5.6	Packaging, Shipping, and Transportation.....	42
2.5.7	Testing and Operational Inspection of Pressure Relief Devices.....	43
2.5.8	Recommended Inspection and Test Frequencies for Pressure Relief Devices .....	44
<b>Section 3</b>	<b>Corrosion and Failure Mechanisms .....</b>	<b>47</b>
3.1	Scope .....	47
3.2	General .....	47
3.3	Corrosion .....	47
3.3.1	Macroscopic Corrosion Environments .....	47
3.3.2	Microscopic Corrosion Environments .....	49
3.3.3	Control of Corrosion .....	49
3.3.3.1	Process Variables .....	49
3.3.3.2	Protection .....	50
3.3.3.3	Material Selection .....	50
3.3.3.4	Coatings .....	50
3.3.3.5	Engineering Design .....	51
3.3.3.6	Conclusion .....	51
3.4	Failure Mechanisms .....	51
3.4.1	Fatigue .....	51
3.4.2	Creep .....	52
3.4.3	Temperature Effects .....	52
3.4.4	Hydrogen Embrittlement .....	52
3.4.5	High-Temperature Hydrogen Attack .....	53
3.4.6	Hydrogen Damage .....	53

3.4.7	Bulges and Blisters .....	54
3.4.8	Overheating .....	54
3.4.9	Cracks .....	54
<b>Section 4</b>	<b>Examinations, Test Methods, and Evaluations .....</b>	<b>55</b>
4.1	Scope .....	55
4.2	Nondestructive Examination Methods (NDE) .....	55
4.2.1	Visual .....	55
4.2.2	Magnetic Particle .....	55
4.2.3	Liquid Penetrant .....	56
4.2.4	Ultrasonic .....	56
4.2.5	Radiography .....	56
4.2.6	Eddy Current .....	57
4.2.7	Metallographic .....	57
4.2.8	Acoustic Emission .....	57
4.3	Testing Methods .....	57
4.3.1	Pressure Testing .....	57
4.3.1.1	All Pressure Testing .....	58
4.3.1.2	Liquid Pressure Testing .....	58
4.3.1.3	Pneumatic Pressure Testing .....	58
4.4	Methods to Assess Damage Mechanisms and Inspection Frequency for Pressure-Retaining Items.....	59
4.4.1	Scope .....	59
4.4.2	General Requirements .....	59
4.4.3	Responsibilities .....	60
4.4.4	Remaining Service Life Assessment Methodology .....	60
4.4.5	Data Requirements for Remaining Service Life Assessments .....	60
4.4.6	Identification of Damage Mechanisms .....	61
4.4.7	Determining Inspection Intervals .....	62
4.4.7.1	Method for Estimating Inspection Intervals for Pressure-Retaining Items Subject to Erosion or Corrosion.....	62
4.4.7.2	Method for Estimating Inspection Intervals for Exposure to Corrosion .....	62
4.4.7.3	Estimating Inspection Intervals for Pressure-Retaining Items Where Corrosion Is Not a Factor.....	65
4.4.8	Evaluating Inspection Intervals of Pressure-Retaining Items Exposed to Inservice Failure Mechanisms.....	66
4.4.8.1	Exposure to Elevated Temperature (Creep).....	66
4.4.8.2	Exposure to Brittle Fracture.....	66
4.4.8.3	Evaluating Conditions That Cause Bulges/Blisters/Laminations.....	67
4.4.8.4	Evaluating Crack-Like Indications in Pressure-Retaining Items.....	67
4.4.8.5	Evaluating Exposure of a Pressure-Retaining Item to Fire Damage.....	67
4.4.8.6	Evaluating Exposure of Pressure-Retaining Items to Cyclic Fatigue .....	68
4.4.8.7	Evaluating Pressure-Retaining Items Containing Local Thin Areas .....	68
4.5	Risk-Based Inspection Assessment Programs.....	70
4.5.1	Scope .....	70
4.5.2	Definitions.....	70
4.5.3	General.....	70
4.5.4	Considerations .....	71
4.5.5	Key Elements of an RBI Assessment Program .....	71
4.5.6	RBI Assessment .....	72
4.5.6.1	Probability of Failure.....	72
4.5.6.2	Consequence of Failure .....	72
4.5.6.3	Risk Evaluation.....	73
4.5.6.4	Risk Management .....	73
4.5.7	Jurisdictional Relationships .....	73
<b>Section 5</b>	<b>Stamping, Documentation, and Forms .....</b>	<b>74</b>
5.1	Scope .....	74
5.2	Replacement of Stamping or Nameplate .....	74

5.2.1	Authorization .....	74
5.2.2	Replacement of Nameplate or Stamped Data.....	74
5.2.3	Reporting.....	74
5.3	National Board Inspection Forms .....	75
5.3.1	Scope .....	75
5.3.2	Forms .....	75
5.3.3	Guide for Completing Fitness for Service Assessment Reports.....	75
<b>Section 6</b>	<b>Supplements</b> .....	<b>87</b>
6.1	Scope .....	87
<b>Supplement 1</b>	<b>Steam Locomotive Firetube Boiler Inspection and Storage</b> .....	<b>87</b>
S1.1	Scope .....	87
S1.2	Special Jurisdictional Requirements .....	88
S1.3	Federal Railroad Administration (FRA) .....	88
S1.4	Locomotive Firetube Boiler Inspection .....	88
S1.4.1	Inspection Methods .....	88
S1.4.2	Inspection Zones .....	89
S1.4.2.1	Riveted Seams and Rivet Heads .....	89
S1.4.2.2	Welded and Riveted Repairs.....	90
S1.4.2.3	Boiler Shell Course.....	91
S1.4.2.4	Dome and Dome Lid .....	91
S1.4.2.5	Mudring .....	91
S1.4.2.6	Flue Sheets .....	92
S1.4.2.7	Flanged Sheets .....	92
S1.4.2.8	Stayed Sheets.....	93
S1.4.2.8.1	Bulged Stayed Sheets.....	93
S1.4.2.9	Staybolts.....	94
S1.4.2.10	Flexible Staybolts and Sleeves .....	94
S1.4.2.11	Girder Stay and Crown Bars .....	95
S1.4.2.12	Sling Stays .....	96
S1.4.2.13	Crown Stays and Expansion Stays .....	96
S1.4.2.14	Diagonal and Gusset Braces.....	97
S1.4.2.15	Flues.....	97
S1.4.2.16	Superheater Units and Header.....	98
S1.4.2.17	Arch Tubes, Water Bar Tubes, and Circulators .....	98
S1.4.2.18	Thermic Syphons .....	99
S1.4.2.19	Firebox Refractory.....	99
S1.4.2.20	Dry Pipe.....	99
S1.4.2.21	Throttle and Throttle Valve .....	99
S1.4.2.22	Screw-Type Washout Plugs, Holes, and Sleeves .....	100
S1.4.2.23	Handhole Washout Doors .....	100
S1.4.2.24	Threaded and Welded Attachment Studs.....	101
S1.4.2.25	Fusible Plugs.....	101
S1.4.2.26	Water Glass, Water Column, and Gage Cocks .....	101
S1.4.2.27	Steam Pressure Gage.....	102
S1.4.2.28	Boiler Fittings and Piping.....	102
S1.4.2.29	Boiler Attachment Brackets .....	102
S1.4.2.30	Fire Door .....	103
S1.4.2.31	Grates and Grate Operating Mechanism .....	103
S1.4.2.32	Smokebox .....	103
S1.4.2.33	Smokebox Steam Pipes .....	104
S1.4.2.34	Ash Pan and Fire Pan .....	104
S1.4.3	Method of Checking Height of Water Gage Glass .....	104
S1.4.3.1	Water Height Measurement Method.....	104
S1.4.3.2	Flexible Spirit Level Method .....	105
S1.5	Guidelines for Steam Locomotive Storage .....	107
S1.5.1	Storage Methods .....	107
S1.5.2	Wet Storage Method .....	107

S1.5.3	Dry Storage Method .....	107
S1.5.4	Recommended General Preservation Procedures .....	108
S1.5.5	Use of Compressed Air to Drain Locomotive Components .....	111
S1.5.6	Return to Service .....	111
S1.6	Safety Valves .....	112
S1.7	Tables and Figures .....	112
<b>Supplement 2 Historical Boilers .....</b>		<b>113</b>
S2.1	Scope .....	113
S2.2	Introduction.....	113
S2.3	Responsibilities .....	113
S2.4	General Inspection Requirements .....	113
S2.4.1	Pre-Inspection Requirements .....	113
S2.4.2	Post-Inspection Activities .....	114
S2.4.3	Boiler Operators .....	114
S2.4.4	Examinations and Tests .....	115
S2.4.4.1	Nondestructive Examination Methods.....	115
S2.4.4.2	Testing Methods .....	115
S2.5	Specific Examination and Test Methods .....	115
S2.5.1	Specific Examination Methods .....	115
S2.5.2	Visual Examination.....	115
S2.5.2.1	Preparation for Visual Inspection .....	116
S2.5.2.2	Visual Examination Requirements .....	116
S2.5.3	Ultrasonic Examination.....	116
S2.5.4	Liquid Penetrant Examination .....	116
S2.5.5	Magnetic Particle Examination.....	116
S2.6	Specific Testing Methods .....	117
S2.6.1	Hydrostatic Pressure Testing.....	117
S2.6.2	Ultrasonic Thickness Testing.....	117
S2.6.3	Evaluation of Corrosion.....	118
S2.6.3.1	Line and Crevice Corrosion.....	118
S2.6.3.2	Randomly Scattered Pits.....	118
S2.6.3.3	Locally Thinned Areas.....	118
S2.6.3.4	Generalized Thinned Areas.....	119
S2.7	Inspections .....	119
S2.7.1	Inservice Inspections.....	119
S2.7.2	Inservice Inspection Documentation .....	120
S2.7.3	Inspection Intervals .....	120
S2.7.3.1	Initial Inspection.....	120
S2.7.3.2	Subsequent Inspections.....	121
S2.8	Safety Devices — General Requirements.....	121
S2.8.1	Safety Valves.....	121
S2.8.2	Gage Glass .....	122
S2.8.3	Try-Cocks .....	122
S2.8.4	Fusible Plug.....	123
S2.8.5	Pressure Gage .....	123
S2.9	Appurtenances – Piping, Fittings, and Valves .....	123
S2.9.1	Piping, Fittings, and Valve Replacements.....	124
S2.10	Maximum Allowable Working Pressure (MAWP).....	124
S2.10.1	Strength.....	124
S2.10.2	Rivets and Rivet Heads.....	125
S2.10.2.1	Rivet Head Types .....	125
S2.10.2.2	Inspection of Corroded Rivets .....	125
S2.10.3	Cylindrical Components .....	126
S2.10.4	Stayed Surfaces .....	145
S2.10.4.1	Staybolts .....	145
S2.10.4.2	Bulging .....	145
S2.10.5	Construction Code.....	156
S2.10.6	Nomenclature .....	156

S2.10.7	Limitations .....	157
S2.11	Boiler Inspection Guideline.....	157
S2.12	Initial Boiler Certification Report Form .....	162
S2.13	Guidelines for Historical Boiler Storage.....	162
S2.13.1	Storage Methods .....	162
S2.13.1.1	Wet Storage Method .....	163
S2.13.1.2	Dry Storage Method .....	163
S2.13.2	Recommended General Preservation Procedures.....	164
S2.13.3	Use of Compressed Air to Drain Historical Boiler Components .....	166
S2.13.4	Return to Service.....	166
S2.14	Safety Procedures.....	167
S2.14.1	Experience .....	167
S2.14.2	Stopping Engine in an Emergency.....	167
S2.14.3	Water Glass Breakage .....	168
S2.14.4	Runaway Engine and Governor Over Speed .....	168
S2.14.5	Killing a Fire.....	169
S2.14.6	Injector Problems .....	169
S2.14.7	Foaming or Priming Boiler.....	170
S2.14.8	Handhole Gasket Blows Out .....	171
S2.14.9	Tube Burst.....	171
S2.14.10	Leaking Valves .....	171
S2.14.11	Broken Pipes .....	171
S2.14.12	Safety Valve Problems .....	172
S2.14.13	Safety Valve Opens But Will Not Close.....	172
S2.14.14	Leaking Pipe Plugs.....	172
S2.14.15	Melted Grates.....	172
S2.15	Tables and Figures .....	172
<b>Supplement 3 Inspection of Graphite Pressure Equipment .....</b>		<b>177</b>
S3.1	Scope .....	177
S3.2	Application .....	177
S3.3	Operations .....	177
S3.4	Inservice Inspection .....	177
<b>Supplement 4 Inspection of Fiber-Reinforced Thermosetting Plastic Pressure Equipment .....</b>		<b>179</b>
S4.1	Scope .....	179
S4.2	Inservice Inspection .....	179
S4.3	General .....	179
S4.4	Visual Examination .....	180
S4.5	Inspector Qualifications .....	181
S4.6	Assessment of Installation .....	181
S4.6.1	Preparation .....	182
S4.6.2	Leakage .....	182
S4.6.3	Tools .....	182
S4.7	External Inspection .....	182
S4.7.1	Insulation or Other Coverings .....	182
S4.7.2	Exposed Surfaces .....	182
S4.7.3	Structural Attachments .....	183
S4.8	Internal Inspection .....	183
S4.8.1	General .....	183
S4.8.2	Specific Areas of Concern .....	184
S4.9	Inspection Frequency .....	184
S4.9.1	Newly Installed Equipment .....	184
S4.9.2	Previously Repaired or Altered Equipment .....	185
S4.10	Photographs of Typical Conditions .....	186
S4.11	Tables and Figures .....	201

<b>Supplement 5 Inspection of Yankee Dryers (Rotating Cast-Iron Pressure Vessels) with Finished Shell Outer Surfaces</b> .....	202
S5.1 Scope .....	202
S5.2 Assessment of Installation .....	202
S5.2.1 Determination of Allowable Operating Parameters .....	204
S5.2.2 Adjusting the Maximum Allowable Operating Parameters of the Yankee Dryer Due to a Reduction in Shell Thickness from Grinding or Machining .....	205
S5.2.3 Documentation of Shell Thickness and Adjusted Maximum Allowable Operating Parameters .....	205
S5.3 Causes of Deterioration and Damage .....	206
S5.3.1 Local Thinning .....	206
S5.3.2 Cracking .....	206
S5.3.2.1 Through Joints and Bolted Connections .....	207
S5.3.2.2 Through-Wall Leakage .....	207
S5.3.2.3 Impact From Objects Passing Through The Yankee/Pressure Roll Nip .....	207
S5.3.2.4 Stress Magnification Around Drilled Holes .....	207
S5.3.2.5 Thermal Stress and/or Micro-Structural Change From Excessive Local Heating and Cooling .....	208
S5.3.2.6 Joint Interface Corrosion .....	208
S5.3.2.7 Stress-Corrosion Cracking of Structural Bolts .....	208
S5.3.3 Corrosion .....	208
S5.4 Inspections .....	208
S5.5 Nondestructive Examination .....	209
S5.6 Pressure Testing .....	209
S5.7 Tables and Figures .....	210
<b>Supplement 6 Continued Service and Inspection of DOT Transport Tanks</b> .....	211
S6.1 Scope .....	211
S6.2 Terminology .....	211
S6.3 Administration .....	211
S6.4 Inspection .....	211
S6.4.1 Scope .....	211
S6.4.2 General Requirements for Inspectors .....	211
S6.4.3 Registration of Inspectors .....	212
S6.4.4 Qualifications of Inspectors .....	212
S6.4.5 Codes of Construction .....	212
S6.4.6 Inspector Duties for Continued Service Inspections .....	212
S6.4.6.1 Inspector Duties for Continued Service Inspection of Cargo Tanks .....	213
S6.4.6.2 Inspector Duties for Continued Service Inspection of Portable Tanks .....	213
S6.4.6.3 Inspector Duties for Continued Service Inspections of Ton Tanks .....	214
S6.4.7 Continued Service, Inspection for DOT Transport Tanks Scope .....	214
S6.4.7.1 Administration .....	214
S6.4.7.2 Inspection and Test Required Frequencies .....	214
S6.4.7.3 External Visual and Pressure Tests .....	214
S6.4.7.4 Leak Tightness Testing of Transport Tanks .....	214
S6.4.7.4.1 Cargo Tanks .....	214
S6.4.7.4.2 Portable Tanks .....	215
S6.4.7.4.3 Ton Tanks .....	215
S6.4.7.4.4 Leak Tightness Testing of Valves .....	215
S6.4.7.4.4.1 Cargo Tanks .....	215
S6.4.7.4.4.2 Portable Tanks .....	215
S6.4.7.4.4.3 Ton Tanks .....	216
S6.4.7.5 Leak Tightness Testing of Safety Relief Devices .....	216
S6.4.7.5.1 Cargo Tanks .....	216
S6.4.7.5.2 Portable Tanks .....	216
S6.4.7.5.3 Ton Tanks .....	217
S6.4.7.6 Testing of Miscellaneous Pressure Parts .....	217
S6.4.7.6.1 Cargo Tanks .....	217
S6.4.7.6.2 Portable Tanks .....	217

S6.4.7.6.3	Ton Tanks .....	217
S6.4.7.7	Acceptance Criteria .....	218
S6.4.7.8	Inspection Report .....	218
S6.4.7.8.1	Cargo Tanks .....	218
S6.4.7.8.2	Portable Tanks.....	218
S6.4.7.8.3	Ton Tanks .....	218
S6.5	Stamping and Record Requirements for DOT Transport Tanks in Continued Service .....	218
S6.5.1	General.....	218
S6.5.2	Stamping .....	218
S6.5.3	Owner or User Required Records For Cargo Tanks .....	219
S6.5.3.1	Reporting Requirements by the Owner or User of Tests and Inspections of DOT Specification Cargo Tanks.....	220
S6.5.3.2	DOT Marking Requirements for Test and Inspections of DOT Specification Cargo Tanks .....	221
S6.5.4	Owner or User Required Records for Portable Tanks .....	221
S6.5.4.1	Reporting of Periodic and Intermediate Periodic Inspection and Tests of DOT Specification Portable Tanks.....	222
S6.5.4.2	Marking Requirements for Periodic and Intermediate Inspection and Test for IM or UN Portable Tanks .....	222
S6.5.4.3	DOT Marking Requirements for Periodic and Intermediate Inspection and Tests of DOT Specification 51, 56, 57, or 60 Portable Tanks .....	222
S6.5.5	Owner or User Required Reports for DOT Specification 106A and DOT 110A Ton Tanks.....	223
S6.5.5.1	Reporting of Inspection and Tests for DOT Specification 106A and DOT 110A Ton Tanks .....	223
S6.5.5.2	DOT Marking Requirements for Tests and Inspection of DOT Specification 106A and 110A Ton Tanks .....	223
S6.6	Corrosion and Failure Mechanisms in Transport Tanks .....	224
S6.6.1	Scope .....	224
S6.6.2	General.....	224
S6.6.3	Internal and/or External Corrosion .....	224
S6.6.3.1	Types of Corrosion .....	224
S6.6.4	Failure Mechanisms .....	227
S6.7	Classification Boundaries .....	228
S6.8	Pressure, Temperature, and Capacity Requirements for Transport Tanks .....	228
S6.9	Reference to Other Codes and Standards .....	229
S6.10	Conclusion .....	229
S6.11	Personnel Safety and Inspection Activities .....	230
S6.12	Transport Tank Entry Requirements.....	230
S6.12.1	Pre-Inspection Activities .....	230
S6.12.2	Preparation for Internal Inspection .....	231
S6.12.3	Post-Inspection Activities .....	232
S6.13	Inspection and Tests of Cargo Tanks .....	232
S6.13.1	Visual External Inspection .....	234
S6.13.2	Inspection of Piping, Valves, and Manholes .....	236
S6.13.3	Inspection of Appurtenances and Structural Attachments .....	237
S6.13.4	Visual Internal Inspection .....	238
S6.13.5	Lining Inspections .....	239
S6.13.6	Pressure Tests .....	240
S6.13.6.1	Hydrostatic or Pneumatic Test Method .....	241
S6.13.6.2	Pressure Testing Insulated Cargo Tanks .....	242
S6.13.6.3	Pressure Testing Cargo Tanks Constructed of Quenched and Tempered Steels .....	242
S6.13.6.4	Pressure Testing Cargo Tanks Equipped with a Heating System .....	242
S6.13.6.5	Exceptions to Pressure Testing .....	243
S6.13.6.6	Acceptance Criteria .....	243
S6.13.6.7	Inspection Report .....	243
S6.13.7	Additional Requirements for MC 330 and MC 331 Cargo Tanks .....	244
S6.13.8	Certificates and Reports .....	245

S6.13.9	Leakage Test .....	245
S6.13.10	New or Replaced Delivery Hose Assemblies .....	248
S6.13.10.1	Thickness Testing .....	248
S6.13.10.2	Testing Criteria .....	248
S6.13.10.3	Thickness Requirements .....	249
S6.13.11	Cargo Tanks That No Longer Conform to the Minimum Thickness Requirements in NBIC Tables S6.13.1-a and S6.13.1-b .....	249
S6.13.11.1	Minimum Thickness for 400 Series Cargo Tanks .....	250
S6.13.11.2	DOT 406 Cargo Tanks .....	250
S6.13.11.3	DOT 407 Cargo Tanks .....	251
S6.13.11.4	DOT 412 Cargo Tanks .....	252
S6.14	Inspection and Tests of Portable Tanks .....	256
S6.14.1	Periodic Inspection and Test .....	257
S6.14.2	Intermediate Periodic Inspection and Test .....	257
S6.14.3	Internal and External Inspections .....	258
S6.14.4	Exceptional Inspection and Test .....	258
S6.14.5	Internal and External Inspection Procedure .....	259
S6.14.6	Pressure Tests Procedures for Specification 51, 57, 60, IM or UN Portable Tanks .....	259
S6.14.6.1	Specification 57 Portable Tanks .....	260
S6.14.6.2	Specification 51 or 56 Portable Tanks .....	260
S6.14.6.3	Specification 60 Portable Tanks .....	261
S6.14.6.4	Specification IM or UN Portable Tanks .....	262
S6.14.7	Inspection and Test Markings for IM or UN Portable Tanks .....	263
S6.14.8	Inspection and Test Markings for Specification DOT 51, 56, 57, or 60 .....	263
S6.14.9	Record Retention .....	264
S6.15	General Requirements for DOT Specification 106A and 110A Tank Cars (Ton Tanks) .....	264
S6.15.1	Special Provisions for Ton Tanks .....	264
S6.15.2	Visual Inspection of Ton Tanks .....	266
S6.15.3	Inspection and Tests of DOT Specification 106A and DOT Specification 110A Ton Tanks .....	267
S6.15.3.1	Air Tests .....	268
S6.15.3.2	Pressure Relief Device Testing .....	268
S6.15.3.3	Rupture Discs and Fusible Plugs .....	268
S6.15.3.4	Successful Completion of the Periodic Retesting .....	268
S6.15.3.5	Exemptions to Periodic Hydrostatic Retesting .....	268
S6.15.3.6	Record of Retest Inspection .....	269
S6.15.4	Stamping Requirements of DOT 106A and DOT 110A Ton Tanks .....	269
S6.16	Pressure Relief Devices .....	270
S6.16.1	Scope .....	270
S6.16.2	Safety Considerations .....	270
S6.16.3	Installation Provisions .....	270
S6.16.4	Pressure Relief Device Inspection .....	271
S6.16.5	Schedule of Inspections .....	271
S6.16.6	External Visual Inspection of Pressure Relief Devices .....	271
S6.16.7	Pressure Testing of Pressure Relief Valves .....	272
S6.16.8	Correction of Defects .....	272
S6.16.9	Inspection of Rupture Disks and Non-Reclosing Devices .....	273
S6.17	Definitions .....	273
S6.18	Tables and Figures .....	280
<b>S7</b>	<b>Supplement 7 Inspection of Pressure Vessels in Liquefied Petroleum Gas Service.....</b>	<b>281</b>
S7.1	Scope .....	281
S7.2	Pre-Inspection Activities .....	281
S7.3	Inservice Inspection for Vessels in LP Gas Service .....	281
S7.3.1	Nondestructive Examination (NDE).....	281
S7.4	External Inspection .....	282
S7.5	Internal Inspection .....	282
S7.6	Leaks .....	282

S7.7	Fire Damage .....	283
S7.8	Acceptance Criteria .....	283
S7.8.1	Cracks .....	283
S7.8.2	Dents .....	283
S7.8.3	Bulges .....	284
S7.8.4	Cuts or Gouges .....	284
S7.8.5	Corrosion .....	284
S7.8.6	Anhydrous Ammonia Service .....	285
S7.9	ASME LPG Containers less than 2000 Gallons being Refurbished by a Commercial Source .....	285
S7.10	Requirements for Change of Service from Above Ground to Underground Service .....	285
<b>Supplement 8 Pressure Differential Between Safety or Safety Relief Valve Setting and Boiler or Pressure Vessel Operating Pressure .....</b>		<b>287</b>
S8.1	Scope .....	287
S8.2	Hot-Water Heating Boilers .....	287
S8.3	Steam Heating Boilers .....	287
S8.4	Power Boilers .....	287
S8.5	Pressure Vessels .....	288
<b>Supplement 9 Requirements for Change of Service .....</b>		<b>290</b>
S9.1	Scope .....	290
S9.2	Classification of Service Change .....	290
S9.2.1	Service Contents .....	290
S9.2.2	Service Type or Change of Usage .....	290
S9.3	Factors to Consider .....	290
S9.4	Some Examples for Change of Service .....	292
S9.5	Documentation of Change of Service .....	293
<b>Supplement 10 Inspection of Stationary High-Pressure (3,000-15,000 psi) (21-103 MPa) Composite Pressure Vessels .....</b>		<b>294</b>
S10.1	Scope .....	294
S10.2	General .....	294
S10.3	Inspector Qualifications .....	294
S10.4	Inspection Frequency .....	295
S10.5	Inservice Inspection .....	295
S10.6	Assessment of Installation .....	295
S10.7	Visual Examination .....	296
S10.8	External Inspection .....	301
S10.9	Internal Examination .....	302
S10.10	Acoustic Emission Examination .....	304
S10.10.1	Use and Test Objectives .....	304
S10.10.2	Test Procedure .....	304
S10.10.3	Equipment .....	304
S10.10.4	Sensor Placement .....	307
S10.10.5	Test Procedure .....	308
S10.10.6	Accept/Reject Criteria .....	308
S10.10.6.1	The Criteria Given Below Apply to Each Individual Sensor on the Vessel .....	310
S10.10.7	Fiber Breakage Criterion .....	310
S10.10.8	Friction Between Fracture Surfaces .....	312
S10.10.9	Background Energy .....	312
S10.11	Document Retention .....	312
<b>Section 7 NBIC Policy for Metrication .....</b>		<b>313</b>
7.1	General .....	313
7.2	Equivalent Rationale .....	313
7.3	Procedure for Conversion .....	313
7.4	Referencing Tables .....	314

<b>Section 8</b>	<b>Preparation of Technical Inquiries to the National Board Inspection Code Committee</b> .....	319
8.1	Introduction .....	319
8.2	Inquiry Format .....	319
8.3	Code Revisions or Additions .....	320
8.4	Code Interpretations .....	320
8.5	Submittals .....	320
<b>Section 9</b>	<b>Glossary of Terms</b> .....	322
9.1	Definitions.....	322
<b>Section 10</b>	<b>NBIC Approved Interpretations</b> .....	328
10.1	Scope .....	328
<b>Section 11</b>	<b>Index</b> .....	337

## INTRODUCTION

It is the purpose of the National Board Inspection Code (NBIC) to maintain the integrity of pressure-retaining items by providing rules for installation, and after the items have been placed into service, by providing rules for inspection and repair and alteration, thereby ensuring that these items may continue to be safely used.

The NBIC is intended to provide rules, information, and guidance to manufacturers, Jurisdictions, inspectors, owner-users, installers, contractors, and other individuals and organizations performing or involved in post-construction activities, thereby encouraging the uniform administration of rules pertaining to pressure-retaining items.

### SCOPE

The NBIC recognizes three important areas of post-construction activities where information, understanding, and following specific requirements will promote public and personal safety. These areas include:

- Installation
- Inspection
- Repairs and Alterations

The NBIC provides rules, information, and guidance for post-construction activities, but does not provide details for all conditions involving pressure-retaining items. Where complete details are not provided in this code, the code user is advised to seek guidance from the Jurisdiction and from other technical sources.

The words shall, should, and may are used throughout the NBIC and have the following intent:

- Shall – action that is mandatory and required.
- Should – indicates a preferred but not mandatory means to accomplish the requirement unless specified by others such as the Jurisdiction.
- May – permissive, not required or a means to accomplish the specified task.

### ORGANIZATION

The NBIC is organized into three parts to coincide with specific post-construction activities involving pressure-retaining items. Each part provides general and specific rules, information, and guidance within each applicable post-construction activity. Other NBIC parts or other published standards may contain additional information or requirements needed to meet the rules of the NBIC. Specific references are provided in each part to direct the user where to find this additional information. NBIC parts are identified as:

- Part 1, Installation – This part provides requirements and guidance to ensure all types of pressure-retaining items are installed and function properly. Installation includes meeting specific safety criteria for construction, materials, design, supports, safety devices, operation, testing, and maintenance.
- Part 2, Inspection – This part provides information and guidance needed to perform and document inspections for all types of pressure-retaining items. This part includes information on personnel safety, non-destructive examination, tests, failure mechanisms, types of pressure equipment, fitness for service, risk-based assessments, and performance-based standards.
- Part 3, Repairs and Alterations – This part provides information and guidance to perform, verify, and document acceptable repairs or alterations to pressure-retaining items regardless of code of construction. Alternative methods for examination, testing, heat treatment, etc., are provided when the original code of construction requirements cannot be met. Specific acceptable and proven repair methods are also provided.

Each NBIC part is divided into major sections as outlined in the Table of Contents.

Tables, charts, and figures provide relevant illustrations or supporting information for text passages, and are designated with numbers corresponding to the paragraph they illustrate or support within each section. Multiple tables, charts, or figures referenced by the same paragraph will have additional letters reflecting the order of reference. Tables, charts, and figures are located in or after each major section within each NBIC part.