



CGA P-58—2015
SAFE PREPARATION OF
COMPRESSED OXIDANT-FUEL
GAS MIXTURES IN CYLINDERS

SECOND EDITION

PREFACE

As part of a program of harmonization of industry standards, the Compressed Gas Association (CGA) has issued CGA P-58, *Safe Preparation of Compressed Oxidant-Fuel Gas Mixtures in Cylinders*, jointly produced by members of the International Harmonization Council and originally published by the European Industrial Gases Association (EIGA) as EIGA Doc 139, *Safe Preparation of Compressed Oxidant-Fuel Gas Mixtures in Cylinders*.

This publication is intended as an international harmonized standard for the worldwide use and application of all members of the Asia Industrial Gases Association (AIGA), Compressed Gas Association (CGA), European Industrial Gases Association (EIGA), and Japan Industrial and Medical Gases Association (JIMGA). Each association's technical content is identical, except for regional regulatory requirements and minor changes in formatting and spelling.

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 12-015
Specialty Gases Committee

NOTE—Technical changes from the previous edition are underlined.

SECOND EDITION: 2015
FIRST EDITION: 2013

© Reproduced with permission from, the European Industrial Gases Association. All rights reserved.

Contents	Page
1 Introduction.....	1
2 Scope and purpose	1
2.1 Scope	1
2.2 Purpose	1
3 Definitions.....	2
4 Key principles for the manufacture of compressed oxidant-fuel gas mixtures	3
4.1 Precautions to avoid risks.....	3
4.2 Key steps and checks.....	4
4.3 Organizational requirements	5
5 Compressed oxidant-fuel gas mixture manufacturing feasibility study.....	5
5.1 Component and cylinder compatibility.....	6
5.2 Formulation of safe compressed oxidant-fuel gas mixtures	6
5.3 Mixture manufacturing accuracy.....	10
6 Gas mixing equipment.....	10
6.1 Considerations in the design of the gas mixing facility	10
6.2 Oxidant and fuel gas sources	11
6.3 Inert gas sources	12
7 Preparation methods	12
7.1 Choice of cylinder and valve	12
7.2 Filling methods	12
7.3 Rules for safe preparation	13
7.4 Filling conditions.....	13
7.5 Premixes.....	13
8 Filling	14
8.1 Production sheet.....	14
8.2 Safe selection of raw materials.....	14
8.3 Evacuation of cylinder before filling	14
8.4 Single cylinder manufacture	15
8.5 Topping up adjustment for out of specification mixtures	15
8.6 Gas homogenization requirements.....	15
9 Analysis	15
9.1 Principles of analysis	15
9.2 Activities of the analyst.....	15
9.3 Mixtures out of range.....	15
9.4 Mixture analysis.....	16
10 Disposal of residual compressed oxidant-fuel gas mixtures in cylinders	16
11 Emergency planning.....	16
12 References	17
 Appendices	
Appendix A—Audit guidelines (Informative).....	18
Appendix B—Gas compatibility (Informative).....	20
Appendix C—List of unstable gases [6] (Informative)	29
Appendix D—Pressure dependence of explosive range (Informative)	30
Appendix E—Decision tree for the safe manufacturing of compressed oxidant-fuel gas mixtures (Informative)	31
Appendix F—Limiting oxygen concentration of some flammable gases [4] (Informative).....	34
Appendix G—Maximum explosive pressures of flammable gas—air mixtures (Informative).....	35

Appendix Figures

Figure E-1—Decision tree for the safe manufacturing of compressed oxidant-fuel gas mixtures 31
Figure E-2—Decision tree diagram for 5.2.1.1 and 5.2.2..... 32
Figure E-3—Decision tree diagram for 5.2.1.2 and 5.2.2..... 33

1 Introduction

Cylinders containing both oxidant and flammable components (oxidant-fuel gas mixtures) are widely used in industry, medical applications, and other fields. Typical applications include calibration of flammable gas detectors, emission monitoring equipment, and refinery process analyzers.

Due to the inherent nature of the gases used to manufacture oxidant-fuel gas mixtures there is always the possibility of an explosive mixture being produced. To prevent the inadvertent production of explosive mixtures strict rules and procedures shall be followed during the formulation and manufacturing processes.

Historically, during the manufacture and use of these gas mixtures, industry has experienced accidents and losses resulting in explosions that have caused injuries and death. These incidents have been caused by mixtures being manufactured that have been within the explosive range.

Compressed oxidant-fuel gas mixtures can be manufactured safely provided the principles contained in this publication are followed.

2 Scope and purpose

2.1 Scope

This publication documents the minimum requirements for the safe preparation of compressed oxidant-fuel gas mixtures in cylinders by static methods (addition of one component after another in cylinders). This publication specifically addresses:

- key principles for compressed oxidant-fuel gas mixture manufacture;
- manufacturing feasibility studies;
- gas mixing equipment, filling, and analysis; and
- audit of oxidant-fuel gas mixture manufacturing procedures and operations.

This publication specifically describes the manufacture of compressed oxidant-fuel gas mixtures under the conditions of gas temperatures and pressures detailed within this publication. The manufacture of liquefied and liquid oxidant-fuel gas mixtures and the manufacture of compressed oxidant-fuel gas mixture by dynamic methods (filling into the cylinder by blending the components dynamically at calculated flowrates) are outside of the scope of this publication.

This publication shall be used in conjunction with the information and principles contained in CGA P-36, *The Safe Preparation of Gas Mixtures* [1].

2.2 Purpose

The purpose of this publication is to describe practices to be used for the safe preparation of compressed oxidant-fuel gas mixtures and to ensure that they are nonexplosive at the end of the manufacture.

- The safe formulation of compressed oxidant-fuel gas mixture by trained and competent personnel;
- Defined safety considerations, which are applied and maintained during the manufacturing process; and
- An overall quality system with formally approved documented procedures shall be used for manufacture and these procedures and practices shall be subject to the regular technical review and audit by technical experts independent of the routine production process.