

PD CLC/TS 52056-8-5:2015



BSI Standards Publication

Electricity metering data exchange — The DLMS/COSEM suite

Part 8-5: Narrow-band OFDM G3-PLC
communication profile for neighbourhood
networks

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of CLC/TS 52056-8-5:2015.

The UK participation in its preparation was entrusted to Technical Committee PEL/13, Electricity Meters.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.

Published by BSI Standards Limited 2015

ISBN 978 0 580 85917 5

ICS 35.240.60; 91.140.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CLC/TS 52056-8-5

April 2015

ICS 35.240.60; 91.140.50

English Version

Electricity metering data exchange - The DLMS/COSEM suite -
Part 8-5: Narrow-band OFDM G3-PLC communication profile for
neighbourhood networks

This Technical Specification was approved by CENELEC on 2014-11-11.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

9.5.1	Overview	23
9.5.2	UDP/DLMS WRAPPER.....	23
9.5.3	DLMS/COSEM Communication profile for TCP-UDP/IP networks.....	25
9.5.4	DLMS/COSEM Services	26

List of Figures

Figure 1 – Communication architecture	9
Figure 2 – OSI layers	10
Figure 3 – G3-PLC protocol architecture	11
Figure 4 – PAN device communication profile architecture.....	16
Figure 5 – PAN Coordinator Node communication profile architecture.....	16
Figure 6 – IPv6 address formats	20
Figure 7 – IPv6 Addressing plan example	21
Figure 8 – IPv6 Link-local address composition	22

List of tables

Table 1 – 16-bit short addresses allocation rule	22
Table 2 – UDP Port numbering	22
Table 3 – Selections from FprEN 62056-4-7:2014	23
Table 4 – Selections from EN 62056-9-7 2013	25

Foreword

This document (CLC/TS 52056-8-5:2015) has been prepared by CLC/TC 13, "Electrical energy measurement and control".

The following date is fixed:

- latest date by which the existence of (doa) 2015-07-24
this document has to be announced
at national level

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Introduction

This Technical Specification is based on the results of the European OPEN Meter project, Topic Energy 2008.7.1.1, Project no.: 226369, www.openmeter.com, and prepared by G3 Alliance, www.g3-plc.com.

1 Scope

This Technical Specification specifies the EN 62056 DLMS/COSEM communication profile for metering purposes based on the Recommendations ITU-T G.9901: *Narrowband Orthogonal Frequency Division Multiplexing Power Line Communication Transceivers – Power Spectral Density Specification* and ITU-T G.9903 *Narrow-band orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks*, an Orthogonal Frequency Division Multiplexing (OFDM) Power Line Communications (PLC) protocol.

The physical layer provides a modulation technique that efficiently utilizes the allowed bandwidth within the CENELEC A band (3 kHz – 95 kHz) (although ITU-T G.9903 defines the protocol for CENELEC B, ARIB and FCC bands as well), thereby allowing the use of advanced channel coding techniques. This combination enables a very robust communication in the presence of narrowband interference, impulsive noise, and frequency selective attenuation.

The medium access control (MAC) layer allows the transmission of MAC frames through the use of the power line physical channel. It provides data services, frame validation control, node association and secure services.

The 6LoWPAN adaptation sublayer enables an efficient interaction between the MAC and the IPv6 network layers. The IPv6 network protocol; the latest generation of IP (Internet Protocol), widely opens the range of potential applications and services for metering purposes (but not limited to metering purposes).

The transport layer, the application layer and the data model are as specified in the EN 62056 DLMS/COSEM suite.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

FprEN 62056-4-7:2014, *Electricity metering data exchange - The DLMS/COSEM suite – Part 4-7: DLMS/COSEM transport layer for IP networks (IEC 62056-4-7:2015)*

EN 62056-5-3, *Electricity metering data exchange – The DLMS/COSEM suite – Part 5-3: DLMS/COSEM application layer (IEC 62056-5-3)*

EN 62056-6-1, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-1: Object identification system (OBIS) (IEC 62056-6-1)*

EN 62056-6-2, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-2: COSEM interface classes (IEC 62056-6-2)*

EN 62056-9-7:2013, *Electricity metering data exchange – The DLMS/COSEM suite – Part 9-7: Communication profile for TCP-UDP/IP networks (IEC 62056-9-7:2013)*

Recommendation ITU-T G.9901 (2014) *Narrowband Orthogonal Frequency Division Multiplexing Power Line Communication Transceivers – Power Spectral Density Specification* – available at <http://www.itu.int/rec/T-REC-G.9901/en>

Recommendation ITU-T G.9903 (2014) *Narrowband Orthogonal Frequency Division Multiplexing Power Line Communication Transceivers for G3-PLC Networks* available at <http://www.itu.int/rec/T-REC-G.9903/en>

IETF RFC 768: *User Datagram Protocol*. Edited by J. Postel. August 1980. Available from <http://www.ietf.org/rfc/rfc768.txt>

IETF RFC 2460: *Internet Protocol, Version 6 (IPv6) Specification*. Edited by S. Deering, R. Hinden. December 1998. Available from <http://www.ietf.org/rfc/rfc2460.txt>