

PD IEC/TR 61967-1-1:2015



BSI Standards Publication

Integrated circuits — Measurement of electromagnetic emissions

Part 1-1: General conditions and
definitions — Near-field scan
data exchange format

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of IEC/TR 61967-1-1:2015. It supersedes PD IEC/TR 61967-1-1:2010 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/47, Semiconductors.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.

Published by BSI Standards Limited 2015

ISBN 978 0 580 86204 5

ICS 31.200

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2015.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------



TECHNICAL REPORT



**Integrated circuits – Measurement of electromagnetic emissions –
Part 1-1: General conditions and definitions – Near-field scan data exchange
format**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.200

ISBN 978-2-8322-2880-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions.....	8
3.2 Abbreviations	9
4 General syntax rules and guidelines	9
4.1 General.....	9
4.2 XML requirements.....	9
4.2.1 General	9
4.2.2 XML declaration.....	9
4.2.3 XML elements.....	9
4.2.4 Root element.....	10
4.2.5 Comments	10
4.2.6 Line terminations	10
4.2.7 Element hierarchy.....	10
4.3 Keyword requirements	11
4.3.1 General	11
4.3.2 Keyword characters	11
4.3.3 Keyword syntax	11
4.3.4 Root element keywords	12
4.4 File structure.....	12
4.4.1 General	12
4.4.2 File names.....	12
4.4.3 File paths	12
4.4.4 Single XML file	12
4.4.5 Multiple XML files	12
4.4.6 Separate data files	13
4.4.7 Additional files.....	13
4.4.8 File compression	13
4.5 Values	14
4.5.1 General	14
4.5.2 Numerical value syntax.....	15
4.5.3 Numerical value with units syntax	15
4.5.4 Text string	15
4.5.5 Valid units	15
4.6 Coordinate systems	16
4.6.1 General	16
4.6.2 Cartesian coordinate system.....	16
4.6.3 Cylindrical coordinate system	17
4.6.4 Spherical coordinate system	18
4.6.5 Coordinate offsets	19
4.6.6 Image coordinates	20
4.7 Field type and orientation.....	21
4.8 Data syntax.....	24

4.8.1	General	24
4.8.2	Data arrangement.....	24
4.8.3	Data with coordinate information.....	25
4.8.4	Data without coordinate information.....	25
4.8.5	Data format	26
4.8.6	Data notation.....	26
4.9	Probe factor	28
4.10	Images.....	30
4.10.1	General	30
4.10.2	Image file types	30
4.10.3	Image file name and path	30
4.11	3D objects	30
4.11.1	General	30
4.11.2	3D object file types	30
4.11.3	3D object file name and path	30
4.11.4	3D map object file name and path.....	30
Annex A (informative)	Example files.....	31
A.1	Minimum default file.....	31
A.1.1	Example file.....	31
A.1.2	Default value description	31
A.2	File with magnitude and angle data.....	32
A.2.1	Example file.....	32
A.2.2	Default value description	32
A.3	File with field azimuth and zenith orientation.....	33
A.3.1	Example file.....	33
A.3.2	Default value description	33
A.4	File with optimised field azimuth orientation	34
A.4.1	Example file.....	34
A.4.2	Default value description	34
A.5	File with piece-wise linear time domain data in a separate binary file	35
A.5.1	Example file.....	35
A.5.2	Default value description	35
A.6	File without coordinate information.....	35
A.6.1	Example file.....	35
A.6.2	Default value description	36
A.7	File for immunity scan with multiple criteria	36
A.7.1	Example file.....	36
A.7.2	Default value description	37
A.8	File for emission scan with probe factor	38
A.8.1	Example file.....	38
A.8.2	Default value description	38
A.9	File for immunity scan with probe factor	39
A.9.1	Example file.....	39
A.9.2	Default value description	39
A.10	File with image and 3D image	40
A.10.1	Example file.....	40
A.10.2	Default value description	40
A.11	File with plane rotation.....	41
A.12	Emission scan in several XML files	42

Annex B (normative) Valid keywords	44
B.1 General.....	44
B.2 File header keywords	44
B.3 Global keywords	44
B.4 Component section keywords.....	44
B.5 Setup section keywords	45
B.6 Probe section keywords	46
B.7 Data section keywords	46
Annex C (normative) Keyword usage rules.....	49
Bibliography.....	63
Figure 1 – Multiple XML files.....	13
Figure 2 – XML files with data files	14
Figure 3 – Additional files	14
Figure 4 – Right-hand Cartesian coordinate system	17
Figure 5 – Left-hand Cartesian coordinate system	17
Figure 6 – Cylindrical coordinate system.....	18
Figure 7 – Spherical coordinate system	19
Figure 8 – Offsets and image positioning (right-hand Cartesian)	20
Figure 9 – Offsets and image positioning (left-hand Cartesian)	21
Figure 11 – Field orientation – Right-hand Cartesian coordinate system	22
Figure 12 – Field orientation – Left-hand Cartesian coordinate system	22
Figure 13 – Field orientation – Cylindrical coordinate system.....	23
Figure 14 – Field orientation – Spherical coordinate system.....	23
Figure A 1 – Example .obj file	40
Figure A.2 – Coordinates in DUT reference plane	41
Figure A.3 – Coordinates in the measurement reference plane	42
Table 1 – Valid logarithmic units	16
Table 2 – Relationship between azimuth, zenith angles and field component	24
Table 3 – Permitted values for the keyword: Coordinates	25
Table 4 – Order of measurement points when coordinates are not included	27
Table 5 – Probe factor linear units	29
Table 6 – Probe factor logarithmic units	29
Table A.1 – Data matrix	36
Table A.2 – Magnetic field strength for emission	38
Table A.3 – Magnetic field strength for immunity	39
Table C.1 – File header keywords.....	49
Table C.2 – Global keywords	50
Table C.3 – Component section keywords	51
Table C.4 – Setup section keywords	53
Table C.5 – Probe section keywords	56
Table C.6 – Data section keywords	58

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INTEGRATED CIRCUITS –
MEASUREMENT OF ELECTROMAGNETIC EMISSIONS –****Part 1-1: General conditions and definitions –
Near-field scan data exchange format**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61967-1-1, which is a technical report, has been prepared by subcommittee 47A: Integrated circuits, of IEC technical committee 47: Semiconductor devices.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

- Addition of:

- 4.11 3D objects;
- Binary data files;
- Piece-wise linear time domain and frequency domain data;
- Vectors permitting rotation and offset of measurement and DUT reference planes;
- Transducer gain and probe factor can be complex;
- New keywords: Object3d, Mapobj, Maxhold, Datafileformat, Vx, Vy, Vz, Target, Software, Data_source.
- Updating of:
 - 4.9 Probe factor and corresponding keywords.
- Modification of:
 - Keywords: Average.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
47A/953/DTR	47A/962/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61967 series, under the general title *Integrated circuits – Measurement of electromagnetic emissions*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Near-field scan measurements, as described for example in IEC TS 61967-3 [1]¹ or IEC TS 62132-9 [2], and simulations generate a large amount of data. Many different formats are used for storing the data, thereby rendering its exchange extremely difficult.

The proposed format is intended to facilitate exchange of near-field scan data between industrials, academics, EDA tool vendors and end customers. It is based on the well-known XML format, which is both machine and human readable. Its structure allows the files to be generated and processed on any operating system. In order to limit the file size, it is possible to store the information and data in a single file or multiple files. Moreover, the ASCII-based XML format allows the files to be compressed to a very high level with readily available compression software.

The three conventional coordinate systems (Cartesian, cylindrical and spherical) are supported by the proposed exchange format. Information on the device under test, the test set-up, the probe, etc., is also included in the files. Notes and links to external documents allow complex test environments to be well described.

The version of the exchange format described in this technical report is 2.0. Future revisions will add items, such as new keywords and rules, considered to be "enhancements" to Version 1.0. Consequently, all future revisions will be considered supersets of Version 2.0, allowing backward compatibility.

¹ Figures in square brackets refer to the Bibliography.

INTEGRATED CIRCUITS – MEASUREMENT OF ELECTROMAGNETIC EMISSIONS –

Part 1-1: General conditions and definitions – Near-field scan data exchange format

1 Scope

This part of IEC 61967 provides guidance for exchanging data generated by near-field scan measurements.

The described exchange format could also be used for near-field scan data generated by simulation or computation software. It should be noted that, although it has been developed for near-field scan, its use is not restricted to this application. The exchange format can be applied to emission and immunity near-field scan data in the frequency and time domains.

The scope of this technical report includes neither the methods used for the measurements or simulations, nor the software and algorithms used for generating the exchange file or for processing or viewing the data contained therein.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at <<http://www.electropedia.org>>)

IEC 61967-1, *Integrated circuits – Measurement of electromagnetic emissions, 150 kHz to 1 GHz – Part 1: General conditions and definitions*

ISO 8879, *Information processing – Text and office systems – Standard Generalized Markup Language (SGML)*

ANSI INCITS 4:1986, *Information Systems – Coded Character Sets – 7-Bit American National Standard Code for Information Interchange (7-Bit ASCII)*

IEEE Std 754™-2008: *IEEE Standard for Floating-Point Arithmetic*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61967-1, IEC 60050-131 [3] and IEC 60050-161 [4], as well as the following, apply.

3.1.1 section

XML element placed one level below the root element or within another section, and that contains one or more XML elements, but no value