

# **Gas Measurement Manual**

## **Part 4**

### **Turbine Meter**

**(Revised February 2017)**

**Prepared by the  
Transmission Measurement Committee**



# **GAS MEASUREMENT MANUAL**

## **PART 4**

# **Turbine Meter**

## **(Revised)**

Prepared by the  
Transmission Measurement Committee



Copyright 2017 © American Gas Association  
All Rights Reserved

**Catalog # XQ1701**



## DISCLAIMER & COPYRIGHT

The American Gas Association's (AGA) Operations and Engineering Section provides a forum for industry experts to bring their collective knowledge together to improve the state of the art in the areas of operating, engineering and technological aspects of producing, gathering, transporting, storing, distributing, measuring and utilizing natural gas.

Through its publications, of which this is one, AGA provides for the exchange of information within the natural gas industry and scientific, trade and governmental organizations. Many AGA publications are prepared or sponsored by an AGA Operations and Engineering Section technical committee. While AGA may administer the process, neither AGA nor the technical committee independently tests, evaluates or verifies the accuracy of any information or the soundness of any judgments contained therein.

AGA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of or reliance on AGA publications. AGA makes no guaranty or warranty as to the accuracy and completeness of any information published therein. The information contained therein is provided on an "as is" basis and AGA makes no representations or warranties including any expressed or implied warranty of merchantability or fitness for a particular purpose.

In issuing and making this document available, AGA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is AGA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

AGA has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does AGA list, certify, test or inspect products, designs or installations for compliance with this document. Any certification or other statement of compliance is solely the responsibility of the certifier or maker of the statement.

AGA does not take any position with respect to the validity of any patent rights asserted in connection with any items that are mentioned in or are the subject of AGA publications, and AGA disclaims liability for the infringement of any patent resulting from the use of or reliance on its publications. Users of these publications are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Users of this publication should consult applicable federal, state and local laws and regulations. AGA does not, through its publications intend to urge action that is not in compliance with applicable laws, and its publications may not be construed as doing so.

Changes to this document may become necessary from time to time. If changes are believed appropriate by any person or entity, such suggested changes should be communicated to AGA in writing *and sent to: Operations & Engineering Section, American Gas Association, 400 North Capitol Street, NW, 4th Floor, Washington, DC 20001, U.S.A. Suggested changes must include: contact information, including name, address and any corporate affiliation; full name of the document; suggested revisions to the text of the document; the rationale for the suggested revisions; and permission to use the suggested revisions in an amended publication of the document.*

*Copyright © 2017, American Gas Association, All Rights Reserved.*

## FOREWORD

This 2017 edition of Gas Measurement Manual, Part 4, *Turbine Meter*, is the revision of the 1985 edition. Substantial changes have been made to incorporate the latest industry knowledge on turbine meter technology.

This document is primarily a training manual for engineers, technicians, and other personnel who are new to gas flow measurement. This is not intended for use as a standard or for reference in contracts, tariff or other regulatory documents.

Information on the topics covered by this publication may be available from other sources, e.g., manuals produced by turbine meter manufacturers, which the reader may wish to consult for additional view or information not covered by this publication. Always consult with the particular meter's manufacturer for guidance in cases where the information supplied by the manufacturer is not consistent with information presented in this manual and a professional in the field of expertise.

Numerous problems and examples have been included to cover the many principles of Turbine meter measurement. They will help provide users of this document with a more complete understanding of these principles and how to incorporate them into real world applications:

- Enhanced and Updated Turbine Meter Drawings reflecting Single Rotor Turbine Meters, and Dual Rotor Turbine Meters
- Examples of Manufacturers' Calibration Documentation and Curves
- Example Problems for Computing Flow
- Example Equations for Meter Rangeability
- Example Problems for Minimum Flow Rate and Rangeability
- Spin Time Test Example(s) and Procedures
- Example of Calibration Report
- Examples of K-Factors Established by Calibration
- Examples of Single K Factor Calibration
- Examples of Individual K Factor Calibration
- Examples of Meter Factor
- Example of Polynomial Curve Fit and Errors
- Example of Linear Interpolation Curve Fit and Errors
- Example of Piecewise Curve Fitting
- Example of Final Meter Factor

**In this document the words shall, should and recommended are to be used to mean as follows:**

**Shall means a requirement to conform to the specific task.**

**Should and recommended are used synonymously to indicate good practices to follow.**

## ACKNOWLEDGEMENT

The revision of this Gas Measurement Manual, Part 4, (GMM 4) was undertaken by a task group of the Transmission Measurement Committee (TMC). The task group was:

**Chaired by John R. Hand, Formerly with ConocoPhillips**  
and

**Co-chaired by Ardis Bartle, APEX Measurement and Controls**

The members of the task group who contributed to its revision are:

Russell Anderson, Chevron Pipeline  
Mike Bermel, Southern California Gas Company  
Jim Bowen, Sick, Inc.  
Joe Bronner, Formerly with Pacific Gas & Electric  
Frank Brown, Consultant  
Ed Bowles, Southwest Research Institute (SwRI)  
Tod Bradley, Honeywell Smart Energy Gas Americas  
Cary Carter, Boardwalk Pipeline Partners  
Craig Chester, Formerly with Williams Gas Pipeline  
Sidney Dufrene, Boardwalk Pipeline Partners  
Peter Ford, New Mexico Gas  
Angela Floyd, BP Energy Company  
John Gerwig, Michael Baker International  
Ron Gibson, ONEOK  
Terry Grimley, Southwest Research Institute (SwRI)  
Bill Hermstedt, East Shore Natural Gas  
Zaki Husain, Chevron  
Jeff Johnson, AGL Resources  
James W. Keating, Consultant  
Allen Knack, Formerly with Consumers Energy  
Peter Kucmas, Elster Instromet  
John Lansing, CEESI Inc.  
Rick Ledesma, Cheniere Energy  
Gary McCargar, ONEOK  
Dannie Mercer, Atmos Energy  
Ryan Nutter, Dominion Transmission Inc.  
Dan Peace, Sensus Metering System  
Mark Pelkey, National Fuel Gas Supply Corporation  
Henry Poellnitz III, Kinder Morgan, Inc.  
Dan Rebman, Universal Ensco  
Ralph Richter, NIST  
Martin Schleich, Daniel Measurement & Control  
Tushar Shah, Eagle Research Corp.  
Jerry Paul Smith, JPS Measurement Consultants  
Steve Stark, Stark & Associates, Inc.  
Duc T. Vuong, Integrys Business Support, LLC  
James N. Witte, Southwest Research Institute

AGA greatly appreciates and thanks the task group members for their work and also thanks the members of the TMC as a whole for their support in this effort.

Christina Sames  
Vice President  
Operations & Engineering

Ali M. Quraishi  
Director  
Operations & Engineering Services

# TABLE OF CONTENTS

<b>DISCLAIMER &amp; COPYRIGHT</b> .....	<b>I</b>
<b>FOREWORD</b> .....	<b>II</b>
<b>ACKNOWLEDGEMENT</b> .....	<b>III</b>
<b>1. INTRODUCTION</b> .....	<b>1</b>
<b>2. TERMINOLOGY &amp; DEFINITIONS</b> .....	<b>5</b>
<b>3. TURBINE METER DESIGNS</b> .....	<b>9</b>
3.1.1 Low Torque (Liquid Meter) Design .....	11
3.2.1 Dual-Rotor Designs .....	11
3.2.2 Secondary Rotor Designs .....	14
3.2.3 Secondary Rotor Functions .....	14
3.2.4 Dual-Rotor Meter Electronics .....	14
<b>4. PERFORMANCE</b> .....	<b>15</b>
4.7.1 Temperature .....	24
4.7.2 Pressure .....	24
4.7.3 Vibration.....	24
4.7.4 Pulsations .....	24
4.7.5 Hydrate Formation and Liquid Slugs .....	24
<b>5. ASSOCIATED DEVICES</b> .....	<b>25</b>
<b>6. INSTALLATION SPECIFICATIONS</b> .....	<b>26</b>
6.1.1 Flow Direction.....	26
6.1.2 Meter Orientation and Support .....	26
6.1.3 Meter Run Connections .....	26
6.1.4 Internal Surfaces.....	26
6.1.5 Thermometer Well Location and Depth .....	26
6.1.6 Pressure Tap Location .....	27
6.1.7 Lubrication Ports .....	27
6.2.1 Tube Bundle Type Straightening Vanes (See figure 8 and Picture 9) .....	27
6.2.2 Other External Flow Conditioners.....	29
<b>7. INSTALLATION CONFIGURATIONS</b> .....	<b>30</b>
7.1.1 Short-Coupled Installation.....	31
7.1.2 Close-Coupled Installation .....	32
7.1.3 Meter-Integrated Flow Conditioning.....	33
7.3.1 Gas Sampling Devices.....	34
7.3.2 Volume Correctors and Instrumentation .....	35
<b>8. COMPUTING FLOW</b> .....	<b>36</b>
8.2.1 Basic Gas Laws .....	37
8.2.2 Equation for an Ideal Gas .....	39
8.2.3 Departures from Ideal Gas Law.....	40
8.2.4 Flowrate at Flowing Conditions .....	44
8.2.5 Flowrate at Base Conditions.....	44
8.2.6 Pressure Multiplier .....	44
8.2.7 Temperature Multiplier .....	45
8.2.8 Compressibility Multiplier .....	45
8.2.9 Compressibility Ratio “S” .....	45
<b>9. EQUATIONS FOR METER RANGEABILITY</b> .....	<b>49</b>
<b>10. EQUATIONS FOR CALCULATING MASS FLOW</b> .....	<b>54</b>

<b>11. STARTUP CONSIDERATIONS.....</b>	<b>55</b>
<b>12. OPERATING CONDITIONS.....</b>	<b>56</b>
<b>13. METER FIELD MAINTENANCE AND FIELD VERIFICATION CHECKS.....</b>	<b>58</b>
13.5.1 Testing In-Line.....	61
13.5.2 Testing out of Line.....	62
13.5.3 Dual-Rotor Meter Field Checks.....	62
13.5.4 Retesting Considerations.....	62
13.6.1 Installation Residue.....	63
13.6.2 Valve Grease.....	63
13.6.3 Over-Range Effects.....	63
<b>14. METER OUTPUT FACTORS, CALIBRATION MATCHING, &amp; DEVICES.....</b>	<b>67</b>
14.6.1 Example Calculations.....	69
14.6.2 To Match Reynolds Numbers and Flow Rates.....	69
14.6.3 To Match Reynolds Numbers and Density.....	69
14.7.1 Change Gears.....	70
14.7.2 K-Factor(s).....	72
14.9.1 Rotor Factors for Dual-Rotor Meters.....	82
<b>15. USER CALIBRATION METHODS.....</b>	<b>83</b>
<b>16. REFERENCE LIST.....</b>	<b>86</b>
<b>FORM TO PROPOSE CHANGES.....</b>	<b>89</b>

# 1. Introduction

## 1.1 Scope

This manual is intended to describe the theory of operation, typical operating characteristics and applications of turbine meters as well as installation specifications, calibration, testing and maintenance procedures, and computations used in the calculations of flow by axial flow turbine meters, typically two-inch and larger bore diameter.

Typical applications include measuring single-phase gas flow in production, processing, transmission, storage, distribution and end-use systems. This manual is primarily meant for measurement of fuel grade natural gas and associated gases either as pure hydrocarbons, or as a mixture of pure hydrocarbons and diluents. Although not covered in this manual, turbine meters are used to measure a broad range of fluids other than natural gas.

Reference to other documents have been made for information on accessory equipment – mechanical and/or electronic – used to measure pressure, temperature, etc. of the flowing gas to convert meter outputs from flowing conditions to any standard, base, contract or other reference conditions. This document does contain the equations establishing the mathematical basis for such conversions, which may also be used for conversion of flowing volume registered by any other type of meter.

Characteristics of electronic pulse signal generating devices within or attached to the meter are not covered, although it does address the use of their outputs. In addition to providing guidance on the use of turbine meters for gas flow measurement, this manual provides practical formulas for reference and training of new entrants to the industry as well as back office and non-technical individuals unfamiliar with turbine meter for gas flow measurement.

Information covered in this publication may be complimented with AGA Report No.7, *Measurement of Natural Gas by Turbine Meters*, and manuals produced by turbine meter manufacturers. Consult with the particular meter's manufacturer for guidance in cases where the information supplied by the manufacturer is not consistent with information presented in this manual and AGA 7.

## 1.2 History

The history of turbine meters for gas flow measurement goes back for longer than a century. In 1901 Thomas Thorpe applied for a British patent for an inferential gas meter based on a turbine principle. In 1903 he also received a U.S. patent. In Thorp's meter, the axis of the turbine rotor was perpendicular to the inlet/outlet connections. Since then the meter design has been improved significantly. Thorp's company also made a small house meter based on the same principal of operation. Thorp's turbine meters continued in production into the 1980's.

In 1936, Hans Gehre of Elster, Germany, designed a turbine meter to measure manufactured gas. In 1950, Elster introduced a redesigned turbine meter with a nozzle type inlet and a low friction bearing system. The Elster design became the standard for future gas meters. Rockwell Manufacturing Company introduced the first U.S. produced turbine gas meter in 1962.