

INTERNATIONAL STANDARD



**Optical circuit boards – Basic test and measurement procedures –
Part 2: General guidance for definition of measurement conditions for optical
characteristics of optical circuit boards**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

INTERNATIONAL STANDARD



**Optical circuit boards – Basic test and measurement procedures –
Part 2: General guidance for definition of measurement conditions for optical
characteristics of optical circuit boards**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.01

ISBN 978-2-8322-4404-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Measurement definition system for optical circuit boards	9
4.1 General.....	9
4.2 Measurement definition system requirements.....	9
4.2.1 Accuracy	9
4.2.2 Accountability	9
4.2.3 Efficiency.....	10
4.2.4 Convenience	10
4.2.5 Independent	10
4.2.6 Scalable	10
4.2.7 Customised requirements	10
4.2.8 Prioritised structure	10
4.3 Measurement definition criteria	10
4.3.1 General	10
4.3.2 Source characteristics	11
4.3.3 Launch conditions.....	11
4.3.4 Input coupling conditions	14
4.3.5 Output coupling conditions	15
4.3.6 Capturing conditions	16
4.4 Launch and capturing position	16
4.5 Launch and capture direction	17
5 Measurement identification code	19
5.1 General.....	19
5.2 Measurement identification code construction	19
5.2.1 General	19
5.2.2 AAA – Source characteristics.....	19
5.2.3 BBB(b1) – Launch conditions.....	19
5.2.4 CCC – Input coupling conditions	20
5.2.5 DDD – Output coupling conditions	20
5.2.6 EEE – Capturing conditions	20
5.3 Extended measurement identification code with customisation parameters	20
5.3.1 General	20
5.3.2 Customisation parameters with placeholders	20
5.4 Reference measurements	21
5.5 Coordinate table AAA – Source characteristics	21
5.5.1 Mandatory parameters.....	21
5.5.2 Customisation parameters	21
5.6 Coordinate table BBB – Launch conditions.....	24
5.6.1 Mandatory parameter.....	24
5.6.2 Customisation parameters	24
5.7 Coordinate table CCC – Input coupling conditions.....	27

5.7.1	Mandatory parameters	27
5.7.2	Customisation parameters	27
5.8	Coordinate table DDD – Output coupling conditions	29
5.8.1	Mandatory parameters	29
5.8.2	Customisation parameters	29
5.9	Coordinate table EEE – Capturing conditions	31
5.9.1	Mandatory parameters	31
5.9.2	Customisation parameters	31
5.10	Examples of deployment	34
5.10.1	General	34
5.10.2	MIC-042-113(400)-001-001-112 (integrating sphere device details including supplier and model number).....	34
5.10.3	MIC-072-123(205)-053(1.56, X,X)-001-042 (integrating sphere device details including supplier and model number)	34
5.10.4	Fast polarisation axis: MIC-091-072(150)-042(1.53, 25, -30)-051-004; slow polarisation axis: MIC-091-072(75)-042(1.53, 25, -120)-051-004	35
Annex A (informative)	State of the art in optical interconnect technologies	36
A.1	Diversity of optical interconnect technologies	36
A.2	Fibre-optic circuit laminates	36
A.3	Polymer waveguides	36
A.4	Planar glass waveguides	36
A.5	Free space optics	37
A.6	Target applications	37
Bibliography	38
Figure 1	– Optical circuit board varieties	6
Figure 2	– Recommended test setup for single-mode fibre launch conditions	13
Figure 3	– Recommended test setup for multimode fibre launch conditions	13
Figure 4	– Cross-sectional views of channel under test at input	15
Figure 5	– Cross-sectional views of the channel under test at output	16
Figure 6	– Measurement setup with collinear launch and capture direction	17
Figure 7	– Measurement setup with orthogonal launch and capture direction	18
Figure 8	– Measurement setup with oblique launch and capture direction	18
Figure 9	– Measurement identification code construction	19
Figure 10	– Reference measurements with the same MIC	21
Table 1	– Recommended modal launch profiles	12
Table 2	– AAA coordinate reference for source characteristics	22
Table 3	– BBB coordinate reference for launch conditions	25
Table 4	– CCC coordinate reference for input coupling conditions	28
Table 5	– DDD coordinate reference for output coupling conditions	30
Table 6	– EEE coordinate reference for capturing conditions	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

—————

**OPTICAL CIRCUIT BOARDS –
BASIC TEST AND MEASUREMENT PROCEDURES –**

**Part 2: General guidance for definition of measurement conditions for
optical characteristics of optical circuit boards**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62496-2 has been prepared by IEC technical committee 86: Fibre optics.

The text of this document is based on the following documents:

CDV	Report on voting
86/509/CDV	86/515/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62496 series, published under the general title *Optical circuit boards – Basic test and measurement procedures*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Bandwidth densities in modern data communication systems are driven by interconnect speeds and scalable input/output (I/O) and will continue to increase over the coming years, thereby severely impacting cost and performance in future data communication systems, bringing increased demands in terms of signal integrity and power consumption.

The projected increase in capacity, processing power and bandwidth density in future information communication systems will need to be addressed by the migration of embedded optical interconnects into system enclosures. In particular, this would necessitate the deployment of optical circuit board technologies on some or all key system cards, such as the backplane, motherboard and peripheral circuit boards.

Many varieties of optical circuit board technology exist today, which differ strongly from each other in terms of their intrinsic waveguide technology. As shown in Figure 1, these varieties include, but are not limited to: a) fibre-optic laminate, b) polymer waveguides and c) planar glass waveguides. Annex A provides a detailed overview of the state of the art of such optical interconnect technologies.




Figure 1 – Optical circuit board varieties

One important prerequisite to the commercial adoption of optical circuit boards is a reliable test and measurement definition system that is agnostic to the type of waveguide system under test and, therefore, can be applied to different optical circuit board technologies as well as being adaptable to future variants. A serious and common problem with the measurement of optical waveguide systems has been lack of proper definition of the measurement conditions for a given test regime, and consequently strong inconsistencies ensue in the results of measurements by different parties on the same test sample. To date, no methodology has been established to ensure that test and measurement conditions for such optical waveguide systems are properly identified.

This document specifies a method of capturing sufficient information about the measurement conditions for a given optical circuit board to ensure consistency of measurement results within an acceptable margin.

Given the substantial variety in properties and requirements for different optical circuit board types, some test environments and conditions are more appropriate than others for a given optical circuit board. It is, therefore, crucial that this measurement identification standard encompass a comprehensive range of test and measurement scenarios for all known types of optical circuit boards and their waveguide systems, while also being sufficiently adaptable and extendable to accommodate future waveguide technologies. In addition, a degree of customisation is possible to account for arbitrary test parameters.

OPTICAL CIRCUIT BOARDS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 2: General guidance for definition of measurement conditions for optical characteristics of optical circuit boards

1 Scope

This part of IEC 62496 specifies a method of defining the conditions for measurements of optical characteristics of optical circuit boards. The method comprises the use of code reference look-up tables to identify different critical aspects of the measurement environment. The values extracted from the tables are used to construct a measurement identification code, which, in itself, captures sufficient information about the measurement conditions, so as to ensure consistency of independently measured results within an acceptable margin. Recommended measurement conditions are specified to minimise further variation in independently measured results.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-3-53, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-53: Examinations and measurements – Encircled angular flux (EAF) measurement method based on two-dimensional far field data from step index multimode waveguide (including fibre)*

IEC 62614, *Fibre optics – Launch condition requirements for measuring multimode attenuation*

IEC 62496-2-1:2011, *Optical circuit boards – Part 2-1: Measurements – Optical attenuation and isolation*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62496-2-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>