



CGA M-7—2017
STANDARD FOR QUALIFYING
SUPPLIERS USED BY MEDICAL
GAS MANUFACTURERS,
EQUIPMENT MANUFACTURERS,
AND DISTRIBUTORS

FIFTH EDITION

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 19-024
Medical Gases Committee

NOTE—Technical changes from the previous edition are underlined.

NOTE—Appendices A, B, C, D, E, F, and G (Informative) are for information only.

FIFTH EDITION: 2017
FOURTH EDITION: 2014
THIRD EDITION: 2009
SECOND EDITION: 2007

© 2017 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean, VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	1
4 Product, component, and service assessment.....	3
5 Supplier qualification	3
5.1 General.....	3
5.2 Types of suppliers	3
5.3 Designated medical gases	4
5.4 Medical devices	6
5.5 Non-regulated parts and services.....	6
5.6 Supplier audits.....	6
6 Records	6
6.1 General.....	6
6.2 Supplier questionnaire.....	7
6.3 Supplier audits.....	7
6.4 Qualified supplier list	7
7 References	7
 Appendices	
Appendix A—Example of a numerical critical ranking system (Informative).....	8
Appendix B—Example of a CGMP checklist for drugs— 21 CFR Part 211 [4] (Informative).....	9
Appendix C—Example of a competitor supplier qualification form (original manufacturer to provide to another original manufacturer or subsequent manufacturer) (Informative).....	14
Appendix D—Example of a competitor supplier qualification form (subsequent manufacturer to provide to another subsequent manufacturer or wholesaler) (Informative)	16
Appendix E—Example of an CGMP checklist for suppliers of finished medical devices—21 CFR Part 820 [4] (Informative).....	18
Appendix F—Example of a supplier quality checklist for suppliers for parts or services excluding suppliers of finished medical devices (Informative).....	22
Appendix G—Example of an audit agenda (Informative).....	23
 Appendix Tables	
Table A-1—Determining the criticality factor.....	8
Table A-2—Determining the verifiability/detectability factor.....	8
Table A-3—Calculating the vendor assessment level.....	8

This page is intentionally blank.

1 Introduction

This standard provides guidance for medical gas manufacturers, medical gas equipment manufactures, and distributors to follow when developing procedures for qualifying suppliers who provide medical gases and/or medical equipment, parts, or services, including the services of contract drivers delivering medical gases.

2 Scope

This standard applies to medical gas manufacturers, medical gas equipment manufactures, and distributors developing company-specific standard operating procedures (SOP) for qualifying suppliers who provide medical gases and/or, medical devices, equipment, components, or services, including the services of contract drivers delivering medical gases.

It may be used when qualifying new suppliers or when requalifying existing suppliers of medical gases including other gases, which includes:

- original manufactures of medical oxygen, nitrogen, carbon dioxide, helium, nitrous oxide, and air by compression that swap with or directly supply to other original manufacturers or their customers;
- subsequent manufacturers of medical gases obtaining medical gases from an original manufacturer; and
- subsequent manufacturers of medical gases obtaining medical gases from another subsequent manufacturer.

3 Definitions

For the purpose of this publication, the following definitions apply.

3.1 Publication terminology

3.1.1 Shall

Indicates that the procedure is mandatory. It is used wherever the criterion for conformance to specific recommendations allows no deviation.

3.1.2 Should

Indicates that a procedure is recommended.

3.1.3 May

Indicates that the procedure is optional.

3.1.4 Will

Is used only to indicate the future, not a degree of requirement.

3.1.5 Can

Indicates a possibility or ability.

3.2 Technical definitions

3.2.1 Assessment

Review to determine which purchased medical gases, medical equipment, products, components, or services can affect the identity, strength, quality, or purity of a medical gas.

3.2.2 Conditional qualification

Supplier who has not been qualified but based on objective evidence can reasonably be expected to supply conforming material or services.