

# MMPDS-12 TABLE OF CONTENTS

## MMPDS- Chapter 1

Disclaimer	
Foreward . . . . .	i
Explanation of Numerical Code . . . . .	iii
Trademarks . . . . .	v
<b>Chapter 1 - GENERAL . . . . .</b>	<b>1-1</b>
1.1 PURPOSE AND USE OF DOCUMENT. . . . .	1-1
1.1.1 INTRODUCTION . . . . .	1-1
1.1.2 SCOPE OF HANDBOOK . . . . .	1-1
1.2 NOMENCLATURE . . . . .	1-3
1.2.1 SYMBOLS AND DEFINITIONS. . . . .	1-3
1.2.2 INTERNATIONAL SYSTEM OF UNITS. . . . .	1-3
1.3 COMMONLY USED FORMULAS . . . . .	1-5
1.3.1 GENERAL. . . . .	1-5
1.3.2 SIMPLE UNIT STRESSES . . . . .	1-5
1.3.3 COMBINED STRESSES (SEE SECTION 1.5.3.5). . . . .	1-5
1.3.4 DEFLECTIONS (AXIAL) . . . . .	1-5
1.3.5 DEFLECTIONS (BENDING) . . . . .	1-5
1.3.6 DEFLECTIONS (TORSION) . . . . .	1-6
1.3.7 BIAxIAL ELASTIC DEFORMATION. . . . .	1-6
1.3.8 BASIC COLUMN FORMULAS . . . . .	1-6
1.3.9 INELASTIC STRESS-STRAIN RESPONSE. . . . .	1-7
1.4 BASIC PRINCIPLES . . . . .	1-9
1.4.1 GENERAL. . . . .	1-9
1.4.1.1 Basis . . . . .	1-9
1.4.1.2 Statistically Calculated Values . . . . .	1-10
1.4.1.3 Ratioed Values . . . . .	1-10
1.4.1.4 Values for Non-Standard Test Locations . . . . .	1-10
1.4.2 STRESS. . . . .	1-11
1.4.3 STRAIN. . . . .	1-11
1.4.3.1 Poisson's Ratio Effect . . . . .	1-11
1.4.3.2 Shear Strain . . . . .	1-11
1.4.3.3 Strain Rate . . . . .	1-12
1.4.3.4 Elongation and Reduction of Area . . . . .	1-12
1.4.4 INTRODUCTION TO STRESS STRAIN CURVES IN MMPDS . . . . .	1-12

# MMPDS-12 TABLE OF CONTENTS

1.4.4.1 The One Parameter Ramberg-Osgood Stress Strain Curve . . . . .	1-14
1.4.4.2 The Two Parameter Bron Stress Strain Curve . . . . .	1-16
1.4.4.3 TENSILE PROPERTIES . . . . .	1-17
1.4.4.4 Modulus of Elasticity (E) . . . . .	1-20
1.4.4.5 Tensile Proportional Limit Stress (Ftp) . . . . .	1-21
1.4.4.6 Tensile Yield Stress (TYS or Fty) . . . . .	1-22
1.4.4.7 Tensile Ultimate Stress (TUS or Ftu) . . . . .	1-22
1.4.4.8 Elongation (e) . . . . .	1-22
1.4.4.9 Reduction of Area (RA) . . . . .	1-22
1.4.4.10 Design Stress-Strain Curves . . . . .	1-22
1.4.4.11 Dynamic Modulus (ED) . . . . .	1-23
1.4.5 COMPRESSIVE PROPERTIES . . . . .	1-24
1.4.5.1 Compressive Ultimate Stress (Fcu) . . . . .	1-24
1.4.5.2 Compressive Yield Stress (CYS or Fcy) . . . . .	1-24
1.4.6 SHEAR PROPERTIES . . . . .	1-24
1.4.6.1 Modulus of Rigidity (G) . . . . .	1-26
1.4.6.2 Ultimate and Yield Stresses in Shear (SUS or Fsu) and (SYS or Fsy) . . . . .	1-26
1.4.7 BEARING PROPERTIES . . . . .	1-28
1.4.7.1 Bearing Yield (BYS or Fbry) and Ultimate (BUS or Fbru) Stress . . . . .	1-28
1.4.7.2 Bearing Load Orientation . . . . .	1-28
1.4.8 TEMPERATURE EFFECTS . . . . .	1-30
1.4.8.1 Low Temperature . . . . .	1-30
1.4.8.2 Elevated Temperature . . . . .	1-30
1.4.8.2.1 Creep and Stress-Rupture Properties . . . . .	1-31
1.4.8.2.2 Creep-Rupture Curve . . . . .	1-31
1.4.8.2.3 Creep or Stress-Rupture Presentations . . . . .	1-31
1.4.9 FATIGUE PROPERTIES. . . . .	1-32
1.4.9.1 Terminology . . . . .	1-32
1.4.9.2 Graphical Display of Fatigue Data . . . . .	1-32
1.4.10 METALLURGICAL INSTABILITY . . . . .	1-34
1.4.11 BIAxIAL PROPERTIES . . . . .	1-34
1.4.11.1 Biaxial Modulus of Elasticity . . . . .	1-35
1.4.11.2 Biaxial Yield Stress . . . . .	1-35
1.4.11.3 Biaxial Ultimate Stress. . . . .	1-36
1.4.12 FRACTURE TOUGHNESS . . . . .	1-36
1.4.12.1 Brittle Fracture . . . . .	1-37
1.4.12.2 Brittle Fracture Analysis . . . . .	1-37
1.4.12.3 Critical Plane-Strain Fracture Toughness . . . . .	1-38

# MMPDS-12 TABLE OF CONTENTS

1.4.12.3.1 Environmental Effects . . . . .	1-39
1.4.12.3.2 Effects of Specimen Location through the Thickness. . . . .	1-39
1.4.12.4 Fracture in Plane-Stress and Transitional-Stress States . . . . .	1-39
1.4.12.4.1 Analysis of Plane-Stress and Transitional-Stress State Fracture . . . . .	1-39
1.4.12.5 Apparent Fracture Toughness Values for Plane-Stress and Transitional-Stress States . . . . .	1-40
1.4.12.5.1 Middle-Tension Panels . . . . .	1-40
1.4.12.6 Crack Resistance (R-Curve) . . . . .	1-41
1.4.13 FATIGUE CRACK GROWTH . . . . .	1-45
1.4.13.1 Fatigue Crack Growth Rate Testing . . . . .	1-45
1.4.13.2 Fatigue Crack Growth Analysis. . . . .	1-46
1.4.13.3 Fatigue Crack Growth Data Presentation . . . . .	1-47
1.4.14. Use of Values for Heat Treat by User Materials . . . . .	1-48
1.5 TYPES OF FAILURES . . . . .	1-49
1.5.1 GENERAL . . . . .	1-49
1.5.2 MATERIAL FAILURES . . . . .	1-49
1.5.2.1 Direct Tension or Compression . . . . .	1-49
1.5.2.2 Shear . . . . .	1-49
1.5.2.3 Bearing. . . . .	1-49
1.5.2.4 Bending . . . . .	1-49
1.5.2.5 Failure Due to Stress Concentrations . . . . .	1-50
1.5.2.6 Failure From Combined Stresses. . . . .	1-50
1.5.3 INSTABILITY FAILURES . . . . .	1-50
1.5.3.1 Instability Failures Under Compression . . . . .	1-50
1.5.3.2 Instability Failures Under Bending . . . . .	1-50
1.5.3.3 Instability Failures Under Torsion . . . . .	1-50
1.5.3.4 Failure Under Combined Loadings . . . . .	1-50
1.6 COLUMNS . . . . .	1-51
1.6.1 GENERAL . . . . .	1-51
1.6.2 PRIMARY INSTABILITY FAILURES . . . . .	1-51
1.6.2.1 Columns With Stable Sections . . . . .	1-51
1.6.2.2 Maximum Column Stress FCO for Stable Cross Sections . . . . .	1-53
1.6.2.3 Torsional Instability . . . . .	1-53
1.6.2.4 Other Considerations . . . . .	1-54
1.6.3 LOCAL INSTABILITY FAILURES. . . . .	1-54
1.6.3.1 Crippling Stress ( $F_{cc}$ ). . . . .	1-54
1.6.4 CORRECTION OF COLUMN TEST RESULTS . . . . .	1-54
1.6.4.1 Nature of “Short Column Curve” . . . . .	1-54
1.6.4.2 Local Failure. . . . .	1-54

# MMPDS-12 TABLE OF CONTENTS

1.6.4.3 Reduction of Column Test Results on Aluminum and Magnesium Alloys to Standard Material . . . . .	1-54
1.6.4.4 Reduction of Column Test Results to Standard Material-Alternate Method . . . . .	1-60
1.6.5 COMPACT SECTION BUCKLING AND Et ESTIMATES . . . . .	1-62
1.6.5.1 Column Curve Comparison Criteria . . . . .	1-64
1.6.5.2 Compressive Stress Strain and Et Figure Footnotes . . . . .	1-64
1.7 THIN-WALLED AND STIFFENED THIN-WALLED SECTIONS . . . . .	1-65
1.8 ALLOWABLES-BASED FLOW STRESS FOR NONLINEAR STATIC ANALYSIS . . . . .	1-67
1.8.1 INTRODUCTION . . . . .	1-67
1.8.2 DETAILED PROCEDURE . . . . .	1-67
1.8.3 REPORTING REQUIREMENTS . . . . .	1-70
1.9 ESTIMATION OF AVERAGE TENSILE PROPERTIES FROM A- AND B-BASIS DESIGN ALLOWABLES . . . . .	1-71
1.9.1 INTRODUCTION . . . . .	1-71
1.9.2 GENERAL TRENDS . . . . .	1-71
REFERENCES - Chapter 1 . . . . .	1-75

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 2

<b>Chapter 2 - STEEL</b> . . . . .	2-1
2.1 GENERAL . . . . .	2-1
2.1.1 ALLOY INDEX . . . . .	2-1
2.1.2 MATERIAL PROPERTIES. . . . .	2-2
2.1.2.1 Mechanical Properties 2.1.2.1.1 Strength (tension, Compression, Shear, Bearing) . . . . .	2-3
2.1.2.1.2 Elongation . . . . .	2-3
2.1.2.1.3 Fracture Toughness . . . . .	2-3
2.1.2.1.4 Stress-strain Relationships . . . . .	2-6
2.1.2.1.5 Fatigue . . . . .	2-6
2.1.2.2 Physical Properties . . . . .	2-6
2.1.3 Environmental Considerations . . . . .	2-9
2.1.4 Obsolete Alloys, Heat Treatments, And Product Forms . . . . .	2-9
2.2 CARBON STEELS . . . . .	2-13
2.2.0 COMMENTS ON CARBON STEELS . . . . .	2-13
2.2.0.1 Metallurgical Considerations . . . . .	2-13
2.2.0.2 Manufacturing Considerations . . . . .	2-13
2.2.0.3 Environmental Considerations . . . . .	2-14
2.2.1 AISI 1025 . . . . .	2-15
2.2.1.0 Comments and Properties . . . . .	2-15
2.3 LOW-ALLOY STEELS (AISI GRADES AND PROPRIETARY GRADES). . . . .	2-19
2.3.0 COMMENTS ON LOW-ALLOY STEELS (AISI AND PROPRIETARY GRADES) . . . . .	2-19
2.3.0.1 Metallurgical Considerations . . . . .	2-19
2.3.0.2 Manufacturing Conditions . . . . .	2-19
2.3.0.3 Environmental Considerations . . . . .	2-22
2.3.1 SPECIFIC ALLOYS . . . . .	2-23
2.3.1.0 Comments and Properties . . . . .	2-23
2.3.1.1 AISI Low-Alloy Steels . . . . .	2-34
2.3.1.2 AISI 4130 and 8630 Steels. . . . .	2-36
2.3.1.3 AISI 4340 Steel . . . . .	2-46
2.3.1.4 300M Steel . . . . .	2-67
2.3.1.5 D6AC Steel . . . . .	2-72
2.4 INTERMEDIATE ALLOY STEELS . . . . .	2-75

# MMPDS-12 TABLE OF CONTENTS

2.4.1 5CR-MO-V . . . . .	2-75
2.4.1.0 Comments and Properties . . . . .	2-75
2.4.1.1 Heat-Treated Condition. . . . .	2-79
2.4.2 9NI-4CO-0.20C . . . . .	2-83
2.4.2.0 Comments and Properties . . . . .	2-83
2.4.2.1 Heat-Treated Condition . . . . .	2-85
2.4.3 9Ni-4Co-0.30C . . . . .	2-88
2.4.3.0 Comments and Properties . . . . .	2-88
2.4.3.1 Heat-Treated Condition. . . . .	2-90
2.5 HIGH-ALLOY STEELS. . . . .	2-99
2.5.0 COMMENTS ON HIGH-ALLOY STEELS . . . . .	2-99
2.5.0.1 Metallurgical Considerations . . . . .	2-99
2.5.0.2 Environmental Considerations . . . . .	2-99
2.5.1 18 NI MARAGING STEELS . . . . .	2-101
2.5.1.0 Comments and Properties . . . . .	2-101
2.5.1.1 Maraged Condition (aged at 900EF) . . . . .	2-101
2.5.2 AF1410 . . . . .	2-110
2.5.2.0 Comments and Properties . . . . .	2-110
2.5.2.1 Heat-Treated Condition . . . . .	2-112
2.5.3 AERMET 100 . . . . .	2-113
2.5.3.0 Comments and Properties . . . . .	2-113
2.5.3.1 280-300 ksi Heat-Treated Condition . . . . .	2-115
2.5.3.2 290-310 ksi Heat-Treated Condition . . . . .	2-117
2.5.4 FERRIUM S53 . . . . .	2-119
2.5.4.0 Comments and Properties . . . . .	2-119
2.5.4.1 Heat Treated Condition— . . . . .	2-122
2.5.5 FERRIUM M54 . . . . .	2-131
2.5.5.0 Comments and Properties . . . . .	2-131
2.5.5.1 Aged at 960°F Condition . . . . .	2-134
2.6 PRECIPITATION- AND TRANSFORMATION-HARDENING STEELS (STAINLESS) . . . . .	2-137
2.6.0 COMMENTS ON PRECIPITATION AND TRANSFORMATION-HARDENING STEELS (STAINLESS) . . . . .	2-137
2.6.0.1 Metallurgical Considerations . . . . .	2-137
2.6.0.2. Manufacturing Considerations . . . . .	2-137

# MMPDS-12 TABLE OF CONTENTS

2.6.0.3 Environmental Considerations . . . . .	2-137
2.6.1 AM-350 . . . . .	2-137
2.6.1.0 Comments and Properties . . . . .	2-137
2.6.1.1 SCT 850 Condition . . . . .	2-140
2.6.2 AM-355 . . . . .	2-144
2.6.2.0 Comments and Properties . . . . .	2-144
2.6.2.1 SCT Condition . . . . .	2-148
2.6.3 CUSTOM 450 . . . . .	2-150
2.6.3.0 Comments and Properties . . . . .	2-150
2.6.3.1 H900 Condition . . . . .	2-154
2.6.3.2 H1050 Condition . . . . .	2-158
2.6.4 CUSTOM 455 . . . . .	2-162
2.6.4.0 Comments and Properties . . . . .	2-162
2.6.4.1 H950 Condition . . . . .	2-164
2.6.4.2 H1000 Condition . . . . .	2-170
2.6.5 CUSTOM 465 . . . . .	2-173
2.6.5.0 Comments and Properties . . . . .	2-173
2.6.5.1 H950 and H1000 Condition . . . . .	2-176
2.6.6 PH13-8Mo . . . . .	2-179
2.6.6.0 Comments and Properties . . . . .	2-179
2.6.6.1 H950 and H1000 Conditions . . . . .	2-183
2.6.6.2 Extra-High Toughness H1000 Conditions . . . . .	2-190
2.6.7 15-5PH . . . . .	2-197
2.6.7.0 Comments and Properties . . . . .	2-197
2.6.7.1 Various Heat-Treated Conditions . . . . .	2-203
2.6.7.2 H1025 Condition . . . . .	2-206
2.6.7.3 H1150 Condition . . . . .	2-211
2.6.8 PH15-7Mo . . . . .	2-212
2.6.8.0 Comments and Properties . . . . .	2-212
2.6.8.1 TH1050 Condition . . . . .	2-215
2.6.9 17-4PH . . . . .	2-224
2.6.9.0 Comments and Properties . . . . .	2-224
2.6.9.1 H900 Condition . . . . .	2-231
2.6.9.2 Various Heat Treat Conditions . . . . .	2-235
2.6.9.3 H1000 Condition . . . . .	2-238
2.6.9.4 H1025 Condition . . . . .	2-239
2.6.9.5 H1100 Condition . . . . .	2-240
2.6.9.6 H1150 Condition . . . . .	2-241

# MMPDS-12 TABLE OF CONTENTS

2.6.10 17-7PH . . . . .	2-242
2.6.10.0 Comments and Properties. . . . .	2-242
2.6.10.1 TH1050 Condition . . . . .	2-245
2.6.11 HSL180 (12.5CR-1.0NI-15.5CO-2.0MO) . . . . .	2-249
2.6.11.0 Comments and Properties. . . . .	2-249
2.6.11.1 Austenitized and Tempered Condition . . . . .	2-251
2.6.12 MLX17 . . . . .	2-256
2.6.12.0 Comments and Properties. . . . .	2-256
2.6.12.1 H950 Condition . . . . .	2-259
2.6.12.2 H1000 Condition. . . . .	2-262
2.6.13 MLX19 . . . . .	2-265
2.6.13.0 Comments and Properties. . . . .	2-265
2.6.13.1 H950 Condition . . . . .	2-268
2.7 AUSTENITIC STAINLESS STEELS. . . . .	2-271
2.7.0 COMMENTS ON AUSTENITIC STAINLESS STEEL . . . . .	2-271
2.7.0.1 Metallurgical Considerations . . . . .	2-271
2.7.0.2 Manufacturing Considerations . . . . .	2-271
2.7.0.3 Environmental Considerations . . . . .	2-272
2.7.1 AISI 301 AND RELATED 300 SERIES STAINLESS STEELS . . . . .	2-273
2.7.1.0 Comments and Properties . . . . .	2-273
2.7.1.1 Solution Heat Treated Condition . . . . .	2-279
2.7.1.2 ¼ Hard Condition . . . . .	2-281
2.7.1.3 ½ Hard Condition . . . . .	2-282
2.7.1.4 ¾ Hard Condition . . . . .	2-285
2.7.1.5 Full-Hard Condition . . . . .	2-286
2.8 ELEMENT PROPERTIES. . . . .	2-291
2.8.1 BEAMS . . . . .	2-291
2.8.1.1 Simple Beams . . . . .	2-291
2.8.1.2 Built-Up Beams . . . . .	2-291
2.8.2 COLUMNS . . . . .	2-294
2.8.2.1 General . . . . .	2-294
2.8.2.2 Effects of Welding . . . . .	2-294
2.8.3 TORSION . . . . .	2-295
2.8.3.1 General . . . . .	2-295
2.8.3.2 Torsion Properties. . . . .	2-295
REFERENCES - Chapter 2 . . . . .	2-301

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 3

Chapter 3 - ALUMINUM . . . . .	3-1
3.1 GENERAL . . . . .	3-1
3.1.1 ALUMINUM ALLOY INDEX . . . . .	3-1
3.1.2 MATERIAL PROPERTIES. . . . .	3-3
3.1.2.1 Mechanical Properties . . . . .	3-4
3.1.2.1.1 Edgewise Bearing . . . . .	3-4
3.1.2.1.2 Clad Sheet and Plate . . . . .	3-5
3.1.2.1.3 Fatigue . . . . .	3-5
3.1.2.1.4 Fracture Toughness . . . . .	3-5
3.1.2.1.5 Cryogenic Temperatures . . . . .	3-16
3.1.2.1.6 Elevated Temperatures . . . . .	3-16
3.1.2.1.7 Stress-Strain Relationships . . . . .	3-16
3.1.2.2 Physical Properties . . . . .	3-30
3.1.2.3 Corrosion Resistance. . . . .	3-30
3.1.2.3.1 Resistance to Stress-Corrosion Cracking . . . . .	3-30
3.1.2.3.2 Resistance to Exfoliation . . . . .	3-38
3.1.3 MANUFACTURING CONSIDERATIONS . . . . .	3-38
3.1.3.1 Avoiding Stress Corrosion Cracking . . . . .	3-38
3.1.3.2 Cold-Formed, Heat-Treatable Aluminum Alloys . . . . .	3-38
3.1.3.3 Dimensional Changes . . . . .	3-38
3.1.3.4 Welding . . . . .	3-39
3.1.4 Obsolete Alloys, Tempers, and Product Forms . . . . .	3-43
3.2 2000 SERIES WROUGHT ALLOYS. . . . .	3-47
3.2.1 2013 ALLOY. . . . .	3-47
3.2.1.0 Comments and Properties . . . . .	3-47
3.2.1.1 T6511 Temper . . . . .	3-49
3.2.2 2014 ALLOY. . . . .	3-64
3.2.2.0 Comments and Properties . . . . .	3-64
3.2.2.1 T6, T62, T651, T652, T6510, and T6511 Temper— . . . . .	3-74
3.2.3 2017 ALLOY. . . . .	3-98

# MMPDS-12 TABLE OF CONTENTS

3.2.3.0 Comments and Properties . . . . .	3-98
3.2.3.1 T4, T451, and T42 Temper . . . . .	3-101
3.2.4 2024 ALLOY . . . . .	3-102
3.2.4.0 Comments and Properties . . . . .	3-102
3.2.4.1 T3, T351, T3510, T3511, T4, and T42 Temper . . . . .	3-122
3.2.4.2 T361 (supersedes T36) Temper . . . . .	3-158
3.2.4.3 T62 and T72 Temper . . . . .	3-158
3.2.4.4 T81, T851, T852, T8510, and T8511 Temper . . . . .	3-165
3.2.4.5 T861 (supersedes T86) Temper . . . . .	3-178
3.2.5 2025 ALLOY . . . . .	3-187
3.2.5.0 Comments and Properties . . . . .	3-187
3.2.6 2026 ALLOY . . . . .	3-190
3.2.6.0 Comments and Properties . . . . .	3-190
3.2.7 2027 ALLOY . . . . .	3-192
3.2.7.0 Comments and Properties . . . . .	3-192
3.2.7.1 T351 Temper . . . . .	3-195
3.2.7.2 T3511 Temper . . . . .	3-199
3.2.27 2029 Alloy . . . . .	3-387
3.2.27.0 Comments and Properties . . . . .	3-387
3.2.27.1 T8 Temper . . . . .	3-390
3.2.8 2050 ALLOY . . . . .	3-201
3.2.8.0 Comments and Properties . . . . .	3-201
3.2.8.1 T84 Temper . . . . .	3-210
3.2.25 2055 ALLOY . . . . .	3-372
3.2.25.0 Comments and Properties . . . . .	3-372
3.2.25.1 T84 Temper . . . . .	3-374
3.2.9 CLAD 2056 ALLOY . . . . .	3-220
3.2.9.0 Comments and Properties . . . . .	3-220
3.2.10 2090 ALLOY . . . . .	3-226
3.2.10.0 Comments and Properties . . . . .	3-226
3.2.10.1 T83 Temper . . . . .	3-228
3.2.11 2098 ALLOY . . . . .	3-229
3.2.11.0 Comments and Properties . . . . .	3-229
3.2.11.1 T82P Temper . . . . .	3-233
3.2.12 2099 ALLOY . . . . .	3-239
3.2.12.0 Comments and Properties . . . . .	3-239
3.2.12.1 T86 Temper . . . . .	3-243
3.2.12.2 T83 Temper . . . . .	3-245

# MMPDS-12 TABLE OF CONTENTS

3.2.12.3 T81 Temper . . . . .	3-251
3.2.13 2124 ALLOY . . . . .	3-253
3.2.13.0 Comments and Properties. . . . .	3-253
3.2.13.1 T851 Temper . . . . .	3-255
3.2.14 2195 ALLOY . . . . .	3-271
3.2.14.0 Comments and Properties. . . . .	3-271
3.2.14.1 T8, T82 Temper . . . . .	3-277
3.2.15 2196 ALLOY . . . . .	3-282
3.2.15.0 Comments and Properties. . . . .	3-282
3.2.15.1 T8511 Temper . . . . .	3-285
3.2.16 2198 ALLOY . . . . .	3-287
3.2.16.0 Comments and Properties. . . . .	3-287
3.2.16.1 T8 Temper . . . . .	3-290
3.2.17 2219 ALLOY . . . . .	3-300
3.2.17.0 Comments and Properties. . . . .	3-300
3.2.17.1 T62 Temper . . . . .	3-307
3.2.17.2 T81 and T851X Tempers . . . . .	3-310
3.2.17.3 T852 Temper . . . . .	3-318
3.2.17.4 T87 Temper . . . . .	3-321
3.2.18 2297 ALLOY . . . . .	3-326
3.2.18.0 Comments and Properties. . . . .	3-326
3.2.18.1 T87 Temper . . . . .	3-329
3.2.28 2395 ALLOY . . . . .	3-397
3.2.28.0 Comments and Properties. . . . .	3-397
3.2.28.1 T84 Temper . . . . .	3-400
3.2.19 2397 ALLOY . . . . .	3-335
3.2.19.0 Comments and Properties. . . . .	3-335
3.2.19.1 T87 Temper . . . . .	3-338
3.2.20 2424 ALLOY . . . . .	3-343
3.2.20.0 Comments and Properties. . . . .	3-343
3.2.21 2519 ALLOY . . . . .	3-346
3.2.21.0 Comments and Properties. . . . .	3-346
3.2.21.1 T87 Temper . . . . .	3-348
3.2.22 2524 ALLOY . . . . .	3-349
3.2.22.0 Comments and Properties. . . . .	3-349
3.2.22.1 T3 Temper . . . . .	3-351
3.2.23 2618 ALLOY . . . . .	3-353
3.2.23.0 Comments and Properties. . . . .	3-353

# MMPDS-12 TABLE OF CONTENTS

3.2.23.1 T61 Temper . . . . .	3-357
3.2.24 2624 ALLOY . . . . .	3-363
3.2.24.0 Comments and Properties. . . . .	3-363
3.2.24.1 T39 Temper . . . . .	3-366
3.2.24.2 T351 Temper . . . . .	3-369
3.2.26 2824 ALLOY . . . . .	3-380
3.2.26.0 Comments and Properties. . . . .	3-380
3.2.26.1 T3511 Temper . . . . .	3-383
3.3 3000 SERIES WROUGHT ALLOYS. . . . .	3-407
3.4 4000 SERIES WROUGHT ALLOYS. . . . .	3-407
3.5 5000 SERIES WROUGHT ALLOYS. . . . .	3-407
3.5.1 5052 ALLOY . . . . .	3-407
3.5.1.0 Comments and Properties . . . . .	3-407
3.5.1.1 O-Temper . . . . .	3-411
3.5.1.2 H32 Temper . . . . .	3-413
3.5.1.3 H34 Temper . . . . .	3-413
3.5.1.4 H36 Temper . . . . .	3-416
3.5.1.5 H38 Temper . . . . .	3-416
3.5.2 5083 ALLOY . . . . .	3-419
3.5.2.0 Comments and Properties . . . . .	3-419
3.5.2.1 O Temper . . . . .	3-424
3.5.3 5086 ALLOY . . . . .	3-426
3.5.3.0 Comments and Properties . . . . .	3-426
3.5.3.1 O Temper . . . . .	3-429
3.5.3.2 H32 Temper . . . . .	3-431
3.5.3.3 H34 Temper . . . . .	3-433
3.5.3.4 H36 Temper . . . . .	3-435
3.5.3.5 H38 Temper . . . . .	3-436
3.5.3.6 H111 Temper . . . . .	3-436
3.5.3.7 H112 Temper . . . . .	3-436
3.5.4 5454 ALLOY . . . . .	3-437
3.5.4.0 Comments and Properties . . . . .	3-437
3.5.4.1 O Temper . . . . .	3-440
3.5.4.2 H32 Temper . . . . .	3-440
3.5.4.3 H34 Temper . . . . .	3-441
3.5.5 5456 ALLOY . . . . .	3-443
3.5.5.0 Comments and Properties . . . . .	3-443

# MMPDS-12 TABLE OF CONTENTS

3.5.5.1 O Temper . . . . .	3-447
3.5.5.2 H111 Temper . . . . .	3-448
3.5.5.3 H112 Temper . . . . .	3-449
3.5.5.4 H321 Temper . . . . .	3-449
3.6 6000 SERIES WROUGHT ALLOYS . . . . .	3-451
3.6.1 6013 ALLOY . . . . .	3-451
3.6.1.0 Comments and Properties . . . . .	3-451
3.6.1.1 T6 Temper . . . . .	3-453
3.6.2 6061 ALLOY . . . . .	3-454
3.6.2.0 Comments and Properties . . . . .	3-454
3.6.2.1 T4, T42, T451, T4510, and T4511 Tempers. . . . .	3-466
3.6.2.2 T6, T62, T651, T652, T6510, and T6511 Tempers . . . . .	3-466
3.6.3 6151 ALLOY . . . . .	3-483
3.6.3.0 Comments and Properties . . . . .	3-483
3.6.3.1 T6 Temper . . . . .	3-483
3.6.4 6156 ALLOY . . . . .	3-486
3.6.4.0 Comments and Properties . . . . .	3-486
3.6.4.1 T62 Temper . . . . .	3-488
3.7 7000 SERIES WROUGHT ALLOYS . . . . .	3-491
3.7.1 7010 ALLOY . . . . .	3-491
3.7.1.0 Comments and Properties . . . . .	3-491
3.7.1.1 T7451 Temper . . . . .	3-494
3.7.1.2 T7651 Temper . . . . .	3-497
3.7.2 7037 ALLOY . . . . .	3-499
3.7.2.0 Comments and Properties . . . . .	3-499
3.7.2.1 T7452 Temper . . . . .	3-502
3.7.3 7040 ALLOY . . . . .	3-508
3.7.3.0 Comments and Properties . . . . .	3-508
3.7.4 7049/7149 ALLOY . . . . .	3-512
3.7.4.0 Comments and Properties . . . . .	3-512
3.7.4.1 T73 and T73511 Tempers . . . . .	3-517
3.7.5 7050 ALLOY . . . . .	3-529
3.7.5.0 Comments and Properties . . . . .	3-529
3.7.5.1 T73510 and T73511 Tempers. . . . .	3-540
3.7.5.2 T74, T7451, and T7452 Tempers . . . . .	3-544
3.7.5.3 T76510 and T76511 Tempers. . . . .	3-576
3.7.6 7055 ALLOY . . . . .	3-581
3.7.6.0 Comments and Properties . . . . .	3-581

# MMPDS-12 TABLE OF CONTENTS

3.7.6.1 T74511 Temper . . . . .	3-586
3.7.6.2 T76511 Temper . . . . .	3-593
3.7.6.3 T7751 and T77511 Tempers . . . . .	3-593
3.7.7 7056 ALLOY . . . . .	3-596
3.7.7.0 Comments and Properties . . . . .	3-596
3.7.7.1 T7651 Temper . . . . .	3-599
3.7.20 7065 ALLOY . . . . .	3-850
3.7.20.0 Comments and Properties. . . . .	3-850
3.7.20.1 T7451 Temper . . . . .	3-855
3.7.20.2 T7651 Temper . . . . .	3-862
3.7.8 7068 ALLOY . . . . .	3-603
3.7.8.0 Comments and Properties . . . . .	3-603
3.7.8.1 T6511 Temper . . . . .	3-605
3.7.9 7075 ALLOY . . . . .	3-610
3.7.9.0 Comments and Properties . . . . .	3-610
3.7.9.1 T6, T651, T652, T6510, T6511 Temper . . . . .	3-632
3.7.9.2 T73, T7351, T7352, T73510, T73511 Tempers . . . . .	3-668
3.7.10 7085 ALLOY . . . . .	3-686
3.7.10.0 Comments and Properties. . . . .	3-686
3.7.10.1 T7451 Temper . . . . .	3-694
3.7.10.2 T7651 Temper . . . . .	3-696
3.7.10.3 T7452 Temper . . . . .	3-698
3.7.11. 7136 ALLOY . . . . .	3-718
3.7.11.0. Comments and Properties . . . . .	3-718
3.7.11.1 T73511 Tempers . . . . .	3-724
3.7.11.2 T74511 Tempers . . . . .	3-732
3.7.11.3. T76511 Temper . . . . .	3-741
3.7.12 7140 ALLOY . . . . .	3-746
3.7.12.0 Comments and Properties. . . . .	3-746
3.7.12.1 T7451 Temper . . . . .	3-750
3.7.12.2 T7651 Temper . . . . .	3-753
3.7.13 7150 ALLOY . . . . .	3-761
3.7.13.0 Comments and Properties. . . . .	3-761
3.7.13.1 T6151 and T61511 Tempers. . . . .	3-767
3.7.13.2 T7751 and T77511 Tempers. . . . .	3-769
3.7.14 7175 ALLOY . . . . .	3-774
3.7.14.0 Comments and Properties. . . . .	3-774
3.7.14.1 T73511 Temper . . . . .	3-779

# MMPDS-12 TABLE OF CONTENTS

3.7.14.2 T74 and T7452 Tempers . . . . .	3-784
3.7.15 7249 ALLOY . . . . .	3-789
3.7.15.0 Comments and Properties. . . . .	3-789
3.7.15.1 T7452 Temper . . . . .	3-793
3.7.15.2 T76511 Temper . . . . .	3-795
3.7.16 7255 ALLOY . . . . .	3-797
3.7.16.0 Comments and Properties. . . . .	3-797
3.7.16.1 T7751 Temper . . . . .	3-799
3.7.17 7349 ALLOY . . . . .	3-801
3.7.17.0 Comments and Properties. . . . .	3-801
3.7.17.1 T76511 Temper . . . . .	3-803
3.7.18 7449 ALLOY . . . . .	3-805
3.7.18.0 Comments and Properties. . . . .	3-805
3.7.18.1 T7651 Temper . . . . .	3-812
3.7.18.2 T7951 Temper . . . . .	3-815
3.7.19 7475 ALLOY . . . . .	3-821
3.7.19.0 Comments and Properties. . . . .	3-821
3.7.19.1 T61 and T651 Tempers . . . . .	3-825
3.7.19.2 T7351 Temper . . . . .	3-834
3.7.19.3 T761 and T7651 Tempers . . . . .	3-842
3.8 200.0 SERIES CAST ALLOYS . . . . .	3-869
3.8.1 A201.0 ALLOY . . . . .	3-869
3.8.1.0 Comments and Properties . . . . .	3-869
3.8.1.1 T7 Temper . . . . .	3-872
3.8.2 205/TIB2/3P ALLOY . . . . .	3-879
3.8.2.0 Comments and Properties . . . . .	3-879
3.8.2.1.6 Investment Casting . . . . .	3-881
3.8.2.2.6 Sand Casting . . . . .	3-886
3.9 300.0 SERIES CAST ALLOYS . . . . .	3-891
3.9.1 354.0 ALLOY . . . . .	3-891
3.9.1.0 Comments and Properties . . . . .	3-891
3.9.2 355.0 ALLOY . . . . .	3-893
3.9.2.0 Comments and Properties . . . . .	3-893
3.9.3 C355.0 ALLOY . . . . .	3-896
3.9.3.0 Comments and Properties . . . . .	3-896
3.9.4 356.0 ALLOY . . . . .	3-898
3.9.4.0 Comments and Properties . . . . .	3-898
3.9.5 A356.0 ALLOY . . . . .	3-901

# MMPDS-12 TABLE OF CONTENTS

3.9.5.0 Comments and Properties . . . . .	3-901
3.9.5.1 T6 Temper . . . . .	3-904
3.9.6 A357.0/F357.0 ALLOY . . . . .	3-906
3.9.6.0 Comments and Properties . . . . .	3-906
3.9.6.1 T6 Temper . . . . .	3-909
3.9.7 D357.0/E357.0 ALLOY . . . . .	3-910
3.9.7.0 Comments and Properties . . . . .	3-910
3.9.7.1 T6 Temper . . . . .	3-913
3.9.8 359.0 ALLOY . . . . .	3-916
3.9.8.0 Comments and Properties . . . . .	3-916
3.10 ELEMENT PROPERTIES . . . . .	3-919
3.10.1 BEAMS . . . . .	3-919
3.10.1.1 Simple Beams. . . . .	3-919
3.10.1.1.1 Round Tubes. . . . .	3-919
3.10.1.1.2 Unconventional Cross Section . . . . .	3-921
3.10.1.2 Built-Up Beams . . . . .	3-921
3.10.1.3 Thin-Web Beams. . . . .	3-921
3.10.2 COLUMNS . . . . .	3-922
3.10.2.1 Primary Failure . . . . .	3-922
3.10.2.2 Local Failure . . . . .	3-922
3.10.2.3 Column Properties . . . . .	3-922
3.10.3 TORSION . . . . .	3-924
3.10.3.1 General . . . . .	3-924
3.10.3.2 Torsion Properties . . . . .	3-924
REFERENCES - Chapter 3 . . . . .	3-929

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 4

Chapter 4 - Magnesium . . . . .	4-1
4.1 GENERAL . . . . .	4-1
4.1.1 ALLOY INDEX . . . . .	4-1
4.1.2 MATERIAL PROPERTIES . . . . .	4-1
4.1.2.1 Mechanical Properties . . . . .	4-1
4.1.2.1.1 Tension Testing . . . . .	4-1
4.1.2.1.2 Compression Testing . . . . .	4-2
4.1.2.1.3 Bearing Testing . . . . .	4-2
4.1.2.1.4 Shear Testing . . . . .	4-2
4.1.2.1.5 Stress Raisers . . . . .	4-2
4.1.2.1.6 Creep . . . . .	4-2
4.1.2.1.7 Fatigue . . . . .	4-2
4.1.2.1.8 Fracture Toughness . . . . .	4-2
4.1.3 PHYSICAL PROPERTIES . . . . .	4-4
4.1.4 ENVIRONMENTAL CONSIDERATIONS . . . . .	4-4
4.1.5 ALLOY AND TEMPER DESIGNATIONS . . . . .	4-4
4.1.6 JOINING METHODS . . . . .	4-6
4.1.7 OBSOLETE ALLOYS, TEMPER, AND PRODUCT FORMS . . . . .	4-6
4.2 MAGNESIUM-WROUGHT ALLOYS . . . . .	4-9
4.2.1 AZ31B . . . . .	4-9
4.2.1.0 Comments and Properties . . . . .	4-9
4.2.1.1 AZ31B-O Temper . . . . .	4-15
4.2.1.2 AZ31B-H24 Temper . . . . .	4-16
4.2.1.3 AZ31B-H26 Temper . . . . .	4-19
4.2.1.4 AZ31B-F Temper . . . . .	4-19
4.2.2 AZ61A . . . . .	4-21
4.2.2.0 Comments and Properties . . . . .	4-21
4.2.3 WE43C (Elektron 43) . . . . .	4-23
4.2.3.0 Comments and Properties . . . . .	4-23
4.2.3.1 WE43C-T5 Temper . . . . .	4-27
4.2.4 ZK60A . . . . .	4-35
4.2.4.0 Comments and Properties . . . . .	4-35
4.2.4.1 ZK60A-F Temper . . . . .	4-39
4.2.4.2 ZK60A-T5 Temper . . . . .	4-39

# MMPDS-12 TABLE OF CONTENTS

4.3 MAGNESIUM CAST ALLOYS . . . . .	4-43
4.3.1 AM100A . . . . .	4-43
4.3.1.0 Comments and Properties . . . . .	4-43
4.3.2 AZ91C/AZ91E . . . . .	4-45
4.3.2.0 Comments and Properties . . . . .	4-45
4.3.2.1 T6 Temper . . . . .	4-48
4.3.3 AZ92A . . . . .	4-49
4.3.3.0 Comments and Properties . . . . .	4-49
4.3.3.1 AZ92A-T6 Temper . . . . .	4-52
4.3.4 EV31A (ELEKTRON 21) ALLOY . . . . .	4-55
4.3.4.0 Comments and Properties . . . . .	4-55
4.3.4.1. T6 Temper . . . . .	4-57
4.3.5 EZ33A . . . . .	4-61
4.3.5.0 Comments and Properties . . . . .	4-61
4.3.5.1 EZ33A-T5 Temper . . . . .	4-64
4.3.6 QE22A . . . . .	4-66
4.3.6.0 Comments and Properties . . . . .	4-66
4.3.6.1 QE22A-T6 Temper . . . . .	4-68
4.3.7 ZE41A . . . . .	4-70
4.3.7.0 Comments and Properties . . . . .	4-70
4.3.7.1 T5 Temper . . . . .	4-73
4.4 ELEMENT PROPERTIES . . . . .	4-75
4.4.1 BEAMS . . . . .	4-75
4.4.1.1 Simple Beams . . . . .	4-75
4.4.1.1.1 Round Tubes . . . . .	4-75
4.4.1.1.2 Unconventional Cross Sections . . . . .	4-75
4.4.1.2 Built-Up Beams . . . . .	4-75
4.4.1.3 Thin-Web Beams . . . . .	4-75
4.4.2 COLUMNS . . . . .	4-75
4.4.2.1 Primary Failure. . . . .	4-75
4.4.2.2 Local Failure . . . . .	4-76
4.4.2.3 Column Properties . . . . .	4-76
4.4.3 TORSION . . . . .	4-77
4.4.3.1 General . . . . .	4-77
4.4.3.2 Torsion Properties. . . . .	4-77
REFERENCES - Chapter 4 . . . . .	4-79

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 5

Chapter 5 - TITANIUM ALLOYS . . . . .	5-1
5.1 GENERAL . . . . .	5-1
5.1.1 TITANIUM INDEX . . . . .	5-1
5.1.2 MATERIAL PROPERTIES . . . . .	5-1
5.1.2.1 Mechanical Properties . . . . .	5-2
5.1.3 MANUFACTURING CONSIDERATIONS . . . . .	5-4
5.1.4 ENVIRONMENTAL CONSIDERATIONS . . . . .	5-4
5.1.5 OBSOLETE ALLOYS, TEMPERS, AND PRODUCT FORMS . . . . .	5-5
5.2 UNALLOYED TITANIUM . . . . .	5-7
5.2.1 COMMERCIALY PURE TITANIUM . . . . .	5-7
5.2.1.0 Comments and Properties . . . . .	5-7
5.2.1.1 Annealed Condition . . . . .	5-12
5.3 ALPHA AND NEAR-ALPHA TITANIUM ALLOYS . . . . .	5-17
5.3.1 TI-5AL-2.5SN . . . . .	5-17
5.3.1.0 Comments and Properties . . . . .	5-17
5.3.1.1 Annealed Condition . . . . .	5-23
5.3.2 TI-8AL-1MO-1V . . . . .	5-32
5.3.2.0 Comments and Properties . . . . .	5-32
5.3.2.1 Single-Annealed Condition . . . . .	5-37
5.3.2.2 Duplex-Annealed Condition . . . . .	5-40
5.3.3 Ti-6Al-2Sn-4Zr-2Mo . . . . .	5-48
5.3.3.0 Comments and Properties . . . . .	5-48
5.3.3.1 Single, Duplex, and Triplex Annealed . . . . .	5-53
5.4 ALPHA-BETA TITANIUM ALLOYS . . . . .	5-57
5.4.1 TI-6AL-4V . . . . .	5-57
5.4.1.0 Comments and Properties . . . . .	5-57
5.4.1.1 Annealed Condition . . . . .	5-71
5.4.1.2 Solution-Treated and Aged Condition . . . . .	5-104
5.4.2 TI-6AL-6V-2SN . . . . .	5-123
5.4.2.0 Comments and Properties . . . . .	5-123
5.4.2.1 Annealed Condition . . . . .	5-129
5.4.2.2 Solution-Treated and Aged Condition . . . . .	5-139
5.4.3 TI-4.5AL-3V-2FE-2MO . . . . .	5-140
5.4.3.0 Comments and Properties . . . . .	5-140
5.4.3.1 Annealed Condition . . . . .	5-140
5.4.4 TI-4AL-2.5V-1.5FE . . . . .	5-149

# MMPDS-12 TABLE OF CONTENTS

5.4.4.0 Comments and Properties . . . . .	5-149
5.4.4.1 Cold Rolled Sheet, Annealed Condition. . . . .	5-157
5.4.4.2 Hot Rolled Sheet and Plate, Annealed Condition. . . . .	5-165
5.4.4.3 Single Melt Cold-Rolled Sheet, Annealed Condition . . . . .	5-173
5.5 BETA, NEAR-BETA, AND METASTABLE-BETA TITANIUM ALLOYS . . . . .	5-179
5.5.1 TI-13V-11CR-3AL . . . . .	5-179
5.5.1.0 Comments and Properties. . . . .	5-179
5.5.1.1 Annealed Condition . . . . .	5-183
5.5.1.2 Solution-Treated and Aged Condition . . . . .	5-190
5.5.2 TI-15V-3CR-3SN-3AL (TI-15-3) . . . . .	5-196
5.5.2.0 Comments . . . . .	5-196
5.5.2.1 Solution-Treated and Aged (1000° F) Condition . . . . .	5-199
5.5.3 TI-10V-2FE-3AL (TI-10-2-3) . . . . .	5-200
5.5.3.0 Comments and Properties. . . . .	5-200
5.5.3.1 Solution Treated and Aged (900°F to 950°F) Condition . . . . .	5-203
5.5.3.2 Solution Treated and Aged (950°F to 1000°F) Condition . . . . .	5-204
5.6 ELEMENT PROPERTIES . . . . .	5-205
5.6.1 BEAMS . . . . .	5-205
5.6.1.1 Simple Beams . . . . .	5-205
REFERENCES - Chapter 5 . . . . .	5-207

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 6

Chapter 6 - HEAT-RESISTANT ALLOYS . . . . .	6-1
6.1 GENERAL . . . . .	6-1
6.1.1 MATERIAL PROPERTIES. . . . .	6-1
6.1.1.1 Mechanical Properties . . . . .	6-1
6.1.1.2 Physical Properties . . . . .	6-3
6.1.2 Obsolete Alloys, Tempers, and Product Forms . . . . .	6-3
6.2 IRON-CHROMIUM - NICKEL-BASE ALLOYS . . . . .	6-5
6.2.0 GENERAL COMMENTS . . . . .	6-5
6.2.0.1 Metallurgical Considerations . . . . .	6-5
6.2.0.2 Manufacturing Considerations . . . . .	6-5
6.2.1 A-286 . . . . .	6-5
6.2.1.0 Comments and Properties . . . . .	6-5
6.2.2 N-155 . . . . .	6-16
6.2.2.0 Comments and Properties . . . . .	6-16
6.2.2.1 Solution-Treated Condition . . . . .	6-18
6.3 NICKEL-BASE ALLOYS. . . . .	6-21
6.3.0 GENERAL COMMENTS . . . . .	6-21
6.3.0.1 Metallurgical Considerations . . . . .	6-21
6.3.0.2 Manufacturing Considerations . . . . .	6-21
6.3.1 HASTELLOY X. . . . .	6-23
6.3.1.0 Comments and Properties . . . . .	6-23
6.3.2 INCONEL 600 . . . . .	6-29
6.3.2.0 Comments and Properties . . . . .	6-29
6.3.2.1 Annealed Condition . . . . .	6-34
6.3.3 INCONEL 625 . . . . .	6-36
6.3.3.0 Comments and Properties . . . . .	6-36
6.3.3.1 Annealed Condition . . . . .	6-39
6.3.4 INCONEL 706 . . . . .	6-47
6.3.4.0 Comments and Properties . . . . .	6-47
6.3.4.1 Solution-Treated and Aged Condition (Creep Rupture Heat Treatment) . . . . .	6-50
6.3.5 718 ALLOY . . . . .	6-54
6.3.5.0 Comments and Properties . . . . .	6-54
6.3.5.1 Solution-Treated and Aged Condition . . . . .	6-62

# MMPDS-12 TABLE OF CONTENTS

6.3.6 INCONEL X-750 . . . . .	6-97
6.3.6.0 Comments and Properties . . . . .	6-97
6.3.6.1 Annealed and Aged . . . . .	6-99
6.3.6.2 Equalized and Aged . . . . .	6-101
6.3.7 RENÉ 41 . . . . .	6-103
6.3.7.0 Comments and Properties . . . . .	6-103
6.3.7.1 Solution Treated at 1975EF and Aged at 1400EF Condition . . . . .	6-106
6.3.8 WASPALOY . . . . .	6-126
6.3.8.0 Comments and Properties . . . . .	6-126
6.3.8.1 Aged Condition . . . . .	6-128
6.3.9. 230 ALLOY . . . . .	6-132
6.3.9.0. Comments and Properties . . . . .	6-132
6.3.9.1. Annealed Condition . . . . .	6-136
6.3.10 HR-120 ALLOY . . . . .	6-145
6.3.10.0 Comments and Properties. . . . .	6-145
6.3.10.1 Annealed Condition. . . . .	6-147
6.3.11 HAYNES 282 ALLOY . . . . .	6-151
6.3.11.0 Comments and Properties. . . . .	6-151
6.3.11.1 Precipitation Hardened Condition . . . . .	6-153
6.4 COBALT-BASE ALLOYS . . . . .	6-165
6.4.0 GENERAL COMMENTS . . . . .	6-165
6.4.0.1 Metallurgical Considerations . . . . .	6-165
6.4.0.2 Manufacturing Considerations . . . . .	6-165
6.4.0.3 Special Precautions . . . . .	6-165
6.4.1 L-605 (25 alloy) . . . . .	6-166
6.4.1.0 Comments and Properties . . . . .	6-166
6.4.1.1 Solution Treated Condition . . . . .	6-169
6.4.2 188 ALLOY . . . . .	6-189
6.4.2.0 Comments and Properties . . . . .	6-189
6.4.2.1 Solution-Treated Condition . . . . .	6-191
REFERENCES - Chapter 6. . . . .	6-205

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 7

Chapter 7 - MISCELLANEOUS ALLOYS and HYBRID MATERIALS . . . . .	7-1
7.1 GENERAL . . . . .	7-1
7.1.1 Obsolete Alloys, Tempers, and Product Forms . . . . .	7-1
7.2 BERYLLIUM . . . . .	7-3
7.2.0 GENERAL. . . . .	7-3
7.2.1 STANDARD GRADE BERYLLIUM . . . . .	7-3
7.2.1.0 Comments and Properties . . . . .	7-3
7.2.1.0.1 Manufacturing Considerations . . . . .	7-3
7.2.1.1 Hot-Pressed Condition . . . . .	7-8
7.2.1.2 HIP'd Condition . . . . .	7-12
7.3 COPPER AND COPPER ALLOYS . . . . .	7-13
7.3.0 GENERAL. . . . .	7-13
7.3.1 MANGANESE BRONZES . . . . .	7-14
7.3.1.0 Comments and Properties . . . . .	7-14
7.3.2 COPPER BERYLLIUM . . . . .	7-17
7.3.2.0 Comments and Properties . . . . .	7-17
7.3.2.1 TF00 Temper . . . . .	7-24
7.3.2.2 TH04 Temper . . . . .	7-25
7.3.3 COPPER-NICKEL-TIN (SPINODAL ALLOY) . . . . .	7-26
7.3.3.0 Comments and Properties . . . . .	7-26
7.3.3.1 TX00 Temper . . . . .	7-29
7.3.3.2 TX TS Temper . . . . .	7-31
7.3.4 ALUMINUM BRONZES . . . . .	7-34
7.3.4.0 Comments and Properties . . . . .	7-34
7.4 MULTIPHASE ALLOYS . . . . .	7-37
7.4.0 GENERAL. . . . .	7-37
7.4.1 MP35N ALLOY. . . . .	7-37
7.4.1.0 Comments and Properties . . . . .	7-37
7.4.1.1 Cold Worked and Aged Condition . . . . .	7-39
7.4.2 MP159 ALLOY . . . . .	7-42
7.4.2.0 Comments and Properties . . . . .	7-42
7.4.2.1 Cold Worked and Aged Condition . . . . .	7-44

# MMPDS-12 TABLE OF CONTENTS

7.5 ALUMINUM ALLOY SHEET LAMINATES . . . . .	7-47
7.5.0 GENERAL. . . . .	7-47
7.5.1 2024-T3 ARAMID FIBER REINFORCED SHEET LAMINATE . . . . .	7-47
7.5.1.0 Comments and Properties . . . . .	7-47
7.5.1.1 T3 Temper . . . . .	7-49
7.5.2 7475-T761 ARAMID FIBER REINFORCED SHEET LAMINATE . . . . .	7-57
7.5.2.0 Comments and Properties . . . . .	7-57
7.6 ALUMINUM-BERYLLIUM HYBRIDS . . . . .	7-67
7.6.0 GENERAL. . . . .	7-67
7.6.1 AL-62BE . . . . .	7-67
7.6.1.0 Comments and Properties . . . . .	7-67
7.6.1.0.1 Manufacturing Considerations . . . . .	7-67
7.6.1.1 Hot Isostatic Pressed Condition . . . . .	7-69
REFERENCES - Chapter 7 . . . . .	7-81

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12 - Chapter 8

Chapter 8 - STRUCTURAL JOINTS . . . . .	8-1
8.1 MECHANICALLY FASTENED JOINTS . . . . .	8-3
8.1.1 INTRODUCTION AND FASTENER INDEXES . . . . .	8-3
8.1.1.1 Data Sources . . . . .	8-13
8.1.1.2 Fastener Shear Strengths . . . . .	8-13
8.1.1.3 Edge Distance Requirements . . . . .	8-13
8.1.2 SOLID RIVETS . . . . .	8-15
8.1.2.1 Protruding-Head Solid Rivet Joints . . . . .	8-15
8.1.2.2 Flush-Head Solid Rivet Joints . . . . .	8-15
8.1.3 BLIND FASTENERS . . . . .	8-24
8.1.3.1 Protruding-Head Blind Fasteners . . . . .	8-24
8.1.3.1.1 Friction-Lock Blind Rivets . . . . .	8-24
8.1.3.1.2 Mechanical-Lock Spindle Blind Rivets . . . . .	8-24
8.1.3.2 Flush-Head Blind Fasteners . . . . .	8-24
8.1.3.2.1 Friction-Lock Blind Rivets . . . . .	8-24
8.1.3.2.2 Mechanical-Lock Spindle Blind Rivets . . . . .	8-25
8.1.3.2.3 Flush-Head Blind Bolts . . . . .	8-25
8.1.4 SWAGED COLLAR/UPSET-PIN FASTENERS . . . . .	8-65
8.1.4.1 Protruding-Head Swaged Collar Fastener Joints . . . . .	8-65
8.1.4.2 Flush-Head Swaged Collar Fastener Joints . . . . .	8-66
8.1.5. THREADED FASTENERS . . . . .	8-76
8.1.5.1 Protruding-Head Threaded Fastener Joints . . . . .	8-76
8.1.5.2 Flush-Head Threaded Fastener Joints . . . . .	8-77
8.1.6 SPECIAL FASTENERS . . . . .	8-83
8.1.6.1 Fastener Sleeves . . . . .	8-83
8.1.6.1.1 A-286 ACRES Sleeves in 7075-T6 Aluminum Alloy Sheet and Plate . . . . .	8-83
8.1.6.2 Sleeve Bolts . . . . .	8-83
8.1.7. Historical - Non-Confirmed Sunset Fastener Tables . . . . .	8-86
8.2 METALLURGICAL JOINTS . . . . .	8-99
8.2.1 INTRODUCTION AND DEFINITIONS . . . . .	8-99
8.2.2 WELDED JOINTS . . . . .	8-99
8.2.2.1 Fusion Welding—Arc and Gas . . . . .	8-100
8.2.2.2 Flash and Pressure Welding . . . . .	8-101

# MMPDS-12 TABLE OF CONTENTS

8.2.2.3 Spot and Seam Welding. . . . .	.8-101
8.2.2.3.1 Design Shear Strengths for Spot and Seam Welds in Uncoated Steels and Nickel and Cobalt Alloys . . . . .	.8-101
8.2.2.3.2 Design Shear Strengths for Spot and Seam Weldings in Aluminum Alloys . . . . .	.8-101
8.3 BEARINGS, PULLEYS, AND WIRE ROPE . . . . .	.8-121
REFERENCES -Chapter 8 . . . . .	.8-123

# MMPDS-12 TABLE OF CONTENTS

## MMPDS-12, Chapter 9

Chapter 9 - GUIDELINES FOR THE PRESENTATION OF DATA . . . . .	9-1
9.1 GENERAL INFORMATION . . . . .	9-1
9.1.1 INTRODUCTION . . . . .	9-1
9.1.2 CROSS INDEX . . . . .	9-1
9.1.3 APPLICABILITY . . . . .	9-1
9.1.4 APPROVAL PROCEDURES . . . . .	9-1
9.1.5 DOCUMENTATION REQUIREMENTS . . . . .	9-1
9.1.6 SUMMARY . . . . .	9-4
9.1.7 Data Basis . . . . .	9-6
9.1.7.1 Data Basis for Mechanical Properties (Chapters 2-7)— . . . . .	9-6
9.1.7.2 Data Basis for Mechanically Fastened Joint Allowables (Chapter 8) . . . . .	9-8
9.1.8 Rounding Procedures . . . . .	9-9
9.1.9 Applicable Analysis Methods . . . . .	9-9
9.2 MATERIAL, SPECIFICATION, TESTING, AND DATA REQUIREMENTS . . . . .	9-11
9.2.1 MATERIAL REQUIREMENTS . . . . .	9-11
9.2.2 SPECIFICATION REQUIREMENTS . . . . .	9-11
9.2.2.1 Requirements for Products Controlled by Material Specifications Not Listed in 9.2.2 . . . . .	9-11
9.2.3 Required Test Methods/Procedures . . . . .	9-12
9.2.3.1 Mechanical-Property Terms . . . . .	9-15
9.2.3.2 Testing Direction and Specimen Location . . . . .	9-15
9.2.3.3 Tension, Compression, Shear and Bearing . . . . .	9-17
9.2.3.4 Other Static Properties . . . . .	9-18
9.2.3.4.1 Modulus and Poisson's Ratio . . . . .	9-18
9.2.3.4.2 Physical Properties . . . . .	9-18
9.2.3.5 Required Test Methods to Determine Dynamic and Time Dependent Properties . . . . .	9-18
9.2.3.5.1 Fatigue . . . . .	9-18
9.2.3.5.2 Fatigue Crack Growth . . . . .	9-19
9.2.3.5.3 Fracture Toughness . . . . .	9-20
9.2.3.5.4 Creep and Creep Rupture . . . . .	9-24
9.2.3.6 Mechanically Fastened Joints . . . . .	9-24
9.2.3.7 Fusion-Welded Joints . . . . .	9-25
9.2.4 DATA REQUIREMENTS . . . . .	9-26
9.2.4.1 S-Basis Values . . . . .	9-26
9.2.4.2 A- and B-Basis Values . . . . .	9-27

# MMPDS-12 TABLE OF CONTENTS

9.2.4.3	Derived Property Values . . . . .	9-32
9.2.4.4	Other Static Properties . . . . .	9-33
9.2.4.4.1	Modulus of Elasticity . . . . .	9-33
9.2.4.4.2	Typical Stress-Strain Curves . . . . .	9-33
9.2.4.4.3	Elevated Temperature Curves . . . . .	9-34
9.2.4.4.4	Complex Exposure Curves . . . . .	9-35
9.2.4.5	Data Requirements for Determination of Dynamic and Time Dependent Properties. . . . .	9-37
9.2.4.5.1	Fatigue . . . . .	9-37
9.2.4.5.2	Fatigue Crack Growth. . . . .	9-39
9.2.4.5.3	Fracture Toughness . . . . .	9-40
9.2.4.5.4	Creep and Creep Rupture . . . . .	9-40
9.2.4.6	Mechanically Fastened Joints . . . . .	9-41
9.2.4.6.1	Introduction of a New Fastener System . . . . .	9-41
9.2.4.6.2	Sample Fasteners . . . . .	9-41
9.2.4.6.3	General Data Requirements. . . . .	9-42
9.2.4.6.3(a)	- Shear Strength of Fastener . . . . .	9-43
9.2.4.6.3(b)	- Tensile Properties of Sheet . . . . .	9-43
9.2.4.6.3(c)	- Tensile Strength of Fastener . . . . .	9-43
9.2.4.6.3(d)	- Assembled Joint Strength . . . . .	9-43
9.2.4.6.4	Confirmatory Data . . . . .	9-44
9.2.4.7	Fastener Strength Table Sunset Clause . . . . .	9-45
9.2.4.7.1	Sunset Confirmatory Data Sets . . . . .	9-45
9.2.4.7.2	Sunset Conformance Criteria . . . . .	9-47
9.2.4.7.3	Non-conforming Sunset Fastener Systems . . . . .	9-50
9.2.4.7.4	Replacement Tables for Non-conforming Sunset Fastener Systems. . . . .	9-50
9.2.4.8	Fusion-Welded Joints . . . . .	9-51
9.2.5	EXPERIMENTAL DESIGN . . . . .	9-51
9.2.5.1	Uniformity of Sample Size across Thickness Range . . . . .	9-51
9.2.5.2	Fatigue . . . . .	9-52
9.2.5.3	Creep-Ruptur . . . . .	9-58
9.2.5.4	Fusion-Welded Joints . . . . .	9-60
9.2.5.4.1	Basic Population Definition. . . . .	9-60
9.2.5.4.2	Subpopulation Definition . . . . .	9-60
9.2.5.3.3	Welding Procedure. . . . .	9-60
9.3	SUBMISSION OF DATA . . . . .	9-63
9.3.1	RECOMMENDED PROCEDURES . . . . .	9-63
9.3.2	COMPUTER SOFTWARE. . . . .	9-63

# MMPDS-12 TABLE OF CONTENTS

9.3.3	INTRODUCTORY SECTION . . . . .	9-63
9.3.4	GENERAL DATA FORMATS . . . . .	9-63
9.3.4.1	Data Format for the Computation of T99 and T90 Values . . . . .	9-64
9.3.4.2	Data Format for Derived Properties . . . . .	9-64
9.3.4.3	Data Format for the Construction of Typical Stress-Strain Curves. . . . .	9-68
9.3.4.4	Data Format for Fasteners . . . . .	9-68
9.3.4.5	Data Format for Other Properties . . . . .	9-69
9.4	SUBSTANTIATION OF PROPERTIES . . . . .	9-73
9.4.1	S-BASIS MINIMUM PROPERTIES . . . . .	9-73
9.4.2	VALIDATING DESIGN PROPERTIES FOR EXISTING MATERIALS (WHEN A CHANGE IN PROCESSING HAS OCCURRED) . . . . .	9-73
9.4.3	CONFIRMATION OF DESIGN PROPERTIES FOR LEGACY ALLOYS. . . . .	9-76
9.4.3.1	Initial Steps and Analysis . . . . .	9-76
9.4.3.2	Increase in Design Properties. . . . .	9-77
9.4.3.3	Decrease in Design Properties . . . . .	9-77
9.4.3.4	Derived Properties . . . . .	9-77
9.5	ANALYSIS PROCEDURES FOR STATISTICALLY COMPUTED MINIMUM STATIC PROPERTIES . . . . .	9-83
9.5.1	SPECIFYING THE POPULATION . . . . .	9-83
9.5.1.1	Deciding Between Direct and Indirect Computation . . . . .	9-83
9.5.1.2	Testing for Regression Effects and Homogeneity . . . . .	9-86
9.5.1.3	Data Transformation. . . . .	9-90
9.5.1.3.1	Use of Transformed Data with Backoff . . . . .	9-90
9.5.1.3.2	Correcting for Bias . . . . .	9-90
9.5.1.3.3	Transformation of Variables in a Regression Analysis . . . . .	9-92
9.5.2	REGRESSION ANALYSIS . . . . .	9-98
9.5.2.1	Linear Regression . . . . .	9-98
9.5.2.2	Quadratic Regression . . . . .	9-100
9.5.2.3	Tests for Adequacy of a Regression . . . . .	9-103
9.5.3	Combinability of Data . . . . .	9-108
9.5.3.1	The k-Sample Anderson-Darling Test . . . . .	9-108
9.5.3.2	The F Test . . . . .	9-110
9.5.3.3	The t Test . . . . .	9-111
9.5.4	Determining the Form of Distribution . . . . .	9-113
9.5.4.1	“Anderson-Darling” Test for Normality . . . . .	9-113
9.5.4.2	Normal Probability Plot . . . . .	9-114

# MMPDS-12 TABLE OF CONTENTS

9.5.4.3 Three-Parameter Weibull Acceptability Test . . . . .	9-114
9.5.4.4 Modified Anderson-Darling Test for Pearsonality . . . . .	9-116
9.5.4.5 The Pearson Backoff Option . . . . .	9-117
9.5.4.6 Pearson Probability Plot . . . . .	9-117
9.5.4.7 Modified “Anderson-Darling” Test for Weibullness . . . . .	9-120
9.5.4.7.1 Estimating the Threshold Parameter . . . . .	9-120
9.5.4.7.2 Estimating the Shape and Scale Parameters . . . . .	9-121
9.5.4.7.3 Calculating the Anderson-Darling Statistic . . . . .	9-122
9.5.4.8 The Weibull Backoff Option . . . . .	9-122
9.5.4.9 Weibull Probability Plots . . . . .	9-123
9.5.4.10 Detection of Lower-Tail Truncation . . . . .	9-125
9.5.4.10.1 Effect of Sample Size and Percent Truncation on Power of the Test . . . . .	9-127
9.5.5 DIRECT COMPUTATION WITHOUT REGRESSION . . . . .	9-127
9.5.5.1 Sequential Pearson Procedure . . . . .	9-132
9.5.5.2. Sequential Weibull Procedure . . . . .	9-133
9.5.5.3 Nonparametric Procedure . . . . .	9-134
9.5.5.4 Censored Normal Procedure . . . . .	9-135
9.5.6 DIRECT COMPUTATION BY REGRESSION ANALYSIS . . . . .	9-136
9.5.6.1 Performing the Regression . . . . .	9-136
9.5.7 INDIRECT COMPUTATION WITHOUT REGRESSION (REDUCED RATIOS/DERIVED PROPERTIES) . . . . .	9-137
9.5.7.1 Treatment of Grain Direction . . . . .	9-138
9.5.7.2 Treatment of Test Specimen Location . . . . .	9-139
9.5.7.3 Treatment of Clad Aluminum Alloy Plate . . . . .	9-139
9.5.7.4 Computational Procedure . . . . .	9-140
9.5.8 INDIRECT COMPUTATION USING REGRESSION . . . . .	9-141
9.5.9 Handling of Derived Property Test Results Below Estimated Design Allowable . . . . .	9-142
9.5.10 INDIRECT COMPUTATION OF EDGEWISE BEARING REDUCTIONS . . . . .	9-144
9.6 ANALYSIS PROCEDURES FOR DYNAMIC AND TIME DEPENDENT PROPERTIES . . . . .	9-145
9.6.1 LOAD AND STRAIN CONTROL FATIGUE DATA . . . . .	9-145
9.6.1.1 Data Collection and Interpretation . . . . .	9-148
9.6.1.2 Analysis of Data . . . . .	9-149
9.6.1.3 Fatigue Life Models . . . . .	9-150
9.6.1.4 Evaluation of Mean Stress and Strain Effects— . . . . .	9-152
9.6.1.5 Estimation of Fatigue-Life Model Parameters . . . . .	9-153
9.6.1.6 Treatment of Outliers . . . . .	9-158
9.6.1.7 Assessment of the Fatigue Life Model . . . . .	9-160
9.6.1.8 Data Set Combination . . . . .	9-162

# MMPDS-12 TABLE OF CONTENTS

9.6.1.9 Treatment of Runouts . . . . .	9-163
9.6.1.10 Recognition of Time Dependent Effects . . . . .	9-164
9.6.1.11 Estimation of Lower Tolerance Bounds for Fatigue Data . . . . .	9-164
9.6.2 FATIGUE CRACK GROWTH DATA . . . . .	9-170
9.6.2.1 Data Collection and Interpretation . . . . .	9-171
9.6.3 FRACTURE TOUGHNESS DATA. . . . .	9-173
9.6.3.1 Plane-Strain Fracture Toughness Data . . . . .	9-173
9.6.3.1.1 Data Collection and Interpretation . . . . .	9-173
9.6.3.2 Plane Stress and Transitional Fracture Toughness . . . . .	9-174
9.6.3.2.1 Data Collection and Interpretation . . . . .	9-174
9.6.3.2.2 Analysis of Data. . . . .	9-175
9.6.3.3 Crack Resistance (R-Curve) . . . . .	9-175
9.6.3.3.1 Data Collection and Interpretation . . . . .	9-175
9.6.4 CREEP AND CREEP-RUPTURE DATA . . . . .	9-181
9.6.4.1 Data Collection and Interpretation . . . . .	9-181
9.6.4.2 Analysis of Data . . . . .	9-183
9.7 ANALYSIS PROCEDURES FOR STRUCTURAL JOINT PROPERTIES . . . . .	9-187
9.7.1 MECHANICALLY FASTENED JOINTS . . . . .	9-187
9.7.1.1 Definitions . . . . .	9-188
9.7.1.2 Yield Load Determination. . . . .	9-189
9.7.1.3 Shear Strength of Fastener . . . . .	9-194
9.7.1.4 Sheet Critical and Transition Critical Strengths . . . . .	9-197
9.7.1.5 Calculation of Allowable Loads. . . . .	9-215
9.7.2 FUSION-WELDED JOINT DATA . . . . .	9-216
9.7.2.1 Data Collection and Interpretation . . . . .	9-217
9.7.2.1.1 Base Materials . . . . .	9-217
9.7.2.1.2 Welding Process Variables . . . . .	9-217
9.7.2.1.3 Weld Character . . . . .	9-218
9.7.2.2 Data Analysis . . . . .	9-219
9.8 EXAMPLES OF DATA ANALYSIS AND DATA PRESENTATION FOR STATIC PROPERTIES . . . . .	9-221
9.8.1 DIRECT ANALYSES OF MECHANICAL PROPERTIES . . . . .	9-221
9.8.2 INDIRECT ANALYSES OF MECHANICAL PROPERTIES . . . . .	9-237
9.8.3 TABULAR DATA PRESENTATION. . . . .	9-241
9.8.3.1 Mechanical Properties . . . . .	9-241
9.8.3.2 Modulus of Elasticity and Poisson's Ratio . . . . .	9-247
9.8.3.3 Physical Properties . . . . .	9-247
9.8.4 ROOM TEMPERATURE GRAPHICAL MECHANICAL PROPERTY DATA . . . . .	9-248
9.8.4.1 Typical Stress-Strain . . . . .	9-248

# MMPDS-12 TABLE OF CONTENTS

9.8.4.1.1 Strain Departure Method . . . . .	9-249
9.8.4.1.2 Ramberg-Osgood Method . . . . .	9-252
9.8.4.1.3 Bron Model (Extension of the Ramberg-Osgood Method) . . . . .	9-255
9.8.4.1.4 Relevance Criterion for the Bron Model . . . . .	9-258
9.8.4.2 Compression-Tangent- Modulus Curves . . . . .	9-259
9.8.4.2.1 Column Buckling Analyses . . . . .	9-262
9.8.4.2.2 Column Buckling Footnotes for Tangent Modulus Curves . . . . .	9-264
9.8.4.3 Full Range Tensile Stress-Strain Curves . . . . .	9-264
9.8.4.4 Minimum Stress-Strain and Stress Tangent-Modulus Curves . . . . .	9-270
9.8.4.5 Biaxial Stress-Strain Behavior . . . . .	9-270
9.8.4.6 Mathematical Representation of Stress-Strain Curves . . . . .	9-270
9.8.4.6.1 Proportional Limit Stress in Tension and Compression . . . . .	9-272
9.8.4.6.2 Compression Tangent Modulus Curves . . . . .	9-272
9.8.5 ELEVATED TEMPERATURE GRAPHICAL MECHANICAL PROPERTIES . . . . .	9-273
9.8.5.1 Strength Properties . . . . .	9-273
9.8.5.1.1 Determination of Working Curves . . . . .	9-273
9.8.5.1.2 Preparation of Finished Curves . . . . .	9-284
9.8.5.2 Elongation and Reduction of Area . . . . .	9-284
9.8.5.3 Modulus of Elasticity . . . . .	9-284
9.8.5.4 Physical Properties . . . . .	9-285
9.8.5.5 Effect of Thermal Exposure on Room Temperature Strength . . . . .	9-287
9.8.5.6 Effect of Thermal Exposure on Elevated Temperature Strength . . . . .	9-288
9.8.5.7 Simple Exposure . . . . .	9-288
9.8.5.8 Complex Exposure . . . . .	9-290
9.9 EXAMPLES OF DATA FOR DYNAMIC AND TIME DEPENDANT PROPERTIES . . . . .	9-293
9.9.1 FATIGUE . . . . .	9-293
9.9.1.1 Load Control . . . . .	9-300
9.9.1.2 Strain Control . . . . .	9-307
9.9.2 FATIGUE CRACK GROWTH . . . . .	9-310
9.9.3 FRACTURE TOUGHNESS . . . . .	9-316
9.9.3.1 Plane Strain . . . . .	9-316
9.9.3.2 Plane Stress . . . . .	9-316
9.9.4 CREEP AND CREEP RUPTURE . . . . .	9-317
9.9.4.1 Creep-Rupture Example Problem . . . . .	9-318
9.9.5 Mechanically Fastened Joints . . . . .	9-324
9.9.5.1 Example Analysis Problem for Three Diameter Blind Fastener Dataset . . . . .	9-330
9.9.6 Fusion-Welded Joints . . . . .	9-367
9.9.6.1 Additional Information . . . . .	9-367

# MMPDS-12 TABLE OF CONTENTS

9.9.6.2 Room-Temperature Properties . . . . .	9-367
9.9.6.3 Data on Effect of Temperature . . . . .	9-368
9.9.6.4 Use of Design Data . . . . .	9-369
9.10 STATISTICAL TABLES . . . . .	9-371
REFERENCES - Chapter 9 . . . . .	9-395
APPENDICES . . . . .	A-1
APPENDIX A - Glossary . . . . .	A-1
A.1 Abbreviations . . . . .	A-1
A.2 Symbols . . . . .	A-6
A.3 Definitions . . . . .	A-6
A.4 Conversion of US Units of Measure Used in MMPDS to SI Units . . . . .	A-17
APPENDIX B - Alloy Index . . . . .	B-1
APPENDIX C - Specification Index . . . . .	C-1
C.1 Cross Reference of Canceled MIL Specifications . . . . .	C-14
APPENDIX D - Testing Standards . . . . .	D-1
APPENDIX E - Subject Index . . . . .	E-1