

BS 6262-7:2017



BSI Standards Publication

Glazing for buildings – Part 7: Code of practice for the provision of information

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2017

Published by BSI Standards Limited 2017

ISBN 978 0 580 96188 5

ICS 81.040.20

The following BSI references relate to the work on this document:

Committee reference B/520

Draft for comment 17/30350487 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	ii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
<i>Figure 1 — Definition of size</i>	2
4 Information	2
<i>Figure 2 — Information stages and workflow</i>	4
Annex A (informative) Harmonized European Standards (hENs)	8
Bibliography	11

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 12, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 6262 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 December 2017. It was prepared by Technical Committee B/520, *Glass and glazing in buildings*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This part of BS 6262 supersedes BS 6262-7:2005, which is withdrawn.

Information about this document

BS 6262 consists of the following parts:

- *Part 1: General methodology for the selection of glazing;*
- *Part 2: Code of practice for energy, light and sound;*
- *Part 3: Code of practice for fire, security and wind loading;*
- *Part 4: Code of practice for safety related to human impact;*
- *Part 5: Code of practice for frame design considerations;*
- *Part 6: Code of practice for special applications; and*
- *Part 7: Code of practice for the provision of information.*

Recommendations for standards of workmanship for glazing have been published separately in BS 8000-7 and therefore this subject is not dealt with in this standard.

Since the correct selection of materials to be used in glazing for buildings depends on many factors, the recommendations in this part of BS 6262 should be used in conjunction with those in the other parts.

Use of this document

As a code of practice, this part of BS 6262 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this part of BS 6262 is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is “should”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

The word “should” is used to express recommendations of this standard. The word “may” is used in the text to express permissibility, e.g. as an alternative to the primary recommendation of the clause. The word “can” is used to express possibility, e.g. a consequence of an action or an event.

Notes and commentaries are provided throughout the text of this standard. Notes give references and additional information that are important but do not form part of the recommendations. Commentaries give background information.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Particular attention is drawn to the following specific regulations:

- the Building Regulations 2010 [1];
- the Building (Amendment) (Wales) Regulations 2014 [2];
- the Building (Scotland) Regulations 2004 [3];
- the Building Regulations (Northern Ireland) 2012 [4];
- the Building Regulations (Isle of Man) Order 2003 [5];
- the Building Bye-laws (Jersey) 2017 [6]; and
- the Building (Guernsey) Regulations 2012 [7].

1 Scope

This part of BS 6262 gives recommendations for the provision of information required to ensure a successful glazing installation.

These recommendations do not apply to:

- a) glazing for furniture and fittings (see BS EN 12521 and BS EN 14749);
 - b) glazing for commercial greenhouses (see BS EN 13031-1); and
 - c) glazing for domestic greenhouses.
-

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Other publications

[N1] ROYAL INSTITUTE OF CHARTERED SURVEYORS. *NRM: New rules of measurement – Detailed measurement for building works*. London: RICS, 2012.

3 Terms and definitions

For the purposes of this part of BS 6262, the following terms and definitions apply.

3.1 glazing (noun)

glass or plastics glazing sheet material for installation into a building

3.2 glazing (verb)

action of installing glass, or plastics glazing sheet materials, into a building

3.3 pane

single piece of glass, or plastics glazing sheet material, in its finished size ready for glazing

3.4 plastics glazing sheet material

plastics material in the form of a single sheet, or a combination of sheets laminated together, or an extruded multi-wall sheet

3.5 sight size

dimensions of the opening which, when glazed with a transparent or translucent material, admits light

NOTE See [Figure 1](#).

3.6 tight size

dimensions of the rebated opening

NOTE 1 This term is also referred to as the rebated size.

NOTE 2 See [Figure 1](#).