

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Optical fibres –**

**Part 1-49: Measurement methods and test procedures – Differential mode delay**

**Fibres optiques –**

**Partie 1-49: Méthodes de mesure et procédures d'essai – Retard différentiel de mode**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2018 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### **IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### **Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Optical fibres –**

**Part 1-49: Measurement methods and test procedures – Differential mode delay**

**Fibres optiques –**

**Partie 1-49: Méthodes de mesure et procédures d'essai – Retard différentiel de mode**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 33.180.10

ISBN 978-2-8322-5954-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 Apparatus.....	8
4.1 Overview.....	8
4.2 Optical source.....	9
4.3 Probe fibre.....	10
4.4 Scanning stage.....	10
4.5 Probe to test sample coupling.....	10
4.6 Cladding mode stripper.....	10
4.7 Detection system.....	10
4.8 Sampler and digitizer.....	11
4.9 Computational equipment.....	11
4.10 System performance.....	11
4.10.1 General.....	11
4.10.2 Pulse temporal stability.....	12
4.10.3 System stability frequency limit ( <i>SSFL</i> ).....	12
5 Sampling and specimens.....	13
5.1 Test sample.....	13
5.2 Specimen end-faces.....	13
5.3 Specimen length.....	13
5.4 Specimen deployment.....	13
5.5 Specimen positioning.....	13
6 Procedure.....	13
6.1 Fibre coupling and system setup.....	13
6.2 Determination of centre.....	14
6.3 Measurement of the test sample.....	14
6.3.1 Selection of radii and quadrant.....	14
6.3.2 Collection of scan data.....	14
6.4 Determination of $\Delta T_{\text{PULSE}}$ and $\Delta T_{\text{REF}}$ .....	14
6.5 Reference test method.....	14
7 Calculations and interpretation of results.....	15
7.1 General.....	15
7.2 Differential mode delay ( <i>DMD</i> ).....	15
7.2.1 General.....	15
7.2.2 Deconvolution.....	15
7.2.3 Pulse folding.....	15
7.2.4 Determination of <i>DMD</i> .....	16
7.3 Minimum calculated effective modal bandwidth.....	17
7.3.1 General.....	17
7.3.2 Time domain pulse computation.....	17
7.3.3 Calculate the transfer function.....	18
7.3.4 Compute the power spectrum.....	18
7.3.5 Compute $EMB_C$ and $minEMB_C$ .....	18
7.4 Length normalization.....	18

8	Documentation .....	18
8.1	Information to be reported.....	18
8.2	Information available upon request .....	19
9	Specification information .....	19
	Annex A (normative) Source spectral width limitation.....	20
A.1	Limiting the effect of chromatic dispersion (CD) on the value of <i>DMD</i> .....	20
A.1.1	General .....	20
A.1.2	Limit CD contribution to <i>DMD</i> to be measured .....	20
A.1.3	Limit CD contribution to reference width .....	20
A.1.4	Adjust $\Delta T_{REF}$ to account for CD contribution.....	21
A.1.5	High-performance <i>DMD</i> fibres and spectral requirements .....	21
A.2	Chromatic dispersion in multimode fibres.....	22
	Annex B (informative) Determination of fibre optical centre .....	23
B.1	General.....	23
B.2	Method .....	23
	Annex C (normative) Detection system modal measurement.....	26
C.1	General.....	26
C.2	Determination of coupling function .....	26
C.2.1	Overview .....	26
C.2.2	Fibre sample and coupling.....	26
C.2.3	Detector response .....	26
C.2.4	Reference response .....	27
C.2.5	Coupling function determination.....	28
	Annex D (informative) Discussion of measurement details .....	29
D.1	<i>DMD</i> .....	29
D.2	<i>EMB<sub>C</sub></i> calculation.....	30
	Annex E (informative) Determining <i>DMD</i> weightings for <i>EMB<sub>C</sub></i> calculation.....	33
E.1	Selecting a set of weightings.....	33
E.2	Procedure for generating <i>DMD</i> weightings given encircled flux data.....	33
	Annex F (informative) <i>EMB<sub>C</sub></i> calculation information .....	35
F.1	Default <i>DMD</i> weightings for transmitters conforming to IEC 60793-2-10.....	35
F.2	Example method to determine if an adjusted bandwidth (BW) metric is adequate.....	36
	Bibliography.....	38
	Figure 1 – Example apparatus .....	9
	Figure B.1 – Typical area data from centring waveforms .....	24
	Figure D.1 – Idealized <i>DMD</i> data .....	29
	Table A.1 – Worst-case chromatic dispersion.....	22
	Table C.1 – Theoretical normalized coupling efficiency .....	27
	Table F.1 – <i>DMD</i> weightings .....	35
	Table F.2 – <i>DMD</i> weightings .....	36

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## OPTICAL FIBRES –

### Part 1-49: Measurement methods and test procedures – Differential mode delay

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-1-49 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) better alignment with original intent by filling some omissions and therefore improving measurement rigor;

- b) the measurement of fibres with smaller differential mode delay (and higher modal bandwidth) such as type A1a.3 fibres of IEC 60793-2-10 [1]<sup>1</sup> that are used in constructing OM4 performance category cables; new requirements on specifying detector amplitude and temporal response, specimen deployment conditions, four-quadrant scanning, and uniformity of radial locations for calculating bandwidth.

The text of this International Standard is based on the following documents:

CDV	Report on voting
86A/1812/CDV	86A/1860/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be used in conjunction with IEC 60793-1-1:2017.

A list of all parts in the IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

---

<sup>1</sup> Numbers in square brackets refer to the Bibliography.

## OPTICAL FIBRES –

### Part 1-49: Measurement methods and test procedures – Differential mode delay

#### 1 Scope

This part of IEC 60793 applies only to multimode, graded-index glass-core (category A1) fibres. The test method is commonly used in production and research facilities, but is not easily accomplished in the field.

This document describes a method for characterizing the modal structure of a graded-index multimode fibre. This information is useful for assessing the bandwidth performance of a fibre especially when the fibre is intended to support a range of launch conditions, for example, those produced by standardized laser transmitters.

With this method, the output from a probe fibre that is single-moded at the test wavelength excites the multimode fibre under test. The probe spot is scanned across the end-face of the fibre under test at specified radial positions, and a set of response pulses are acquired at these positions.

Three specifiable parameters can be derived from the collected set of data.

- The first parameter, differential modal delay (*DMD*), is the difference in optical pulse delay time between the fastest and slowest mode groups of the fibre under test. *DMD* specifications place limits on modal delay over a specified range of probe fibre radial offset positions. *DMD* specifications are determined by modeling and experimentation to correspond to a minimum effective modal bandwidth (*EMB*) for the expected range of transmitters used in a link at a given performance level.
- The second specifiable parameter is derived by combining the pulses using sets of specific radial weights to determine an approximation of a set of pulses from typical transmitters. Using Fourier transforms, the calculated effective modal bandwidth (*EMB<sub>C</sub>*) is determined for each weight set. The minimum of these *EMB<sub>C</sub>* values (*minEMB<sub>C</sub>*) is the specifiable parameter.
- The third specifiable parameter, the computed overfilled launch bandwidth, *OMB<sub>C</sub>*, is determined in a manner similar to *EMB<sub>C</sub>*, but by applying just one weight set to the set of pulses; this weight set corresponds to the overfilling condition, where all mode groups are equally excited.

The test's intent is to quantify the effects of interactions of the fibre modal structure and the source modal characteristics excluding the source's spectral interaction with fibre chromatic dispersion. Adding the effects of fibre chromatic dispersion and the source spectral characteristics will reduce the overall transmission bandwidth, but this is a separate calculation in most transmission models. In this test, the contribution of chromatic dispersion is controlled by limiting the spectral width of usable test sources. Practical test sources will have non-zero spectral width and will thus slightly distort the *DMD*, *minEMB<sub>C</sub>* and *OMB<sub>C</sub>* values. These chromatic dispersion effects are considered in Annex A.

NOTE Comparison between IEC 60793-1-49 and ITU recommendations: ITU-T Recommendation G.650.1 [2] contains no information on how to measure the *DMD* of a graded-index multimode fibre.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition