

**CGA S-11—2018**  
(Formerly TB-23)

**STANDARD FOR INSPECTION  
AND CORRECT INSTALLATION  
OF INTERNAL RELIEF DEVICE  
ELBOWS IN TUBES**

**FIRST EDITION**

**CGA**  
Compressed Gas Association

*The Standard For Safety Since 1913*

**PLEASE NOTE:**

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, [www.cganet.com](http://www.cganet.com).

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at [www.cganet.com](http://www.cganet.com). For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: [customerservice@cganet.com](mailto:customerservice@cganet.com).

Work Item 17-031  
Cylinder Valve Committee

---

NOTE—Technical changes from TB-23—2005 (Reaffirmed 2012) are underlined.

FIRST EDITION: 2018

© 2018 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 14501 George Carter Way, Suite 103, Chantilly VA 20151. You may not alter or remove any trademark, copyright or other notice from this work.

<b>Contents</b>	<b>Page</b>
1 Scope .....	1
2 Definitions.....	1
3 Inspection of relief devices at time of requalification .....	1
4 Installation procedure .....	1
5 Final inspection .....	3
6 Reference.....	3

## **Figures**

Figure 1—Typical front PRD body .....	2
Figure 2—Typical front PRD body installed .....	2
Figure 3—Typical installation of lock nut on elbow .....	2
Figure 4—Typical installation of elbow into PRD body .....	2
Figure 5—Typical alignment of elbow for installation of vent tube assembly.....	2
Figure 6—Sequence of vent tube installation and securing of lock nut .....	2
Figure 7—Properly installed elbow using gap gauge for inspection of engagement .....	3
Figure 8—Improperly installed elbow depicting inadequate engagement.....	3