

ASME PCC-2-2018
(Revision of ASME PCC-2-2015)

Repair of Pressure Equipment and Piping

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME PCC-2-2018
(Revision of ASME PCC-2-2015)

Repair of Pressure Equipment and Piping

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: December 31, 2018

The next edition of this Standard is scheduled for publication in 2022.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME PCC Committees may be published as Cases. Cases and interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2018 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		xv
Committee Roster		xvi
Correspondence With the PCC Committee		xviii
Summary of Changes		xx
Part 1	Scope, Organization, and Intent	1
Article 101	Introduction	1
101-1	Scope	1
101-2	Organization	1
101-3	Intent	1
Part 2	Welded Repairs	3
Article 201	Butt-Welded Insert Plates in Pressure Components	3
201-1	Description	3
201-2	Limitations	3
201-3	Design	4
201-4	Fabrication	6
201-5	Examination of Welds	8
201-6	Pressure Testing	8
Article 202	External Weld Buildup to Repair Internal Thinning	10
202-1	Description	10
202-2	Limitations	10
202-3	Design	10
202-4	Fabrication	13
202-5	Examination	14
202-6	Testing	15
202-7	References	15
Article 203	Seal-Welded Threaded Connections and Seal Weld Repairs	16
203-1	Description	16
203-2	Limitations	16
203-3	Design	17
203-4	Fabrication	17
203-5	Examination	17
203-6	Testing	17
203-7	References	18
Article 204	Welded Leak Box Repair	19
204-1	Description	19
204-2	Limitations	19
204-3	Design	19
204-4	Fabrication	21

204-5	Examination	22
204-6	Testing	22
Article 205	Weld Ring Gaskets (Welded Lip Seals)	23
205-1	Description	23
205-2	Limitations	23
205-3	Design	23
205-4	Fabrication	24
205-5	NDE Examinations	27
205-6	Testing	27
205-7	References	27
Article 206	Full Encirclement Steel Reinforcing Sleeves for Piping	28
206-1	Description	28
206-2	Cautions and Limitations	28
206-3	Design	29
206-4	Fabrication	31
206-6	Testing	33
206-7	References	33
Article 207	Fillet Welded Patches With Reinforcing Plug Welds	35
207-1	Description	35
207-2	Limitations	35
207-3	Design	35
207-4	Fabrication	39
207-5	Examination	40
207-6	Testing	40
207-7	References	40
Article 208	Alternatives to Traditional Welding Preheat	41
208-1	Description	41
208-2	Limitations	41
208-3	Design	41
208-4	Fabrication	43
208-5	Examination	44
208-6	Testing	44
208-7	References	44
Article 209	Alternatives to Postweld Heat Treatment	47
209-1	Description	47
209-2	Limitations	47
209-3	Design	48
209-4	Fabrication	48
209-5	Examination	48
209-6	Testing	48
209-7	References	49
Article 210	In-Service Welding Onto Carbon Steel Pressure Components or Pipelines	50
210-1	Description	50
210-2	Limitations	51

210-3	Design	51
210-4	Fabrication	52
210-5	Examination	56
210-6	Testing	56
210-7	References	58
Mandatory Appendix 210-I	In-Service Welding Procedure/Welder Performance Qualification Setup	60
Article 211	Weld Buildup, Weld Overlay, and Clad Restoration	62
211-1	Description	62
211-2	Limitations	62
211-3	Design	62
211-4	Fabrication	63
211-5	Examination	65
211-6	Testing	65
211-7	References	67
Article 212	Fillet Welded Patches	68
212-1	Description	68
212-2	Limitations	68
212-3	Design	68
212-4	Fabrication	71
212-5	Examination	72
212-6	Testing	72
212-7	References	72
Article 213	Threaded or Welded Plug Repairs	74
213-1	Description	74
213-2	Limitations	74
213-3	Design	74
213-4	Fabrication	74
213-5	Examination	75
213-6	Testing	75
213-7	References	75
Article 214	Field Heat Treating of Vessels	77
214-1	Description	77
214-2	Limitations	77
214-3	Design	77
214-4	Fabrication	80
214-5	Examination	81
214-6	Testing	81
214-7	References	81
Mandatory Appendix 214-I	Developing a Heat Treatment Procedure	82
Mandatory Appendix 214-II	Typical Hot Box Design	83
Article 215	Repair Welding Considerations for Cr-Mo Steel Pressure Vessels	85
215-1	Description	85
215-2	Limitations	85
215-3	Design	85

215-4	Fabrication	86
215-5	Examination	86
215-6	Pressure Testing	87
215-7	References	87
Article 216	Welded Hot Taps in Pressure Equipment or Pipelines	96
216-1	Description	96
216-2	Limitations	97
216-3	Design	98
216-4	Fabrication	102
216-5	Examination	103
216-6	Pressure Testing	104
216-7	References	105
Nonmandatory Appendix 216-A	Glossary of Acronyms	107
Part 3	Mechanical Repairs	108
Article 301	Replacement of Pressure Components	108
301-1	Description	108
301-2	Limitations	108
301-3	Design	108
301-4	Fabrication	108
301-5	Examination	109
301-6	Testing	109
301-7	References	109
Article 302	Freeze Plugs	110
302-1	Description	110
302-2	Limitations	110
302-3	Design	111
302-4	Fabrication	112
302-5	Examination	114
302-6	Testing	115
Article 303	Damaged Threads in Tapped Holes	116
303-1	Description	116
303-2	Limitations	116
303-3	Design	117
303-4	Fabrication	117
303-5	Examination	118
303-6	Testing	118
303-7	References	118
Mandatory Appendix 303-I	Recommended Detail for Stud Threads Modification to Prevent Damage to Threads in Tapped Holes	119
Mandatory Appendix 303-II	An Illustrative Example Showing an Engineering Analysis Associated With Enlarging a Tapped Hole	122
303-II-1	Example 1	122
303-II-2	Example 2	124
Article 304	Flaw Excavation and Weld Repair	126
304-1	Description	126
304-2	Limitations	126

304-3	Design	127
304-4	Fabrication	128
304-5	Examination	129
304-6	Testing	129
304-7	References	129
Mandatory Appendix 304-I	Metal Removal Process	130
304-I-1	Flapping	130
304-I-2	Grinding	130
304-I-3	Honing	130
304-I-4	Lapping	130
304-I-5	Machining	130
304-I-6	Thermal Gouging	131
304-I-7	Boat Sample Cutting	131
Article 305	Flange Repair and Conversion	133
305-1	Description	133
305-2	Limitations	133
305-3	Design	133
305-4	Fabrication	134
305-5	Examination	135
305-6	Testing	135
305-7	References	135
Article 306	Mechanical Clamp Repair	136
306-1	Description	136
306-2	Limitations	136
306-3	Design	137
306-4	Fabrication	139
306-5	Examination	139
306-6	Testing	139
306-7	References	139
Article 307	Pipe Straightening or Alignment Bending	140
307-1	Description	140
307-2	Limitations	140
307-3	Design	140
307-4	Fabrication	141
307-5	Examination	141
307-6	Testing	142
307-7	Reference	142
Article 308	Damaged Anchors in Concrete (Postinstalled Mechanical Anchors)	143
308-1	Description	143
308-2	Limitations	144
308-3	Design	144
308-4	Fabrication	145
308-5	Examination	149
308-6	Testing	149
308-7	References	149

Mandatory Appendix 308-I	Anchors Installation Using Chemical Means (Adhesive)	151
308-I-1	Adhesive Anchors	151
Article 309	Valves With Pressure Seal-Type Bonnets	152
Article 310	Hot Bolting	153
Article 311	Hot and Half Bolting Removal Procedures	154
311-1	Description	154
311-2	Limitations	154
311-3	Design	155
311-4	Fabrication	156
311-5	Examination	157
311-6	Testing	157
311-7	References	157
Article 312	Inspection and Repair of Shell and Tube Heat Exchangers	158
312-1	Description	158
312-2	Limitations	158
312-3	Design	158
312-4	Fabrication	160
312-5	Examination	164
312-6	Testing	165
312-7	References	165
Mandatory Appendix 312-I	Methods for Determining Minimum Number of Tubes to Inspect .	166
312-I-1	Introduction	166
Mandatory Appendix 312-II	Examination of Pressure Containment Components	169
312-II-1	Examination	169
312-II-2	Inspection	169
312-II-3	Suitability	169
Article 313	Crimping of Metallic Pipe	170
313-1	Description	170
313-2	Limitations	170
313-3	Design	170
313-4	Fabrication	171
313-5	Examination	172
313-6	Testing	174
313-7	References	174
Part 4	Nonmetallic and Bonded Repairs	175
Article 401	Nonmetallic Composite Repair Systems: High-Risk Applications . .	175
401-1	Description	175
401-2	Limitations	176
401-3	Design	176
401-4	Fabrication (Installation)	185
401-5	Examination	187
401-6	System Pressure Testing	189
401-7	References	189
Mandatory Appendix 401-I	Design Data Sheet	192
Mandatory Appendix 401-II	Qualification Data for the Repair System	195

401-II-1	Introduction	195
401-II-2	Data for Repair Laminate	195
401-II-3	Data for Repair/Substrate Interface	195
401-II-4	Additional Requirements for Structural Repairs to Nonleaking Components (Type A Design Case)	196
401-II-5	Additional Requirements for Leaking Components (Type B Design Case)	196
401-II-6	Performance Testing (Optional Qualification Tests)	196
Mandatory Appendix 401-III	Short-Term Pipe Spool Survival Test	197
401-III-1	Introduction	197
401-III-2	Method	197
401-III-3	Report	197
Mandatory Appendix 401-IV	Measurement of γ for Leaking Defect Calculation	199
401-IV-4	Report	200
Mandatory Appendix 401-V	Measurement of Performance Test Data	201
401-V-1	Introduction	201
401-V-2	Methods	201
401-V-3	Report	202
Mandatory Appendix 401-VI	Measurement of Impact Performance	203
401-VI-1	Introduction	203
401-VI-2	Methods	203
401-VI-3	Report	203
Mandatory Appendix 401-VII	Installer Qualification	204
401-VII-1	Introduction	204
401-VII-2	Training	204
401-VII-3	Training Records	204
401-VII-4	Requalification	205
Mandatory Appendix 401-VIII	Installation	206
401-VIII-1	Introduction	206
401-VIII-2	Surface Preparation	206
401-VIII-3	Laminate Lay-Up	206
401-VIII-4	Cure	206
401-VIII-5	Documentation	206
Nonmandatory Appendix 401-A	Glossary of Terms and Acronyms	208
401-A-1	Glossary of Terms	208
401-A-2	Glossary of Acronyms	209
Nonmandatory Appendix 401-B	Recommended Retesting for a Modified Qualified Repair System .	210
401-B-1	General	210
401-B-2	Modified Repair System	210
401-B-3	Engineering Judgment	210
Article 402	Nonmetallic Composite Repair Systems: Low-Risk Applications . .	213
402-1	Description	213
402-2	Limitations	214
402-3	Design	214
402-4	Fabrication (Installation)	216
402-5	Examination	217

402-6	System Pressure Testing	217
402-7	References	217
Mandatory Appendix 402-I	Repair Data Sheet	221
Mandatory Appendix 402-II	Qualification Data for Repair System	223
402-II-1	Introduction	223
402-II-2	Data for Repair Laminate	223
402-II-3	Data for Composite/Substrate Interface	223
402-II-4	Additional Requirements for Leaking Substrates	223
Mandatory Appendix 402-III	Validation for Repair of Leaking Component	224
402-III-1	Introduction	224
402-III-2	Method	224
402-III-3	Report	224
Mandatory Appendix 402-IV	Installer Qualification	225
402-IV-1	Introduction	225
402-IV-2	Training	225
402-IV-3	Training Records	225
402-IV-4	Qualification Period	225
Mandatory Appendix 402-V	Installation	226
402-V-1	Introduction	226
402-V-2	Surface Preparation	226
402-V-3	Laminate Lay-Up	226
402-V-4	Cure	226
402-V-5	Documentation	226
Nonmandatory Appendix 402-A	Glossary of Terms and Acronyms	227
402-A-1	Glossary of Terms	227
402-A-2	Glossary of Acronyms	227
Article 403	Nonmetallic Internal Lining for Pipe: Sprayed Form for Buried Pipe	229
403-1	Description	229
403-2	Cautions and Limitations	229
403-3	Design	230
403-4	Fabrication (Installation)	232
403-5	Examination	233
403-6	Testing	234
403-7	References	234
Mandatory Appendix 403-I	Design Considerations for Buried Pipe	237
403-I-1	Wall Thickness of CIPP	237
403-I-2	Design Equations	237
403-I-3	Applied Loads Design	238
Mandatory Appendix 403-II	Inspection/Examination and Corrective Action Requirements for CIPP	239
403-II-1	General	239
403-II-2	Polymer Mixture	239
403-II-3	Polymer Thickness Sampling	239
403-II-4	Polymer Hardness	239
403-II-5	Polymer Coverage	239

403-II-6	Surface Defect Corrective Actions	239
403-II-7	Corrective Action for Areas of Insufficient Curing	240
Mandatory Appendix 403-III	Glossary of Terms and Acronyms	241
403-III-1	Glossary of Terms	241
403-III-2	Glossary of Acronyms	241
Part 5	Examination and Testing	242
Article 501	Pressure and Tightness Testing of Piping and Equipment	242
501-1	Description	242
501-2	Limitations	242
501-3	Design	242
501-4	Fabrication	245
501-5	Examination	245
501-6	Testing	245
501-7	References	250
Mandatory Appendix 501-I	Pressure/Leak Testing	251
Mandatory Appendix 501-II	Stored Energy Calculations for Pneumatic Pressure Test	253
501-II-1	General	253
Mandatory Appendix 501-III	Safe Distance Calculations for Pneumatic Pressure Test	254
501-III-1	Blast Wave Distance	254
501-III-2	Fragment Throw Distance	254
Mandatory Appendix 501-IV	Risk Evaluation Considerations for Pneumatic Pressure Test	256
501-IV-1	Introduction	256
501-IV-2	Pneumatic Test Risk Considerations	256
501-IV-3	Piping System Volume Considerations	256
Article 502	Nondestructive Examination in Lieu of Pressure Testing for Repairs and Alterations	258
502-1	Description	258
502-2	Limitations	259
502-3	Design	259
502-4	Fabrication (Repair or Alteration)	259
502-5	Examination — Nondestructive Examination (NDE)	259
502-6	Testing	260
502-7	References	260
Mandatory Appendix 502-I	Comparison of Selected NDE Methods	261
Article 503	Test Devices for Localized Pressure or Tightness Testing of Welded Repairs	264
503-1	Description	264
503-2	Limitations	264
503-3	Design	264
503-4	Fabrication	266
503-5	Examination	267
503-6	Testing	269
503-7	References	269
Figures		
201-3.5-1	Flush Insert in Pipe or Tube	5

201-3.8-1	Flush Insert Plate (With or Without Nozzle/Manway) With Its Butt Weld Intersecting Existing Butt Weld in Shells or Heads	5
201-3.8-2	Intersecting “Doghouse” Type Insert Plate Butt Weld (With or Without Nozzle/Manway) With Shell Butt Weld in Vessel Shells and Heads	6
202-3-1	Weld Buildup Profile	11
204-1-1	Example of a Welded Leak Box Repair of a Tee	20
205-1-1	Membrane Weld Ring Gaskets	23
205-1-2	Weld Ring Gaskets	24
205-1-3	Hollow-Lip Weld Ring Gaskets	24
205-4.3-1	Centering Pin Arrangement	26
205-4.3-2	Clamped Lip Seal	26
205-4.3-3	Assembled Lip Seal	27
206-1.1.1-1	Type A Sleeve	29
206-1.1.2-1	Type B Sleeve	30
206-2.7-1	Welded Split Sleeve for Use Over a Girth Weld	31
206-3.5-1	Type B Sleeve Fillet Weld Size for Sleeve Thickness Less Than or Equal to 1.4 Times the Carrier Pipe Thickness	32
206-3.5-2	Type B Sleeve Fillet Weld Size for Sleeve Thickness Greater Than 1.4 Times the Carrier Pipe Thickness	32
207-1-1	Typical Shell Repair Near Discontinuity	36
208-3.1-1	Typical Residual Stresses in a Weld	42
208-3.1-2	Effect of Weld Area on Transverse Shrinkage	42
208-4.2-1	Typical Back Stepping Weld Sequence	44
208-4.2-2	Difference Between Oscillated Stringer Beads (Left) and Wide Weave Beads (Right)	44
208-4.4-1	Effect of Weld Bead Cross Section on Cracking	45
210-4.2.1.2-1	Heat-Affected Zone Hardness Indent Locations	54
210-4.2.1.4-1	Mandrel Location Relative to the Weld Toe When Doing Face Bend Test for a Typical In-Service Fillet Weld	55
210-4.2.1.4-2	Examples of In-Service Welding Procedure Qualification Face Bend Test Samples	55
210-4.2.2-1	Test Sample Locations for In-Service Fillet Welding Procedure Qualification Assuming Equal Spacing Around the Circumference to Obtain All the Required Test Specimens	56
210-4.2.2.2-2	Test Sample Locations for In-Service Attachment Welding Procedure Qualification Assuming Equal Spacing Around the Circumference to Obtain All the Required Test Specimens	57
210-4.2.2-3	Test Sample Locations for In-Service Weld Metal Buildup Welding Procedure Qualification	58
210-I-1	Procedure and Welder Qualification Test Assembly for an In-Service Fillet Weld	60
210-I-2	Procedure and Welder Qualification Test Assembly for an In-Service Attachment Weld	61
211-4.4.1-1	Weld Seam With Back Cladding	64
212-1-1	Typical Shell Repair Near Discontinuity	69
213-3.1-1	Typical Plug Arrangement	76
214-II-1	Typical Hot Box Design	84
215-3.1-1	Standard Steps in Repair Welding	90

215-3.3-1	Examples of Damage Common to Cr–Mo Pressure Vessels	92
215-3.4-1	Flowchart for the Selection of Repair Welding Methods	93
216-1.2-1	Typical Hot Tapping Setup	97
302-3.6.3-1	Nitrogen Freeze Plug Assembly	113
303-3.3.3-1	Example of Tapered Stud	118
303-I-1	Inch Thread Series (U.S. Customary Units)	119
303-I-2	Inch Thread Series (SI Units)	120
303-I-3	Metric Thread Series (SI Units)	121
304-3.1-1	Excavation and Weld Repair of Surface Flaw	127
304-3.1-2	Excavation and Weld Repair of Embedded Flaw	127
304-3.1-3	Grinding of Weld Flaw	128
304-I-7-1	Boat Sample	132
305-4.5.2-1	Flange Dimensions	135
306-1-1	Example of a Mechanical Clamp	136
306-1-2	Square Mechanical Clamp Over Drain Branch, With Sealant Injection Nozzle	137
308-1.3-1	Anchors	143
308-1.5-1	Anchor and Concrete Failure	144
308-1.7-1	Column Base Anchors in Concrete	145
308-4.1-1	Weld Repair of Existing Rod	146
308-4.3.1-1	Wedge Anchor	147
308-4.3.2-1	Sleeve Anchor	147
308-4.5.1.1-1	Relocation of One or Two Anchors Within an Arc ($r = \frac{1}{2}d$)	148
308-4.5.1.1-2	Relocation of One or Two Anchors Within an Arc ($r = d$)	148
308-4.6.1-1	Relocation of One or Two Anchors Within a Design Plate Assembly	149
308-4.6.2-1	Relocation of More Than Two Anchors Within a Design Plate Assembly	150
308-4.6.3-1	Using an Enlarged Plate	150
312-4.2-1	Typical Friction Fit Tapered Tube Plug	161
312-4.2-2	Typical Mechanical Fit Tube Plugs	162
312-4.2-3	Typical Installation of Mechanical Fit Tube Plugs	162
312-4.2-4	Sample Chart: Number of Tube Failures by Month	163
313-4.1-1	Crimp Block on Pipe	172
313-4.1-2	Crimp With Injection Arrangement	173
313-4.1-3	Crimp Clamp in Position (Right) and Sealant Injection Box (Left)	173
401-5.1-1	Schematic of a Repair System and Location of Defects	188
401-II-2-1	Test Specimen Geometry	195
401-III-2-1	Defect Dimensions	198
403-1.1-1	Structural Liner in Raw Water System	230
501-3.3-1	Test Type Selection	244
501-IV-3-1	A Schematic Diagram of a Pipeline Burst, Showing the Flow of Gas Within the Pipes	257
503-1.1.2-1	Hydrotest Device Types	265
503-4-1	Hydrotest Device Seal Location	267
503-4.1-1	Type I Hydrotest Device With Lanyard	267
503-4.1-2	Type I Hydrotest Device Without Lanyard	268
503-4.1-3	Type I Typical Installations	268

503-4.2-1	Location of Split Ring Flange	269
503-4.4-1	Type IV Device	269

Tables

208-3.3-1	Comparison of Specification and Actual Weld Metal Properties	43
209-4.1-1	Summary of Postweld Heat Treatment Requirements and Potential Alternatives	48
210-4.2.1-1	Type and Number of Test Specimens Required for an In-Service Welding Procedure Qualification	53
215-1.1-1	Guide for the Selection of Repair Technique	89
215-1.2-1	Cr–Mo Steels Applicable to This Article	89
215-3.2-1	Typical In-Service Degradation	91
215-3.2-2	Typical Considerations for Weld Repair of In-Service Degradation	91
215-3.5-1	Repair Methods Applicable to Cr–Mo Vessels	93
215-4.1-1	Repair Approach Sequence	94
215-4.4-1	Typical Preheat and Interpass Temperatures	94
215-4.5-1	De-Embrittlement Heat Treatment	95
308-4.3-1	Minimum Edge Distance for Punched, Reamed, or Drilled Holes	147
308-4.3-2	Expansion Anchor — Illustrative Example of Typical Minimum Limits for Reference	147
312-I-1.3-1	Inspection Effectiveness Table	167
401-3.2-1	Repair System Required Material and Performance Properties	178
401-3.4.2-1	Service Temperature Limits for Repair Systems	181
401-3.4.4-1	Allowable (Long-Term) Strains for Repair Laminates (No Allowance for Temperature Effects)	182
401-3.4.5-1	Service Factors for Repair Laminates	183
401-4.6-1	Hold Points During Installation	187
401-5.2-1	Defect Type and Allowable Limits for the Composite Wrap	188
401-IV-3-1	Student’s t_r Value for Double-Sided 0.025 Level of Significance	200
401-B-2-1	Recommended Testing for Requalification of a Modified Qualified Repair System	211
402-3.2-1	Repair System Required Material and Performance Properties	215
402-4.4-1	Hold Points During Installation	217
402-5.2-1	Defect Type and Allowable Limits for the Composite Repair	218
501-III-1-1	Alternative Values for R_{scaled}	254
501-III-2-1	Minimum Distances for Fragment Throw Considerations	255
502-I-1	Comparison of Selected NDE Methods	262
503-3-1	Device Type Selection Guidance	265

Forms

Component Repair Data Sheet	193
Repair Data Sheet	222
Test Record	252

FOREWORD

ASME formed an Ad Hoc Task Group on Post-Construction in 1993 in response to an increased need for recognized and generally accepted engineering standards for the inspection and maintenance of pressure equipment after it has been placed in service. At the recommendation of this Task Group, the Board on Pressure Technology Codes and Standards (BPTCS) formed the Post-Construction Committee (PCC) in 1995. The scope of this committee was to develop and maintain standards addressing common issues and technologies related to post-construction activities and to work with other consensus committees in the development of separate, product-specific codes and standards addressing issues encountered after initial construction for equipment and piping covered by Pressure Technology Codes and Standards. The BPTCS covers non-nuclear boilers, pressure vessels (including heat exchangers), piping and piping components, pipelines, and storage tanks.

The requirements and recommendations established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or repair method, or as limiting in any way the freedom to choose any method of design or any form of repair that conforms to these requirements and recommendations.

The Committee meets regularly to consider revisions, to develop new requirements and recommendations as dictated by technological development, Cases of the PCC Standards, and requests for interpretations. Only the Committee has the authority to provide official interpretations of these Standards. Requests for revisions, new rules, Cases of the PCC Standards, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Correspondence With the PCC Committee). Proposed revisions to the Standard resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Standards approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://go.asme.org/BPVCPublicReview> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published in the next scheduled edition of the Standard.

The PCC selects standards to be developed based on identified needs and the availability of volunteers. The PCC formed the Subcommittee on Inspection Planning and the Subcommittee on Flaw Evaluations in 1995. In 1998, a Task Group under the PCC began preparing Guidelines for Pressure Boundary Bolted Flange Joint Assembly. In 1999, the PCC formed the Subcommittee on Repair and Testing. In 2002, the Subcommittee on Flaw Evaluation was dissolved and replaced by the Joint ASME/API Committee on Fitness for Service. Other topics are under consideration and may be developed into future guideline documents.

The subcommittees were charged with preparing standards dealing with several aspects of the in-service inspection and maintenance of pressure equipment and piping. The Inspection Planning Standard provides guidance on the preparation of a risk-based inspection plan. Defects that are identified are then evaluated, when appropriate, using the procedures provided in the Fitness for Service. Finally, if it is determined that repairs are required, guidance on repair procedures is provided in the Repair of Pressure Equipment and Piping Standard.

None of these documents are codes. They provide recognized and generally accepted good practices that may be used in conjunction with Post-Construction Codes, such as API 510, API 570, and NB-23, and with jurisdictional requirements.

The first edition of ASME PCC-1, *Guidelines for Pressure Boundary Bolted Flange Joint Assembly*, was approved for publication in 2000. ASME PCC-1-2000 was approved by the American National Standards Institute (ANSI) as an American National Standard on November 15, 2000.

The first edition of ASME PCC-3, *Inspection Planning Using Risk-Based Methods*, was approved for publication in 2007. It was approved by ANSI as an American National Standard on October 4, 2007.

The first edition of ASME PCC-2, *Repair of Pressure Equipment and Piping*, was approved for publication in 2004. Subsequent editions were published in 2008, 2011, and 2015.

Starting with this 2018 edition, new editions are expected to be published on a four-year cycle. ASME PCC-2-2018 was approved by ANSI as an American National Standard on August 8, 2018.

ASME PRESSURE TECHNOLOGY POST-CONSTRUCTION COMMITTEE

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

C. Becht IV, *Chair*
C. D. Rodery, *Vice Chair*
S. J. Rossi, *Secretary*

STANDARDS COMMITTEE PERSONNEL

J. Arnold, Niantic Bay Engineering, LLC
C. Becht IV, Becht Engineering Co., Inc.
D. L. Berger, Consultant
M. A. Boring, Kiefner and Associates, Inc.
W. Brown, Integrity Engineering Solutions
N. Y. Faransso, KBR
B. F. Hantz, Valero Energy Corp.
D. M. King, Furmanite America, Inc.
D. E. Lay, Hytorc
D. T. Peters, Structural Integrity Associates
B. D. Ray, Marathon Petroleum Corp.
J. T. Reynolds, Intertek/Moody
S. C. Roberts, Shell Global Solutions US, Inc.
C. D. Rodery, BP North American Products, Inc.

S. J. Rossi, The American Society of Mechanical Engineers
I. Roux, Roux Engineering
C. W. Rowley, The Wesley Corp.
J. Taagepera, Chevron Energy Technology Co.
G. M. Tanner, M&M Engineering Associates
K. Oyamada, *Delegate*, High Pressure Gas Safety Institute of Japan (KHK)
T. Tahara, *Delegate*, T & T Technology
J. Batey, *Contributing Member*, Consultant
C. D. Cowfer, *Contributing Member*, Consultant
E. Michalopoulos, *Contributing Member*, City of Kozani, Greece
K. Mokhtarian, *Contributing Member*, K. Mokhtarian Consulting, LLC
C. Neely, *Contributing Member*, Becht Engineering Co., Inc.
J. R. Sims, *Contributing Member*, Consultant

REPAIR AND TESTING SUBCOMMITTEE (PCC)

J. Taagepera, *Chair*, Chevron Energy Technology Co.
S. C. Roberts, *Vice Chair*, Shell Global Solutions US, Inc.
S. J. Rossi, *Secretary*, The American Society of Mechanical Engineers
L. P. Antalffy, Fluor
C. Becht IV, Becht Engineering Co., Inc.
M. A. Boring, Kiefner and Associates, Inc.
P. N. Chaku, Lummus Technology, Inc.
N. Y. Faransso, KBR
S. J. Findlan, Stone & Webster, Inc.
B. F. Hantz, Valero Energy Corp.
C. R. Harley, GP Strategies Corp.
D. M. King, Furmanite America, Inc.

J. A. Morton, Williams Co.
J. T. Reynolds, Intertek/Moody
B. D. Ray, Marathon Petroleum Corp.
C. D. Rodery, BP North American Products, Inc.
C. W. Rowley, The Wesley Corp.
E. Upitis, Upitis & Associates, Inc.
H. J. Dammeyer, *Contributing Member*, Consultant
K. Mokhtarian, *Contributing Member*, K. Mokhtarian Consulting, LLC
W. Newell, Jr., *Contributing Member*, Euroweld Ltd.
D. B. Stewart, *Contributing Member*, Kansas City Deaerator Co.
T. Tahara, *Contributing Member*, T & T Technology

SUBGROUP ON EXAMINATION AND TESTING

C. R. Harley, *Chair*, GP Strategies Corp.
M. Ellis, *Vice Chair*, Applied Technical Services
C. Dinic, Technical Standards and Safety Authority
M. Edel, BakerRisk
N. Y. Faransso, KBR

J. A. Morton, Williams Co.
J. T. Reynolds, Intertek/Moody
S. C. Roberts, Shell Global Solutions US, Inc.
K. Mokhtarian, *Contributing Member*, K. Mokhtarian Consulting, LLC

SUBGROUP ON MECHANICAL REPAIR

A. Thistlethwaite, *Chair*, Team-Furmanite
C. Becht IV, Becht Engineering Co., Inc.
H. J. Dammeyer, Consultant

M. Faulkner, Exxon Mobil Chemical Co.
D. M. King, Furmanite America, Inc.
C. D. Rodery, BP North American Products, Inc.

SUBGROUP ON NONMETALLIC REPAIR

K. Wachholder, *Chair*, Sargent & Lundy
D. Peguero, *Vice Chair*, NRI
C. Alexander, ADV Integrity, Inc.
K. A. Farrag, Gas Technology Institute
S. R. Frost, Walker Technical Resources Ltd.
P. S. Hill, Furmanite America, Inc.
M. Kieba, U.S. Department of Transportation
O. Oharriz, Belzona
H. Rojas, Chevron ETC
C. W. Rowley, The Wesley Corp.
O. Scholer, HJ3 Composite Technologies
C. Sheets, Stress Engineering Services, Inc.

J. M. Souza, Pipe Wrap, LLC
R. H. Walker, Citadel Technologies
J. M. Wilson, T. D. Williamson, Inc.
F. Worth, Air Logistics Corp.
D. Zamani, Consultant
M. Green, *Alternate*, Neptune Research, Inc.
M. Kiani, *Alternate*, Citadel Technologies
R. E. Rhea, *Alternate*, Air Logistics Corp.
G. Urukalo, *Alternate*, Walker Technical Resources Ltd.
U. Weinheimer, *Alternate*, Team Industrial Services
C. Whalen, *Alternate*, Milliken Infrastructure Solutions, LLC

SUBGROUP ON WELDED REPAIR

M. A. Boring, *Chair*, Kiefner and Associates, Inc.
L. P. Antalfy, Fluor
B. Calvin, Nooter Construction Co.
P. N. Chaku, Lummus Technology, Inc.
S. J. Findlan, Stone & Webster, Inc.
B. F. Hantz, Valero Energy Corp.

J. Penso, Shell Projects and Technology
B. D. Ray, Marathon Petroleum Corp.
I. Roux, Roux Engineering
A. Seijas, Phillips 66 Co.
J. Taagepera, Chevron Energy Technology Co.
E. Upitis, Upitis & Associates, Inc.

CORRESPONDENCE WITH THE PCC COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions or a case, and attending Committee meetings. Correspondence should be addressed to:

Secretary, PCC Standards Committee
 The American Society of Mechanical Engineers
 Two Park Avenue
 New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Proposing a Case. Cases may be issued to provide alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Interpretations. Upon request, the PCC Standards Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the PCC Standards Committee.

Requests for interpretation should preferably be submitted through the online Interpretation Submittal Form. The form is accessible at <http://go.asme.org/InterpretationRequest>. Upon submittal of the form, the Inquirer will receive an automatic e-mail confirming receipt.

If the Inquirer is unable to use the online form, he/she may mail the request to the Secretary of the PCC Standards Committee at the above address. The request for an interpretation should be clear and unambiguous. It is further recommended that the Inquirer submit his/her request in the following format:

Subject:	Cite the applicable paragraph number(s) and the topic of the inquiry in one or two words.
Edition:	Cite the applicable edition of the Standard for which the interpretation is being requested.
Question:	Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. Please provide a condensed and precise question, composed in such a way that a "yes" or "no" reply is acceptable.
Proposed Reply(ies):	Provide a proposed reply(ies) in the form of "Yes" or "No," with explanation as needed. If entering replies to more than one question, please number the questions and replies.
Background Information:	Provide the Committee with any background information that will assist the Committee in understanding the inquiry. The Inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in the format described above may be rewritten in the appropriate format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

Moreover, ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the inquiry information submitted, it is the opinion of the Committee that the Inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings. The PCC Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the PCC Standards Committee.

ASME PCC-2-2018

SUMMARY OF CHANGES

Following approval by the ASME PCC Committee and ASME, and after public review, ASME PCC-2-2018 was approved by the American National Standards Institute on August 8, 2018.

ASME PCC-2-2018 includes the following changes identified by a margin note, **(18)**. In addition, articles and all associated appendices have been redesignated with a new identifying article number. Paragraphs now carry that unique number as a prefix, with the figures and tables identified with the specific paragraph number to which they belong. For example, Figure 1 in former Article 2.1 is now designated as Figure 201-3.5-1.

<i>Page</i>	<i>Location</i>	<i>Change</i>
xv	Foreword	Updated and second paragraph added
xviii	Correspondence With the PCC Committee	Former “Preparation of Technical Inquiries” replaced with “Correspondence With the PCC Committee
1	101-1	First sentence revised and third paragraph added
1	101-2	(1) Subparagraph (a) revised (2) Former Table 1 deleted
2	101-3.4	Revised in its entirety
2	101-3.7	Second and third sentences revised
4	201-3.8	Subparagraph (b) revised
5	Figure 201-3.8-1	Note (5) revised
6	Figure 201-3.8-2	Note (5) revised
15	202-7	Updated
16	203-1.1	First sentence revised
16	203-1.3	Fourth sentence revised
16	203-2.3	Second sentence revised
17	203-5	Revised in its entirety
18	203-7	Updated
23	Article 205	Added
29	Figure 206-1.1.1-1	Callouts “Carrier pipe” and “Groove weld optional” added
30	Figure 206-1.1.2-1	Callout “Carrier pipe” added
29	206-2.10	Title revised
29	206-3.2	Revised
30	206-3.5	Subparagraph (b) revised
32	Figure 206-3.5-1	Revised
32	Figure 206-3.5-2	Revised
33	206-4.6	First sentence revised
33	206-4.7	Title and paragraph revised
33	206-5.3	Revised
33	206-5.5	Revised
33	206-6	Revised

33	206-7	Updated
37	207-3.2	In nomenclature below eq. (1), unit of measure for P revised
40	207-7	Updated
44	208-7	Updated
49	209-7	Updated
58	210-7	Updated
67	211-7	Updated
70	212-3.2	In nomenclature below eq. (1), unit of measure for P revised
71	212-3.4	Equation (4) revised
72	212-7	Updated
75	213-7	Updated
81	214-7	Updated
85	Article 215	Former Article 2.15 published in ASME PCC-2S-2015, incorporated into PCC-2 and revised editorially
	215-7	Updated
96	Article 216	Added
109	301-7	Updated
118	303-7	Updated
129	304-7	Updated
135	305-7.1	Updated
139	306-7	Updated
141	307-5.1.2	Editorially revised
142	307-7	Updated
144	308-3.1	Editorially revised
149	308-7	Updated
157	311-7	Updated
165	312-7	Updated
170	Article 313	Added
175	Article 401	Revised in its entirety
192	Mandatory Appendix 401-I	In the Component Repair Data Sheet, under Risk Assessment, Repair type revised
195	401-II-1	Subparagraph (b) revised
195	401-II-2	Subparagraphs (h) and (i) revised
195	401-II-3	Revised
197	401-III-2	Subparagraph (a) revised
199	401-IV-3	In subpara. (c), equations numbered and subsequent equations in subparas. (d) and (e) renumbered
201	401-V-2.1	Subparagraphs (e) and (f) revised
201	401-V-2.2	Subparagraph (f) revised
202	401-V-2.3	Subparagraphs (e) and (f) revised
204	401-VII-1	Last sentence above Note revised
204	401-VII-2	Subparagraph (a)(1) revised
205	401-VII-4	Subparagraph (d) revised
206	401-VIII-5	Subparagraph (e)(5) revised
208	401-A-1	Definition of <i>batch</i> added
209	401-A-2	Revised

210	401-B-1	Revised
210	401-B-3	Revised in its entirety
212	Table 401-B-2-1	Table and General Note revised
213	Article 402	Revised
221	Mandatory Appendix 402-I	In Repair Data Sheet, under Repair Requirements, Repair type revised
223	Mandatory Appendix 402-II	Revised in its entirety
224	402-III-2	Subparagraph (c) revised and subparas. (d) through (f) added
225	Mandatory Appendix 402-IV	Revised in its entirety
226	402-V-2	Subparagraph (d) revised and subpara. (e) added
226	402-V-3	Subparagraph (c) revised
226	402-V-5	Revised
227	402-A-1	Definition of <i>batch</i> added
227	402-A-2	Revised
229	Article 403	(1) 403-1, 403-2, and 403-3 editorially revised (2) New 403-4.3 added and subsequent paragraph redesignated as 403-4.4 and editorially revised (3) 403-7 updated
241	Mandatory Appendix 403-III	(1) Definition of <i>batch</i> added (2) Definition of <i>epoxies</i> and <i>thermoset polymer</i> editorially revised (3) 403-III-2 editorially revised
242	501-1	Revised
242	501-2	Revised
242	501-3.2	Subparagraph (d) revised
243	501-3.4.3	Revised
245	501-6.1	Editorially revised
247	501-6.2	Revised
249	501-6.2.1	Editorially revised
250	501-7	Updated
251	Mandatory Appendix 501-I	Editorially revised
253	Mandatory Appendix 501-II	Revised
256	Mandatory Appendix 501-IV	Revised in its entirety
258	502-1.5.1	Editorially revised
258	502-1.6	Editorially revised
259	502-1.7	Editorially revised
260	502-7	Updated
264	Article 503	Added

PART 1

SCOPE, ORGANIZATION, AND INTENT

Article 101

Introduction

(18) **101-1 SCOPE**

This Standard provides methods for repair of equipment, piping, pipelines, and associated ancillary equipment within the scope of ASME Pressure Technology Codes and Standards¹ after they have been placed in service. These repair methods include relevant design, fabrication, examination, and testing practices and may be temporary or permanent, depending on the circumstances.

The methods provided in this Standard address the repair of components when repair is deemed necessary based on appropriate inspection and flaw assessment. These inspection and flaw evaluation methods are not covered in this Standard, but are covered in other post-construction codes and standards.

This Standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this Standard to establish appropriate safety and health practices, and determine the applicability of regulatory limitations prior to use.

Only technical procedures and information are provided; administrative or policy requirements are outside of the scope of this Standard.

(18) **101-2 ORGANIZATION**

This Standard is divided into five Parts.

(a) **Part 1** covers the scope, organization, and intent and is applicable to all articles in this Standard.

(b) **Part 2** covers repair methods and techniques that include the use of welding, brazing, soldering, or other methods involving metal deposit.

(c) **Part 3** covers mechanical repairs, with or without sealant, such as bolted clamps or fixtures and includes all repair methods not covered in **Part 2** or **Part 4**.

(d) **Part 4** covers repairs using nonmetallic means, such as nonmetallic liners and wraps, and bonding (e.g., joining by epoxy), including bonding of metallic components.

¹ Equipment and piping within the scope of ASME Pressure Technology Codes and Standards includes piping (including pipelines) and piping components (such as valves), boilers, pressure vessels (including heat exchangers), and storage tanks.

(e) **Part 5** covers examination and testing methods and techniques.

101-3 INTENT

101-3.1 General

This Standard provides technical information, procedures, and recommendations for repair methods that were determined by consensus to be recognized and generally accepted good engineering practice. Where equipment repair is subject to jurisdictional regulation, jurisdictional approvals may be required.

101-3.2 Definitions

The words *may*, *shall*, and *should* are used in the repair articles of PCC-2 and they have the following intent:

may: indicates an action that is permitted, but not required.

shall: an action that is mandatory. It indicates an action that is an essential element of the repair method that cannot be eliminated.

should: an action that is not mandatory. It indicates an action that when performed, is generally considered to be good practice; however, there are some circumstances when the action is not appropriate or required, so the word *should* is used to provide flexibility for the article to cover a broad range of circumstances. It is not mandatory unless so specified by others in the application of these articles.

101-3.3 Administrative Requirements

For administrative requirements such as inspection, documentation, and quality control, the user is referred to an applicable post-construction code and to the jurisdictional requirements. In the absence of an applicable post-construction code or jurisdictional requirements, the owner of the pressure equipment or piping should establish the administrative requirements. A post-construction code is one that provides requirements and guidance for inspection and/or repair of equipment