

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 4420 : 2018

(Japan Association of Kitchen and Bath/JSA)

Components for kitchen equipment

ICS 91.100.01;97.040.01

Reference number : **JIS A 4420 : 2018 (E)**

A 4420 : 2018

Date of Establishment: 1981-03-01

Date of Revision: 2018-03-20

Date of Public Notice in Official Gazette: 2018-03-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Architecture

JIS A 4420:2018, First English edition published in 2019-01

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2019

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

PROTECTED BY COPYRIGHT

Contents

| | Page |
|--|------|
| Introduction | 1 |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Quality | 4 |
| 4.1 Appearance | 4 |
| 4.2 Performances | 4 |
| 5 Construction and arrangement | 5 |
| 5.1 Construction | 5 |
| 5.2 Arrangement | 6 |
| 6 Dimensions | 6 |
| 7 Materials | 6 |
| 8 Test methods | 7 |
| 8.1 General test conditions | 7 |
| 8.2 Strength test of shelf-board support | 9 |
| 8.3 Strength test of shelf board | 10 |
| 8.4 Strength test of work top and unit bottom | 10 |
| 8.5 Test of vertical load on door | 11 |
| 8.6 Test of horizontal load on door | 11 |
| 8.7 Durability test of door | 12 |
| 8.8 Quick open/close test of sliding door | 12 |
| 8.9 Durability test of sliding door and horizontal roll door | 13 |
| 8.10 Strength test of flap | 13 |
| 8.11 Durability test of flap | 14 |
| 8.12 Quick open/close test of vertical roll door | 14 |
| 8.13 Durability test of vertical roll door | 15 |
| 8.14 Strength test of drawer and runner | 15 |
| 8.15 Durability test of drawer and runner | 15 |
| 8.16 Quick open/close test of drawer | 16 |
| 8.17 Run-off test of bottom board of drawer | 16 |
| 8.18 Strength test of handle mount part | 17 |
| 8.19 Strength test of structure and frame | 17 |
| 8.20 Mount strength test of wall unit | 18 |
| 8.21 Test of property of sink filled with water | 18 |
| 8.22 Test of discharge property of sink | 18 |
| 8.23 Test of resistance to impact on work top | 19 |

| | | |
|-----------------------|--|----|
| 8.24 | Test of resistance to heat on work top | 19 |
| 8.25 | Test of temperature rise in space of unit adjacent to appliance | 19 |
| 8.26 | Test of energized operation | 19 |
| 8.27 | Insulation resistance test | 20 |
| 8.28 | Dielectric strength test | 20 |
| 9 | Inspection | 20 |
| 10 | Marking and documents | 20 |
| 10.1 | Marking | 20 |
| 10.2 | Documents | 20 |
| Annex A (informative) | Apparatus for quick open/close test of drawer | 22 |
| Annex B (informative) | Comparison table between previous and current editions of this Standard on technically significant revisions | 26 |

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Association of Kitchen and Bath/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS A 4420**:2005 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Components for kitchen equipment

Introduction

This Japanese Industrial Standard was established in 1981 and has gone through five revisions up to the present. The last revision was made in 2005, and the revision at this time is to respond to the diversification in specifications, structures and materials of the products.

No corresponding International Standard has been established at this point. The comparison table between previous and current editions of this Standard on technically significant revisions is given in Annex B.

1 Scope

This Standard specifies the components for kitchen equipment used mainly for residence (hereafter referred to as components).

NOTE The components include a floor unit, wall unit, tall unit, work top, sink and trap.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS A 0017 *Kitchen equipment—Coordinating sizes*

JIS A 5536 *Adhesives for resilient, textile and laminate floor coverings*

JIS A 5549 *Adhesives for fixture*

JIS A 5905 *Fiberboards*

JIS A 5908 *Particleboards*

JIS B 1501 *Rolling bearings—Balls*

JIS G 3133 *Decarburized steel sheet and strip for porcelain enamelling*

JIS G 3141 *Cold-reduced carbon steel sheet and strip*

JIS G 3302 *Hot-dip zinc-coated steel sheet and strip*

JIS G 3313 *Electrolytic zinc-coated steel sheet and strip*

JIS G 3444 *Carbon steel tubes for general structure*

JIS G 3532 *Low carbon steel wires*

JIS G 4305 *Cold-rolled stainless steel plate, sheet and strip*

JIS G 4309 *Stainless steel wires*

JIS G 5501 *Grey iron castings*

JIS H 3250 *Copper and copper alloy rods and bars*

JIS H 4000 *Aluminium and aluminium alloy sheets, strips and plates*

JIS H 4001 *Painted and baked aluminium and aluminium alloy sheets and strips*