



AS 1684.2—2006
Residential timber-framed construction
(Incorporating Amendment No. 1)

PART
2 **NON-CYCLONIC AREAS**

Australian
STANDARD
AS →



This Australian Standard® was prepared by Committee TM-002, Timber Framing. It was approved on behalf of the Council of Standards Australia on 9 November 2005. This Standard was published on 31 January 2006.

The following are represented on Committee TM-002:

- A3P
 - Association of Consulting Engineers, Australia
 - Australian Building Codes Board
 - Building Research Association of New Zealand
 - CSIRO Manufacturing and Infrastructures Technology
 - Engineered Wood Products Association of Australasia
 - Engineers Australia
 - Forest Industries Federation (WA)
 - Housing Industry Association
 - Master Builders, Australia
 - New Zealand Forest Industries Council
 - New Zealand Timber Industry Federation
 - Scion
 - South Australian Housing Trust
 - Structural Engineered Timber Manufactures Association, New Zealand
 - Timber and Building Materials Association, NSW
 - Timber Development Association, NSW
 - Timber Development Association of South Australia
 - Timber Queensland
-

This Standard was issued in draft form for comment as DR 04273.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Residential timber-framed construction
Part 2: Non-cyclonic areas

First published as AS 056—1946.
Second edition 1948.
Revised and redesignated as AS CA38—1971.
Revised and redesignated as AS 1684—1975.
Third edition 1992.
Revised and redesignated in part as AS 1684.2—1999.
Second edition 2006.
Reissued incorporating Amendment No. 1 (November 2006).

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia
ISBN 0 7337 7094 0

PREFACE

This Standard was prepared by the Joint Standards Australian/Standards New Zealand Committee TM-002, Timber Framing, to supersede AS 1684.2—1999.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

This Standard incorporates Amendment No. 1 (November 2006). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure, or part thereof affected.

This Standard will be referenced in the Building Code of Australia 2006; thereby superseding AS 1684.3—1999, which will be withdrawn 12 months from the date of publication of this Standard.

The objective of this Standard is to provide the building industry with procedures that can be used to determine building practice, to design or check construction details, and to determine member sizes, and bracing and fixing requirements for timber-framed construction in non-cyclonic areas.

The objective of this revision is to—

- (a) address issues and practices that have been raised by some states building industry interests to better reflect their needs and construction practices, and include editorial amendments and some technical changes to correct mistakes and enhance the application of the document; and
- (b) improve the ability of building certifiers to assess and approve applications in accordance with deemed to satisfy documents and to provide more economical deemed to satisfy details.

The continued development of timber framing systems and the need to cater for a widening variety of materials and design conditions have led to a total revision of structural framing design. These developments include—

- (i) provision for limit state design methods;
- (ii) revised/new structural grades for timber;
- (iii) provisions catering for open plan living—larger spans, wider openings and bigger rooms, which need more rational approach to bracing design;
- (iv) special ‘engineered’ and fabricated timber products;
- (v) recognition of a wider range of high wind and cyclonic design; and
- (vi) computer-aided design software for member sizes, bracing and tie-down.

The increased scope and application of this Standard to cater for these conditions has also led to the need to perform a more rigorous design check on a wider range of members and construction practices including window sill trimmers and roof bracing.

This Standard is a companion publication to the following:

AS

1684	Residential timber-framed construction
1684.1	Part 1: Design criteria
1684.3	Part 3: Cyclonic areas
1684.4	Part 4: Simplified—Non-cyclonic areas

This Standard provides detailed design, bracing and connection procedures for wind classifications N1 to N4.

Prior to using this Standard, it is necessary to establish the design gust wind speed and wind classification (see Clause 1.4.2).

Alternatively, for wind classifications N1 and N2, AS 1684.4 provides a simpler set of design solutions derived from this Standard. It should be noted that a more economical design may be obtained by following the design procedures given in this Standard.

It should be noted that AS 1684.4 includes additional differences to AS 1684.2 and 1684.3.

The following Supplements form an integral part of, and must be used in conjunction with, this Standard:

Supplement	0	General introduction and index
N1/N2 Supp.	1	Wind classification N1/N2—Seasoned softwood—Stress grade F5
N1/N2 Supp.	2	Wind classification N1/N2—Seasoned softwood—Stress grade F7
N1/N2 Supp.	3	Wind classification N1/N2—Seasoned softwood—Stress grade F8
N1/N2 Supp.	4	Wind classification N1/N2—Seasoned softwood—Stress grade MGP 10
N1/N2 Supp.	5	Wind classification N1/N2—Seasoned softwood—Stress grade MGP 12
N1/N2 Supp.	6	Wind classification N1/N2—Seasoned softwood—Stress grade MGP 15
N1/N2 Supp.	7	Wind classification N1/N2—WA seasoned hardwood—Stress grade F14
N1/N2 Supp.	8	Wind classification N1/N2—Seasoned hardwood—Stress grade F17
N1/N2 Supp.	9	Wind classification N1/N2—Seasoned hardwood—Stress grade F27
N1/N2 Supp.	10	Wind classification N1/N2—Unseasoned softwood—Stress grade F5
N1/N2 Supp.	11	Wind classification N1/N2—Unseasoned softwood—Stress grade F7
N1/N2 Supp.	12	Wind classification N1/N2—Unseasoned hardwood—Stress grade F8
N1/N2 Supp.	13	Wind classification N1/N2—Unseasoned hardwood—Stress grade F11
N1/N2 Supp.	14	Wind classification N1/N2—Unseasoned hardwood—Stress grade F14
N1/N2 Supp.	15	Wind classification N1/N2—Unseasoned hardwood—Stress grade F17
N3 Supp.	1	Wind classification N3—Seasoned softwood—Stress grade F5
N3 Supp.	2	Wind classification N3—Seasoned softwood—Stress grade F7
N3 Supp.	3	Wind classification N3—Seasoned softwood—Stress grade F8
N3 Supp.	4	Wind classification N3—Seasoned softwood—Stress grade MGP 10
N3 Supp.	5	Wind classification N3—Seasoned softwood—Stress grade MGP 12
N3 Supp.	6	Wind classification N3—Seasoned softwood—Stress grade MGP 15
N3 Supp.	7	Wind classification N3—WA seasoned hardwood—Stress grade F14
N3 Supp.	8	Wind classification N3—Seasoned hardwood—Stress grade F17
N3 Supp.	9	Wind classification N3—Seasoned hardwood—Stress grade F27
N3 Supp.	10	Wind classification N3—Unseasoned softwood—Stress grade F5
N3 Supp.	11	Wind classification N3—Unseasoned softwood—Stress grade F7
N3 Supp.	12	Wind classification N3—Unseasoned hardwood—Stress grade F8
N3 Supp.	13	Wind classification N3—Unseasoned hardwood—Stress grade F11
N3 Supp.	14	Wind classification N3—Unseasoned hardwood—Stress grade F14
N3 Supp.	15	Wind classification N3—Unseasoned hardwood—Stress grade F17
N4 Supp.	1	Wind classification N4—Seasoned softwood—Stress grade F5
N4 Supp.	2	Wind classification N4—Seasoned softwood—Stress grade F7
N4 Supp.	3	Wind classification N4—Seasoned softwood—Stress grade F8
N4 Supp.	4	Wind classification N4—Seasoned softwood—Stress grade MGP 10
N4 Supp.	5	Wind classification N4—Seasoned softwood—Stress grade MGP 12
N4 Supp.	6	Wind classification N4—Seasoned softwood—Stress grade MGP 15
N4 Supp.	7	Wind classification N4—WA seasoned hardwood—Stress grade F14
N4 Supp.	8	Wind classification N4—Seasoned hardwood—Stress grade F17
N4 Supp.	9	Wind classification N4—Seasoned hardwood—Stress grade F27
N4 Supp.	10	Wind classification N4—Unseasoned softwood—Stress grade F5
N4 Supp.	11	Wind classification N4—Unseasoned softwood—Stress grade F7
N4 Supp.	12	Wind classification N4—Unseasoned hardwood—Stress grade F8

N4 Supp.	13	Wind classification N4—Unseasoned hardwood—Stress grade F11
N4 Supp.	14	Wind classification N4—Unseasoned hardwood—Stress grade F14
N4 Supp.	15	Wind classification N4—Unseasoned hardwood—Stress grade F17

Span tables in Supplements for unseasoned hardwood F8 and F11 may be used for unseasoned F8 and F11 softwood as well.

A CD-ROM, which contains the above Supplements, is attached to this Standard.

This Standard does not preclude the use of framing, fastening or bracing methods or materials other than those specified. Alternatives may be used, provided they satisfy the requirements of the Building Code of Australia.

Notes to the text contain information and guidance. They are not an integral part of the Standard.

Statements expressed in mandatory terms in Notes to the Span Tables are deemed to be requirements of this Standard.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	7
1.2 COMPANION DOCUMENTS	7
1.3 NORMATIVE REFERENCES	7
1.4 LIMITATIONS	9
1.5 DESIGN CRITERIA	11
1.6 FORCES ON BUILDINGS	12
1.7 LOAD PATHS OFFSETS AND CANTILEVERS	13
1.8 DURABILITY	14
1.9 DIMENSIONS	15
1.10 BEARING	15
1.11 STRESS GRADES	15
1.12 ENGINEERED TIMBER PRODUCTS	16
1.13 SIZE TOLERANCES	16
1.14 ALTERNATIVE TIMBER DIMENSIONS	17
1.15 CONSIDERATIONS FOR DESIGN USING THIS STANDARD	17
1.16 INTERPOLATION	18
SECTION 2 TERMINOLOGY AND DEFINITIONS	
2.1 GENERAL	19
2.2 TERMINOLOGY OF FRAMING MEMBERS	19
2.3 VERTICAL NAIL LAMINATION	22
2.4 STUD LAMINATION	23
2.5 HORIZONTAL NAIL LAMINATION—WALL PLATES ONLY	23
2.6 LOAD WIDTH AND AREA SUPPORTED	24
2.7 DEFINITIONS—GENERAL	29
SECTION 3 SUBSTRUCTURE	
3.1 SCOPE	33
3.2 SITE PREPARATION AND DRAINAGE	33
3.3 GROUND CLEARANCE AND SUBFLOOR VENTILATION	33
3.4 DURABILITY	33
3.5 SUBSTRUCTURE BRACING	33
3.6 SUBFLOOR SUPPORTS	33
3.7 FOOTINGS AND SUPPORTS FOR WIND CLASSIFICATIONS N1 AND N2	36
SECTION 4 FLOOR FRAMING	
4.1 GENERAL	41
4.2 BUILDING PRACTICE	42
4.3 MEMBER SIZES	46

SECTION 5 FLOORING AND DECKING	
5.1	SCOPE 52
5.2	PLATFORM FLOORS 52
5.3	FITTED FLOORS (CUT-IN FLOORS)..... 52
5.4	EXPANSION JOINTS..... 52
5.5	LAYING AND FIXING 52
5.6	WET AREA FLOORS..... 55
5.7	JOIST SPACING—FLOORING 55
5.8	DECKING 57
SECTION 6 WALL FRAMING	
6.1	GENERAL 58
6.2	BUILDING PRACTICE 58
6.3	MEMBER SIZES 66
SECTION 7 ROOF FRAMING	
7.1	GENERAL 80
7.2	BUILDING PRACTICE 81
7.3	MEMBER SIZES 96
SECTION 8 RACKING AND SHEAR FORCES (BRACING)	
8.1	GENERAL 111
8.2	TEMPORARY BRACING 112
8.3	WALL AND SUBFLOOR BRACING 112
SECTION 9 FIXINGS AND TIE-DOWN DESIGN	
9.1	SCOPE 161
9.2	GENERAL CONNECTION REQUIREMENTS 161
9.3	PROCEDURE FLOW CHART 165
9.4	NOMINAL AND SPECIFIC FIXING REQUIREMENTS 166
9.5	NOMINAL FIXINGS (MINIMUM FIXINGS) 167
9.6	SPECIFIC TIE-DOWN FIXINGS 168
9.7	SHEAR FORCES 209
APPENDICES	
A	INFORMATIVE AND RELATED DOCUMENTS..... 218
B	TYPICAL CONSTRUCTION MASS..... 219
C	DURABILITY 222
D	INTERPOLATION..... 226
E	EXAMPLES 227
F	MOISTURE CONTENT AND SHRINKAGE 230
G	RACKING FORCES—ALTERNATIVE PROCEDURE 233
H	TIMBER SPECIES AND PROPERTIES..... 246
I	STORAGE AND HANDLING 257

STANDARDS AUSTRALIA

Australian Standard

Residential timber-framed construction

Part 2: Non-cyclonic areas

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for building practice and the selection, placement and fixing of the various structural elements used in the construction of timber-framed Class 1 and Class 10 buildings as defined by the Building Code of Australia and within the limitations given in Clause 1.4. The provisions of this Standard also apply to alterations and additions to such buildings.

This Standard also provides building practice and procedures, that assist in the correct specification and determination of timber members, bracing and connections, thereby minimizing the risk of creating an environment that may adversely affect the ultimate performance of the structure.

Throughout this Standard, reference is made to the Span Tables in the Supplements. The Supplements are an integral part of, and shall be used in conjunction with, this Standard.

This Standard may also be applicable to the design and construction of other classes of buildings where the design criteria, loadings and other parameters applicable to those classes of building are within the limitations of this Standard.

NOTES:

- 1 See AS 1684.1 for details of design criteria, loadings and other parameters.
- 2 Whilst this Standard can be used to design Class 10 buildings, less conservative levels of design for this building class may be permitted by building regulations and other Australian Standards.

1.2 COMPANION DOCUMENTS

This Standard is a companion publication to the following:

AS

- 1684 Residential timber-framed construction
- 1684.1 Part 1: Design criteria
- 1684.3 Part 3: Cyclonic wind areas
- 1684.4 Part 4: Simplified—Non-cyclonic areas

1.3 NORMATIVE REFERENCES

The following referenced documents are indispensable for the application of this Standard.

NOTE: Documents referenced for informative purposes and related documents are listed in Appendix A. They are not an integral part of the Standard.