



The storage and handling of liquefied chlorine gas



AS 2927:2019

This Australian Standard® was prepared by CH-009, Safe Handling Of Chemicals. It was approved on behalf of the Council of Standards Australia on 10 December 2019.

This Standard was published on 20 December 2019.

The following are represented on Committee CH-009:

- Accord Australasia
- Australasian Fire and Emergency Service Authorities Council
- Australasian Institute of Dangerous Goods Consultants
- Australian Institute of Petroleum
- Australian Logistics Council
- Australian Paint Manufacturers Federation
- Chemistry Australia
- ComCare (Commonwealth Government)
- Department of Mines, Industry Regulation and Safety (WA)
- Engineers Australia
- Institution of Chemical Engineers
- SafeWork NSW
- SafeWork SA

This Standard was issued in draft form for comment as DR2 AS 2927:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au



The storage and handling of liquefied chlorine gas

Originated as AS 2927—1987.
Jointly revised and redesignated as AS/NZS 2927:2001.
Jointly revised and redesignated as AS 2927:2019.

COPYRIGHT

© Standards Australia Limited 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Australian members of the Standards Australia Committee CH-009, Safe Handling of Chemicals, to supersede AS/NZS 2927:2001, *The storage and handling of liquefied chlorine gas*.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand standard.

The objective of this Standard is to promote the safety of persons and property where chlorine is stored or handled in its gaseous or liquefied forms by providing requirements and recommendations that are based on industry best practices.

This edition has been reformatted to improve clarity and to align with the other published Standards for the storage and handling of dangerous goods. Attention has been paid to ensuring that this Standard does not replicate the requirements of the various State, Territory and National regulatory authorities and emergency services.

Key changes to this edition include:

- (a) Incorporation of a requirement for a management of change process for chlorine facilities.
- (b) Use of calculated risk-based separation distances that are related to land or facility use. The latter change enables the impact (or credit) of risk mitigation measures to be readily understood.
- (c) Clearer detailing of the requirements for storage only facilities, including transit areas.

Standards covering the storage and handling of dangerous goods presently comprise the following:

AS 1894, *The storage and handling of non-flammable cryogenic and refrigerated liquids*

AS 1940, *The storage and handling of flammable and combustible liquids*

AS 2507, *The storage and handling of agricultural and veterinary chemicals*

AS 2714, *The storage and handling of organic peroxides*

AS 3780, *The storage and handling of corrosive substances*

AS 3846, *The handling and transport of dangerous cargoes in port areas*

AS 3961, *The storage and handling of liquefied natural gas*

AS 4326, *The storage and handling of oxidizing agents*

AS 4332, *The storage and handling of gases in cylinders*

AS/NZS 1596, *The storage and handling of LP Gas*

AS/NZS 2022, *Anhydrous ammonia—Storage and handling*

AS/NZS 3833, *The storage and handling of mixed classes of dangerous goods, in packages and intermediate bulk containers*

AS/NZS 4081, *The storage and handling of liquid and liquefied polyfunctional isocyanates*

AS/NZS 4452, *The storage and handling of toxic substances*

AS/NZS 4681, *The storage and handling of Class 9 (miscellaneous) dangerous goods and articles*

AS/NZS 5026, *The storage and handling of Class 4 dangerous goods*

The terms “normative” and “informative” have been used in this Standard to define how appendices apply. A “normative” appendix is an integral part of the Standard, whereas an “informative” appendix is for information only.

Statements expressed as mandatory terms in notes and footnotes to figures and tables are deemed to be requirements of this Standard.

Notes that appear in the main text of the Standard are intended to provide information only.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope.....	1
1.2 Application.....	1
1.3 Normative references.....	1
1.4 New designs and innovations.....	3
1.5 Terms and definitions.....	3
1.6 Classification of chlorine.....	8
1.7 Placarding, marking and labelling of containers, equipment, installations and storage areas.....	8
1.8 Security of installations and storage areas.....	8
1.9 Marking and labelling of pipework.....	8
Section 2 Minor storage	9
2.1 Scope of section.....	9
2.2 Criteria for classification as minor storage.....	9
2.3 Requirements applicable to minor storage.....	9
2.4 Outdoor minor storage.....	9
2.5 Indoor minor storage.....	9
Section 3 Transit storage	11
3.1 Scope of section.....	11
3.2 Requirements for vehicles and trailers in transit storage areas.....	11
3.3 Requirements for transit storage areas.....	11
3.3.1 Separation distances.....	11
3.3.2 Security.....	11
3.3.3 Emergency planning.....	11
3.3.4 Demarcation.....	12
Section 4 Storage and handling areas	13
4.1 Scope of section.....	13
4.2 Handling areas.....	13
4.3 Storage.....	13
4.3.1 Separation.....	13
4.3.2 Foundations.....	14
4.3.3 Access.....	14
4.3.4 Protection from heat sources.....	14
4.3.5 Impact protection.....	15
4.4 Securing of containers.....	15
4.4.1 Cylinders.....	15
4.4.2 Drums and tanks.....	15
4.5 Other requirements.....	15
Section 5 Requirements for chlorine installations at public swimming pools	16
5.1 Scope of section.....	16
5.2 Location of chlorine installations.....	16
5.3 Chlorine installation requirements.....	16
5.3.1 System configuration.....	16
5.3.2 Wind direction indication.....	16
5.3.3 System configuration restrictions.....	17
5.3.4 Chlorine inventory management.....	17
5.4 Additional risk controls.....	17
5.5 Provision of SCBA.....	17
Section 6 Location, design and construction of chlorine installations	18
6.1 Scope of section.....	18
6.2 Application.....	18

6.3	Location, design and construction of chlorine installations	18
6.3.1	Location of chlorine installations	18
6.3.2	Design and construction of chlorine installations	20
6.4	Additional requirements for outdoor installations	21
6.4.1	General	21
6.4.2	Egress from outdoor installations	21
6.5	Additional requirements for indoor installations	21
6.5.1	General	21
6.5.2	Doors for personnel	22
6.5.3	Ventilation for indoor installations	22
6.5.4	Ventilation of chlorination rooms	26
6.6	Approval of changes to chlorine installations	26
Section 7	Storage and handling equipment for chlorine	27
7.1	Scope of section	27
7.2	Containers	27
7.2.1	Cylinders	27
7.2.2	Drums and tanks	27
7.3	Chlorinators	27
7.3.1	Materials of construction	27
7.3.2	Location	27
7.3.3	Pressure relief	28
7.4	Vaporizers (evaporators)	28
7.4.1	Operating principle	28
7.4.2	Design of vaporizers	28
7.4.3	Vaporizer controls and indicators	30
7.4.4	Installing the vaporizer	30
7.4.5	Maintenance, testing and inspection of vaporizers and ancillary equipment	31
7.5	Piping systems	31
7.5.1	General	31
7.5.2	Management of moisture	31
7.5.3	Testing	31
7.5.4	Reduction of liquefaction hazard	31
7.5.5	Materials of construction	32
7.5.6	Piping gradients	32
7.5.7	Fixed and underground piping systems	32
7.5.8	Flexible piping and hoses	33
7.6	Valves	34
7.6.1	General	34
7.6.2	Globe valves	34
7.6.3	Ball valves	34
7.6.4	Vacuum-operated valves	35
7.6.5	Gas valves under vacuum	35
7.7	Joints and fittings	35
7.7.1	Joints	35
7.7.2	Fittings	35
7.7.3	Pressure gauges and switches	35
7.8	Chlorine safety equipment	36
7.8.1	Leak detectors	36
7.8.2	Sprinkler systems	37
7.8.3	Caustic soda venting systems	37
7.8.4	Wind direction indicators	37
7.8.5	Chlorine scrubbers	37
7.8.6	Automatic devices for shutting off container valves	39
Section 8	Operational and personnel safety	41
8.1	Scope of section	41
8.2	Operation of the installation	41
8.2.1	Authorized personnel	41

8.2.2	Operating instructions	41
8.3	Medical examination	41
8.4	Personnel training	41
8.4.1	Job knowledge	41
8.4.2	Training	41
8.5	General precautions	42
8.5.1	Control of entry	42
8.5.2	Clear access	42
8.5.3	Lighting	42
8.5.4	Checking of safety equipment	43
8.5.5	Safety information	43
8.6	Transfer operations	43
8.7	Movement of containers	43
8.7.1	Cylinders	43
8.7.2	Drums	43
8.8	Connecting and manifolding containers	44
8.8.1	Connecting of containers	44
8.8.2	Making and breaking connections	44
8.8.3	Manifolding of containers	44
8.8.4	Withdrawal of chlorine from a container	45
8.9	Inspection of plant and equipment	45
8.10	Safety procedures for construction and maintenance work	45
8.10.1	General	45
8.10.2	Routine work	45
8.10.3	Management of change	45
8.10.4	Work permits	46
8.10.5	Hot work	47
8.10.6	Work inside a confined space	47
8.10.7	Preparation of worksite and plant	47
8.10.8	Completion of work and commissioning	47
8.11	Personal protective equipment	48
8.11.1	General	48
8.11.2	Self-contained breathing apparatus (SCBA)	48
8.11.3	Protective clothing	48
8.11.4	Care, inspection and maintenance of personal protective equipment	49
8.12	First aid	49
8.12.1	First aid station	49
8.12.2	Safety shower and eyewash facilities	49
Section 9	Emergency management	50
9.1	Scope of section	50
9.2	Planning for emergencies	50
9.2.1	Considerations in designing sites	50
9.2.2	Emergency plan	50
9.3	Management of leaks	52
Section 10	Fire protection	53
10.1	Scope of section	53
10.2	General considerations	53
10.3	Fire protection measures	53
10.3.1	General	53
10.3.2	Fire protection systems	54
10.3.3	Design	54
10.3.4	Heat protection	54
10.3.5	Compatibility	54
10.3.6	Location	54
10.3.7	Weather protection	54
10.4	Water supply and fire water retention	55
10.5	Fire protection requirements	55

10.6 Action in the event of fire	55
Section 11 Disposal of chlorine containers and contaminated equipment	56
Appendix A (informative) Physical and chemical data for chlorine	57
Appendix B (informative) Hazards associated with the storage and handling of chlorine	63
Appendix C (informative) Placarding, marking, labelling and signage for chlorine installations	65
Appendix D (informative) Container capacities and details	68
Appendix E (normative) Expansion chamber	70
Appendix F (informative) Automatic shut-off devices	72
Appendix G (informative) Scrubber systems	73
Appendix H (informative) Physiological effects and first aid procedures	75
Appendix I (informative) Emergency procedures for leaks, spills and fire	78
Appendix J (informative) Information to be provided to emergency services	80
Appendix K (normative) Fire protection	81
Appendix L (informative) The relationship between GHS and dangerous goods hazards	85
Appendix M (informative) Impact protection	86
Bibliography	90

NOTES

Australian Standard®

The storage and handling of liquefied chlorine gas

Section 1 Scope and general

1.1 Scope

This Standard sets out requirements and recommendations for the safe storage and handling of liquefied chlorine gas in sites where chlorine is used, e.g. water treatment facilities and sites where chlorine containers are stored e.g. transport depots. It also provides requirements and recommendations for vaporizers, chlorinators and other parts of systems in which chlorine is reticulated and distributed.

NOTE 1 Physical and chemical data for chlorine is provided in [Appendix A](#).

NOTE 2 The hazardous properties of chlorine are discussed in [Appendix B](#).

For the purposes of this Standard, quantities are expressed in kilograms (kg).

This Standard is written for end users in water treatment in particular; however, parts of the Standard will apply to other end users.

1.2 Application

Australian and Australian/New Zealand Standards are voluntary. They do not include contractual, legal or statutory requirements. Voluntary Standards do not replace laws with which users of Standards are understood to comply and which take precedence.

NOTE Refer to the National Construction Code (NCC) for all matters relating to building works.

This Standard does not apply to —

- (a) manufacture of chlorine gas and associated storage of containers at these sites;
- (b) chlorination of swimming pools by means of powders or liquids, e.g. calcium hypochlorite, isocyanurates or sodium hypochlorite solution;
- (c) transport of liquefied chlorine gas, which is covered by other rules and codes, e.g. the ADG Code;
- (d) handling and transport of chlorine in port areas which, in Australia, is covered by AS 3846.

1.3 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents referenced for informative purposes are listed in the Bibliography.

AS 1210, *Pressure vessels*

AS 1345, *Identification of the contents of piping, conduits and ducts*

AS 1530.1, *Methods for fire tests on building materials, components and structures, Part 1: Combustibility test for materials*

AS 1530.4, *Methods for fire tests on building materials, components and structures, Part 4: Fire-resistance tests for elements of construction*

AS 1603.5, *Automatic fire detection and alarm systems, Part 5: Manual call points*

AS 1668.2, *The use of ventilation and airconditioning in buildings, Part 2: Mechanical ventilation in buildings*