

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Maritime navigation and radiocommunication equipment and systems –  
Automatic identification system (AIS) –  
Part 3: Repeater stations – Minimum operational and performance  
requirements – Methods of test and required test results**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Systèmes d'identification automatique (SIA) –  
Partie 3: Stations de répéteurs – Exigences minimales d'exploitation et de  
performances – Méthodes d'essai et résultats d'essai exigés**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2015 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### **IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Maritime navigation and radiocommunication equipment and systems –  
Automatic identification system (AIS) –  
Part 3: Repeater stations – Minimum operational and performance  
requirements – Methods of test and required test results**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Systèmes d'identification automatique (SIA) –  
Partie 3: Stations de répéteurs – Exigences minimales d'exploitation et de  
performances – Méthodes d'essai et résultats d'essai exigés**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 47.020.70

ISBN 978-2-8322-8083-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Symbols and abbreviations.....	10
4 Functional requirements for a repeater station.....	11
4.1 General.....	11
4.1.1 Types of repeater stations .....	11
4.1.2 Repeating operation .....	11
4.1.3 Synchronisation.....	12
4.1.4 Access to the VDL .....	12
4.1.5 Configuration .....	13
4.2 Functional block diagram of an AIS repeater station .....	13
4.3 Repeating rules.....	14
4.3.1 General repeating rules .....	14
4.3.2 Repeater station use of repeat indicator .....	15
4.3.3 Duplicate message filtering.....	15
4.3.4 Content filtering.....	16
4.3.5 Reporting interval filtering.....	19
4.3.6 Channel filtering .....	19
4.3.7 Filtering procedure .....	19
4.3.8 Message processing.....	21
4.3.9 Overload protection .....	21
4.3.10 Slot selection using RSSI – RSSI measurement .....	22
4.4 Message scheduling .....	22
4.4.1 Station report.....	22
4.4.2 Repeater station identification message structure.....	23
4.4.3 Broadcast active AIS-SART message .....	24
4.4.4 Configuration parameters .....	24
4.5 Repeater station input/output sentence formatters .....	29
5 Performance requirements.....	30
5.1 Cyclic redundancy check.....	30
5.2 Physical layer requirement.....	30
5.2.1 Transmitter requirements.....	30
5.2.2 Receiver requirements.....	34
5.2.3 Power consumption .....	34
5.2.4 Environmental requirements .....	35
5.3 Link layer requirements.....	35
6 Functional tests .....	35
6.1 Configuration tests.....	35
6.1.1 Factory default settings .....	35
6.1.2 Standard test set-up .....	36
6.1.3 Configuration via VDL.....	37
6.2 Basic functional tests .....	38
6.2.1 Basic repetition test .....	38
6.2.2 Power setting.....	38

6.2.3	Repeat indicator handling .....	39
6.2.4	Synchronisation jitter .....	40
6.3	VDL access .....	41
6.3.1	RATDMA .....	41
6.3.2	FATDMA access .....	44
6.3.3	ITDMA access .....	44
6.4	Repetition rates .....	45
6.4.1	Downsampling .....	45
6.4.2	Fixed repetition interval .....	46
6.4.3	Maximum VDL load .....	46
6.4.4	Maximum transmissions per second .....	47
6.4.5	Age of time stamp .....	47
6.5	Filtering .....	48
6.5.1	Duplicate filtering .....	48
6.5.2	Channel filtering .....	48
6.5.3	Position filtering .....	49
6.5.4	Message type filtering .....	51
6.5.5	Message content filtering .....	51
6.5.6	AIS-SART filtering .....	56
6.6	Repeater station identification message .....	56
6.6.1	Purpose .....	56
6.6.2	Method of measurement .....	56
6.6.3	Required results .....	57
7	Test conditions .....	57
7.1	Normal and extreme test conditions .....	57
7.1.1	Normal test conditions .....	57
7.1.2	Extreme test conditions .....	57
7.2	Additional test arrangements .....	57
7.2.1	Arrangements for test signals applied to the receiver input .....	57
7.2.2	Encoder for receiver measurements .....	58
7.2.3	Waiver for receivers .....	58
7.2.4	Impedance .....	58
7.2.5	Artificial antenna (dummy load) .....	58
7.2.6	Facilities for access .....	58
7.2.7	Modes of operation of the transmitter .....	58
7.3	Measurement uncertainties .....	58
7.4	Test signals .....	59
7.4.1	Standard test signal number 1 .....	59
7.4.2	Standard test signal number 2 .....	59
7.4.3	Standard test signal number 3 .....	59
7.4.4	Standard test signal number 4 .....	59
8	Physical radio tests .....	60
8.1	Transceiver protection test .....	60
8.1.1	Purpose .....	60
8.1.2	Method of measurement .....	60
8.1.3	Required results .....	61
8.2	TDMA transmitter .....	61
8.2.1	General .....	61
8.2.2	Frequency error .....	61

8.2.3	Carrier power.....	61
8.2.4	Modulation spectrum slotted transmission.....	62
8.2.5	Transmitter test sequence and modulation accuracy verification .....	63
8.2.6	Transmitter output power versus time function .....	64
8.2.7	Intermodulation attenuation (Type 1 only).....	66
8.3	TDMA receivers .....	67
8.3.1	Sensitivity.....	67
8.3.2	Error behaviour at high input levels.....	68
8.3.3	Co-channel rejection.....	68
8.3.4	Adjacent channel selectivity.....	69
8.3.5	Spurious response rejection .....	70
8.3.6	Intermodulation response rejection .....	72
8.3.7	Blocking or desensitisation .....	73
8.3.8	Conducted spurious emissions at the antenna .....	74
Annex A (normative) Configuration structures .....		75
A.1	General.....	75
A.2	PI sentences for repeater stations.....	77
A.2.1	RFS – Repeater station FATDMA slots .....	77
A.2.2	RMF – Repeater station MMSI filter .....	79
A.2.3	Area configuration .....	79
A.3	Configuration via VDL using Message 26 .....	83
Annex B (informative) Test area arrangement.....		103
Bibliography.....		104
Figure 1 – Functional block diagram of an AIS repeater station.....		14
Figure 2 – Power versus time characteristics .....		32
Figure 3 – Format for repeating four-packet cluster.....		60
Figure 4 – Measurement arrangement .....		61
Figure 5 – Measurement arrangement .....		62
Figure 6 – Modulation spectrum for slotted transmission.....		63
Figure 7 – Measurement arrangement .....		63
Figure 8 – Power versus time characteristics .....		65
Figure 9 – Measurement arrangement .....		66
Figure 10 – Measurement arrangement.....		67
Figure 11 – Measurement arrangement.....		68
Figure 12 – Measurement arrangement.....		68
Figure 13 – Measurement arrangement.....		69
Figure 14 – SINAD or PER/BER measuring equipment .....		71
Figure 15 – Measurement arrangement.....		72
Figure 16 – Measurement arrangement.....		73
Figure B.1 – Test area arrangement.....		103
Table 1 – SOTDMA communication state of received station .....		12
Table 2 – ITDMA Communication state of received station.....		13
Table 3 – ITDMA communication state of received station with rescheduling .....		13
Table 4 – Duplicate message filtering parameters .....		16

Table 5 – Repeater station behaviour for message repeat.....	17
Table 6 – Contents of Message 26 used for repeater station identification .....	23
Table 7 – Alarm status definition for Table 6 .....	24
Table 8 – Message 8 structure with AIS-SART related content.....	24
Table 9 – Configurable parameters .....	25
Table 10 – Repetition parameters .....	26
Table 11 – Area related configuration parameters .....	28
Table 12 – Repeater station input/output sentence formatters.....	30
Table 13 – Transmitter parameters .....	31
Table 14 – Power versus time characteristics for Figure 2 .....	32
Table 15 – Required parameter settings for a repeater station .....	33
Table 16 – Required settings of physical layer constants .....	33
Table 17 – Modulation parameters of the physical layer of the repeater station.....	33
Table 18 – Required receiver characteristics .....	34
Table 19 – Factory default values .....	35
Table 20 – Standard test set-up .....	36
Table 21 – Test area of standard test set-up.....	37
Table 22 – Content of first two packets .....	60
Table 23 – Fixed PRS data derived from Recommendation ITU-T O.153.....	60
Table 24 – Power versus time characteristics .....	65
Table 25 – Frequencies for intermodulation tests .....	73
Table A.1 – Basic system parameters .....	76
Table A.2 – General repetition parameters.....	77
Table A.3 – Basic structure of Message 26 .....	84
Table A.4 – Message 26 repeater command IDs .....	84
Table A.5 – EPV configuration .....	85
Table A.6 – EPV query.....	86
Table A.7 – Property identifiers for use with EPV – Basic system parameters .....	87
Table A.8 – Property identifiers for use with EPV – General repetition parameters.....	88
Table A.9 – AES key configuration.....	89
Table A.10 – RFS configuration .....	90
Table A.11 – RFS query.....	91
Table A.12 – RMF configuration.....	92
Table A.13 – RMF query .....	93
Table A.14 – RA1 configuration .....	94
Table A.15 – RA1 query.....	95
Table A.16 – RA2 configuration .....	96
Table A.17 – RA2 query.....	98
Table A.18 – RA3 configuration .....	99
Table A.19 – RA3 query.....	100
Table A.20 – RA4 configuration .....	101
Table A.21 – RA4 query.....	102

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND  
RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS –  
AUTOMATIC IDENTIFICATION SYSTEM (AIS) –**

**Part 3: Repeater stations –  
Minimum operational and performance requirements –  
Methods of test and required test results**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62320-3 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/744/FDIS	80/752/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62320 series, published under the general title, *Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Chapter V of the 1974 SOLAS Convention requires mandatory carriage of Automatic Identification System (AIS) equipment on all vessels constructed on or after 01 July 2002. Implementation for other types and sizes of SOLAS Convention vessels was required to be completed not later than 31 December 2004.

SOLAS Chapter V, Regulation 19, section 2.4.5 states that AIS shall:

- a) provide automatically to appropriate equipped shore stations, other ships and aircraft information, including ship's identity, type, position, course, speed, navigational status and other safety-related information;
- b) receive automatically such information from similarly fitted ships;
- c) monitor and track ships; and
- d) exchange data with shore-based facilities.

In addition, the IMO Performance Standards for AIS states that:

- The AIS should improve the safety of navigation by assisting in the efficient navigation of ships, protection of the environment, and operation of Vessel Traffic Services (VTS), by satisfying the following functional requirements:
  - 1) in a ship-to-ship mode for collision avoidance;
  - 2) as a means for littoral States to obtain information about a ship and its cargo; and
  - 3) as a VTS tool, i. e. ship-to-shore (traffic management).
- The AIS should be capable of providing to ships and to competent authorities, information from the ship, automatically and with the required accuracy and frequency, to facilitate accurate tracking. Transmission of the data should be with the minimum involvement of ship's personnel and with a high level of availability.

The provision of Shore Based AIS will be necessary to attain the full benefit of the SOLAS Convention requirements.

This standard provides the minimum operational and performance requirements, methods of test and the required test results for AIS repeater stations. The testing is divided into two parts, the logical tests and the transceiver tests. These are captured in Clause 6 and Clause 8 respectively.

# MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – AUTOMATIC IDENTIFICATION SYSTEM (AIS) –

## Part 3: Repeater stations – Minimum operational and performance requirements – Methods of test and required test results

### 1 Scope

This part of IEC 62320 specifies the minimum operational and performance requirements, methods of testing and required test results for AIS repeater stations, compatible with the performance standards adopted by IMO Res. MSC.74 (69), annex 3, Universal AIS. It incorporates the technical characteristics of non-shipborne, fixed station AIS equipment, included in Recommendation ITU-R M.1371 and IALA Recommendation A-124. Where applicable, it also takes into account the ITU Radio Regulations. This standard takes into account other associated IEC International Standards and existing national standards, as applicable.

This standard is applicable for AIS repeater stations. It does not include specifications for the display of AIS data on shore.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

ITU-R Recommendation M.585, *Assignment and use of identities in the maritime mobile service*

ITU-R Recommendation M.1084, *Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service*

ITU-R Recommendation M.1371, *Technical characteristics for a universal shipborne automatic identification system using time division multiple access in the VHF maritime mobile band*

ITU-T Recommendation O.153, *Basic parameters for the measurement of error performance at bit rates below the primary rate*

ITU Radio Regulations, Appendix 18