



CGA P-76—2018
HAZARDS OF
OXYGEN-DEFICIENT
ATMOSPHERES

FIRST EDITION

PREFACE

As part of a program of harmonization of industry standards, the Compressed Gas Association (CGA) has issued CGA P-76, *Hazards of Oxygen-Deficient Atmospheres*, jointly produced by members of the International Harmonization Council and originally published by the European Industrial Gases Association (EIGA) as EIGA Doc 44, *Hazards of Oxygen-Deficient Atmospheres*.

This publication is intended as an international harmonized standard for the worldwide use and application of all members of the Asia Industrial Gases Association (AIGA), Compressed Gas Association (CGA), European Industrial Gases Association (EIGA), and Japan Industrial and Medical Gases Association (JIMGA). Each association's technical content is identical, except for regional regulatory requirements and minor changes in formatting and spelling.

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 14-097
Safety and Health Committee

FIRST EDITION: 2018

© Reproduced with permission from, the European Industrial Gases Association. All rights reserved.

Contents	Page
1 Introduction.....	1
2 Scope and purpose	1
3 Definitions.....	1
4 General information about inert gases and oxygen depletion	2
4.1 Oxygen is essential for life.....	3
4.2 Inert gases give no warning	3
4.3 Inert gases act quickly	4
4.4 The ambiguity of inert gases	4
4.5 Awareness with regard to inert gases and oxygen depletion	4
5 Typical situations with inert gas and/or oxygen depletion hazards	4
5.1 Confined or enclosed spaces	4
5.2 Use of inert cryogenic liquids.....	5
5.3 Areas near where inert gases are vented or can collect	5
5.4 Use of inert gas instead of air.....	6
5.5 Vessels containing adsorbents.....	6
6 Hazard mitigation and preventive measures	6
6.1 Training.....	6
6.2 Proper installation and operation.....	7
6.3 Identification and safeguarding of potentially hazardous areas	7
6.4 Ventilation and atmospheric monitoring for inert gases and oxygen deficiency	7
6.5 Testing of oxygen content	10
6.6 Work permit	10
6.7 Lock-out and tag-out procedure	10
6.8 Protection of personnel.....	10
7 Rescue	11
7.1 Basic rules	11
7.2 Rescue plan elements	11
7.3 Equipment	12
7.4 Rescue training.....	13
8 First aid.....	13
9 References	13
 Table	
Table 1—Effects at various oxygen breathing levels	3
 Figure	
Figure 1—Example of a warning sign for asphyxiation hazard	7
 Appendices	
Appendix A—Summary for operators	14
Appendix B—Incidents involving oxygen deficiency	16

This page is intentionally blank.

1 Introduction

The industrial gas industry is very concerned about the incidents that industrial gas companies and users of inert gases continue to report each year, where the direct cause has been lack of oxygen resulting in asphyxiation.

There are two essential points to remember related to oxygen-deficiency incidents involving inert gases:

- Incidents resulting from oxygen deficiency due to inert gases happen unexpectedly and the reactions of personnel can be incorrect; and
- Incidents involving asphyxiating atmospheres are always serious, if not fatal.

2 Scope and purpose

This publication sets out the essential information necessary to prevent asphyxiation incidents involving inert gases.

It is not a detailed procedure for confined space entry, but focuses on the considerations that are important when there is an actual or potential hazard from inert gases or oxygen deficiency.

The minimum safe oxygen concentration for entry into a space is 19.5% oxygen. There are applications with oxygen concentrations less than 19.5% where entry is permitted provided that further precautions are taken in accordance with proper risk assessment and national regulations.

This publication is intended for supervisors, line managers, direct workers and users wherever inert gases are produced, stored, used, or where oxygen depletion could otherwise occur.

Appendix A is a simplified summary of the main publication.

Appendix B lists some actual incidents that have taken place in recent years and may be used as examples to underline the potentially fatal hazards of inert gases.

Other hazards exist with oxygen-enriched atmospheres greater than 23.5% oxygen. When presented with an oxygen-enriched atmosphere, see CGA P-45, *Fire Hazards of Oxygen and Oxygen-Enriched Atmospheres*, for more information [1].¹

Although carbon dioxide is not an inert gas, most of the information in this publication is applicable as it too will cause oxygen depletion. This publication does not cover the specific hazards and physiological effects of carbon dioxide, see EIGA Safety Information 24, *Carbon Dioxide Physiological Hazards – "Not just an Asphyxiant!"*, or CGA G-6, *Carbon Dioxide*, for more details about the additional hazards of carbon dioxide [2, 3].

3 Definitions

For the purpose of this publication, the following definitions apply.

3.1 Publication terminology

3.1.1 Shall

Indicates that the procedure is mandatory. It is used wherever the criterion for conformance to specific recommendations allows no deviation.

3.1.2 Should

Indicates that a procedure is recommended.

¹ References are shown by bracketed numbers and are listed in order of appearance in the reference section.