

ASME B107.110-2019

(Revision of ASME B107.110-2012)

Socket Wrenches, Handles, and Attachments

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B107.110-2019
(Revision of ASME B107.110-2012)

Socket Wrenches, Handles, and Attachments

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: June 15, 2020

This Standard will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME B107 Committee may be published as Cases. Cases are published on the ASME website under the B107 Committee Page at <http://go.asme.org/B107committee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The B107 Committee Page can be found at <http://go.asme.org/B107committee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2020 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	vii	
Committee Roster	viii	
Correspondence With the B107 Committee	ix	
1	Scope	1
2	References	1
3	Classification	1
4	Performance Requirements	1
5	Tests	59
6	Safety Requirements and Limitations of Use	61
Nonmandatory Appendix		
A	Designations	64
Figures		
3-1	Category 1 and 2, Type I, II; and Category 2, Type VII Sockets	3
3-2	Category 1 and 2, Type III, Universal Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point)	4
4.2.3-1	Category 2, Type IV, Bar Extension	33
4.2.4-1	Category 2, Type V, Adapter	33
4.2.5-1	Category 2, Type VI, Universal Joints	34
4.3.1-1	Category 10, Type I, Class 1, Handles, Hinged	44
4.3.1-2	Category 10, Type I, Class 2, Handles, Ratchet, Reversible	44
4.3.1-3	Category 10, Type I, Class 3, Style A, Handles: Speeder, Brace Type, Single Revolving Handgrip	46
4.3.1-4	Category 10, Type I, Class 3, Style B, Handles: Speeder, Spin Type, Screwdriver Grip	46
4.3.1-5	Category 10, Type I, Class 4, Handles, T, Sliding	46
4.3.2-1	Category 10, Type II, Class 2, Style B, Attachments, Extension Bar, Flexible	47
4.3.2-2	Category 10, Type II, Class 3, Style A, Attachments, Adapter, Socket Wrench	48
4.3.2-3	Category 10, Type II, Class 3, Style B, Attachments, Adapter, Ratchet	49
4.4.1-1	Category 12, Type I, Class 1, Styles A and B: Conventional Length Nutdriver With Solid Shaft	50
4.4.2-1	Category 12, Type I, Class 2, Styles A and B: Conventional Length Nutdriver With Hollow Shaft	52
4.4.3-1	Category 12, Type II, Styles A and B: Stubby Length Nutdriver	53
4.4.4-1	Category 12, Type III: Miniature Handle Nutdriver	54
4.5-1	Category 34 Socket Wrenches for Spark Plugs	57
5.9-1	Category 12 Torsional Moment Test	61
5.10-1	Category 12 Bending Moment Test	63

Tables

3-1	Classification for Socket Wrenches	2
4.1.5-1	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{1}{4}$ in. Drive	5
4.1.5-1M	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{1}{4}$ in. Drive	5
4.1.5-2	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{3}{8}$ in. Drive	6
4.1.5-2M	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{3}{8}$ in. Drive	6
4.1.5-3	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{1}{2}$ in. Drive	7
4.1.5-3M	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{1}{2}$ in. Drive	8
4.1.5-4	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{3}{4}$ in. Drive	9
4.1.5-4M	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, $\frac{3}{4}$ in. Drive	10
4.1.5-5	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, 1 in. Drive	11
4.1.5-5M	Category 1, Type I Sockets, Single Hexagon and Double Hexagon, 1 in. Drive	12
4.1.5-6	Category 1, Type II Sockets, Square, 4-Point and 8-Point, $\frac{1}{4}$ in. Drive	12
4.1.5-7	Category 1, Type II Sockets, Square, 4-Point and 8-Point, $\frac{3}{8}$ in. Drive	12
4.1.5-8	Category 1, Type II Sockets, Square, 4-Point and 8-Point, $\frac{1}{2}$ in. Drive	13
4.1.5-9	Category 1, Type III Sockets, Universal Joint, Single Hexagon and Double Hexagon, $\frac{1}{4}$ in. Drive	13
4.1.5-9M	Category 1, Type III Sockets, Universal Joint, Single Hexagon and Double Hexagon, $\frac{1}{4}$ in. Drive	13
4.1.5-10	Category 1, Type III Sockets, Universal Joint, Single Hexagon and Double Hexagon, $\frac{3}{8}$ in. Drive	14
4.1.5-10M	Category 1, Type III Sockets, Universal Joint, Single Hexagon and Double Hexagon, $\frac{3}{8}$ in. Drive	14
4.1.5-11	Category 1, Type III Sockets, Universal Joint, Single Hexagon and Double Hexagon, $\frac{1}{2}$ in. Drive	14
4.1.5-11M	Category 1, Type III Sockets, Universal Joint, Single Hexagon and Double Hexagon, $\frac{1}{2}$ in. Drive	15
4.2.1-1	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{1}{4}$ in. Drive	16
4.2.1-1M	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{1}{4}$ in. Drive	16
4.2.1-2	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{3}{8}$ in. Drive	17
4.2.1-2M	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{3}{8}$ in. Drive	17
4.2.1-3	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{1}{2}$ in. Drive	18
4.2.1-3M	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{1}{2}$ in. Drive	19
4.2.1-4	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{3}{4}$ in. Drive	20
4.2.1-4M	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $\frac{3}{4}$ in. Drive	21
4.2.1-5	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), 1 in. Drive	22
4.2.1-5M	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), 1 in. Drive	23
4.2.1-6	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), $1\frac{1}{2}$ in. Drive	24
4.2.1-7	Category 2, Type I Sockets, Single Hexagon (6-Point), $2\frac{1}{2}$ in. Drive	25
4.2.1-8	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), Thin Wall, $\frac{1}{2}$ in. Drive	26
4.2.1-9	Category 2, Type I Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), Thin Wall, $\frac{3}{4}$ in. Drive	27

4.2.1-10	Category 2, Type II Sockets, Single Square (4-Point) and Double Square (8-Point), 3/8 in. Drive	28
4.2.1-11	Category 2, Type II Sockets, Single Square (4-Point) and Double Square (8-Point), 1/2 in. Drive	28
4.2.1-12	Category 2, Type II Sockets, Single Square (4-Point) and Double Square (8-Point), 3/4 in. Drive	29
4.2.1-13	Category 2, Type VII Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), #5 Spline Drive	30
4.2.2-1	Category 2, Type III Universal Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), 3/8 in. Drive	31
4.2.2-1M	Category 2, Type III Universal Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), 3/8 in. Drive	31
4.2.2-2	Category 2, Type III Universal Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), 1/2 in. Drive	32
4.2.2-2M	Category 2, Type III Universal Sockets, Single Hexagon (6-Point) and Double Hexagon (12-Point), 1/2 in. Drive	32
4.2.3-1	Category 2, Type IV, Bar Extension	33
4.2.3-2	Length Ranges for Category 2, Type IV, Bar Extension	33
4.2.4-1	Category 2, Type V, Adapters	34
4.2.5-1	Category 2, Type VI, Universal Joint	34
4.2.5-2	Length Classes for 1/4 in. Drive Socket Wrenches	35
4.2.5-3	Length Classes for 3/8 in. Drive Socket Wrenches	36
4.2.5-4	Length Classes for 1/2 in. Drive Socket Wrenches	37
4.2.5-5	Length Classes for 3/4 in. Drive Socket Wrenches	38
4.2.5-6	Length Classes for 1, 1 1/2, 2 1/2 in. and #5 Spline Drive Socket Wrenches	39
4.2.5-7M	Length Classes for Metric Socket Wrenches	41
4.3.1-1	Category 10, Type I, Class 1, Handles, Hinged	44
4.3.1-2	Category 10, Type I, Class 2, Handles, Ratchet, Reversible	45
4.3.1-3	Category 10, Type I, Class 3, Style A, Handles: Speeder, Brace Type, Single Revolving Handgrip	46
4.3.1-4	Category 10, Type I, Class 3, Style B, Handles: Speeder, Spin Type, Screwdriver Grip	46
4.3.1-5	Category 10, Type I, Class 4, Handles, T, Sliding	47
4.3.2-1	Category 10, Type II, Class 1, Attachments, Universal Joint	47
4.3.2-2	Category 10, Type II, Class 2, Style A, Attachments, Extension Bar, Solid	47
4.3.2-3	Length Ranges for Category 10, Type II, Class 2, Style A, Attachments, Extension Bar, Solid	48
4.3.2-4	Category 10, Type II, Class 2, Style B, Attachments, Extension Bar, Flexible	48
4.3.2-5	Category 10, Type II, Class 3, Style A, Attachments, Adapter, Socket Wrench	48
4.3.2-6	Category 10, Type II, Class 3, Style B, Attachments, Adapter, Ratchet	49
4.4.1-1	Category 12, Type I, Class 1, Styles A and B: Conventional Length Nutdriver With Solid Shaft	51
4.4.1-1M	Category 12, Type I, Class 2, Styles A and B: Conventional Length Nutdriver With Solid Shaft	51
4.4.2-1	Category 12, Type I, Class 2, Styles A and B: Conventional Length Nutdriver With Hollow Shaft	52
4.4.2-1M	Category 12, Type I, Class 2, Styles A and B: Conventional Length Nutdriver With Hollow Shaft	53
4.4.3-1	Category 12, Type II, Styles A and B: Stubby Length Nutdriver	54
4.4.3-1M	Category 12, Type II, Styles A and B: Stubby Length Nutdriver	54
4.4.4-1	Category 12, Type III: Miniature Handle Nutdriver	55
4.4.4-1M	Category 12, Type III: Miniature Handle Nutdriver	55
4.5-1	Category 34, Type I, Class 1, Spark Plug Socket, Regular Length, Single Hexagon	58
4.5-1M	Category 34, Type I, Class 1, Spark Plug Socket, Regular Length, Single Hexagon	58

4.5-2	Category 34, Type I, Class 2, Spark Plug Socket, Long Length, Single Hexagon	58
4.5-3	Category 34, Type II, Class 1, Universal Spark Plug Socket, Square Block, Single Hexagon, 3/8 in. Drive	58
4.5-4	Category 34, Type II, Class 2, Universal Spark Plug Socket, Ball Swivel, Single Hexagon, 3/8 in. Drive	58
5.2.2-1	Category 34 Depth of Mandrel Insertion	60
5.9-1	Category 12 Torsional and Bending Moment Tests: Maximum Depth of Mandrel Insertion . . .	61
5.9-1M	Category 12 Torsional and Bending Moment Tests: Maximum Depth of Mandrel Insertion . . .	62

FOREWORD

The American National Standards Committee B107, Socket Wrenches and Drives, under sponsorship of The American Society of Mechanical Engineers (ASME), was reorganized on June 28, 1967, as an ASME Standards Committee and its title was changed to Hand Tools and Accessories. In 1996 its scope was expanded to include safety considerations. In 1999 ASME initiated a project to consolidate hand tool standards by category of tool. The initial implementation included distinct standards within a single publication bearing a three-digit number corresponding to the responsible B107 subcommittee. Subsequent revisions are intended to integrate the component standards, resulting in a more traditional document. To maintain continuity within the user community, the former component standard numbers are renamed as categories in the consolidated standard, and designations are provided in [Nonmandatory Appendix A](#).

The purposes of this Standard are to define dimensional, performance, and safety requirements specifically applicable to socket wrenches, handles, and attachments for hand socket wrenches; to specify test methods to evaluate performance relating to the defined requirements; and to indicate limitations of safe use.

This Standard may be used as a guide by state authorities or other regulatory bodies in the formulation of laws or regulations. It is also intended for voluntary use by establishments that use or manufacture the tools covered.

The 2012 edition of this Standard superseded ASME B107.1-2002, Socket Wrenches, Hand (Inch Series); ASME B107.2, Socket Wrenches, Extensions, Adaptors, and Universal Joints, Power Drive (Impact) (Inch Series); ASME B107.5M, Socket Wrenches, Hand (Metric Series); ASME B107.10, Handles and Attachments for Hand Socket Wrenches; ASME B107.12, Nutdrivers; ASME B107.33M, Socket Wrenches, Impact (Metric Series); and ASME B107.34, Socket Wrenches for Spark Plugs. Socket wrenches previously described in ASME B107.5M were included in Category 1. Socket wrenches and attachments previously described in ASME B107.33M were included in Category 2.

The 2012 edition completed the integration of the component standards into a single document. Principal changes in that edition were increased proof load values for ratchet handles and attachments, and the addition of length classes.

Members of the Hand Tools Institute Wrench Standards Committee, through their knowledge and hard work, have been major contributors to the development of the B107 wrench standards. Their active efforts in the promotion of these standards are acknowledged and appreciated.

The format of this Standard is in accordance with The ASME Codes & Standards Writing Guide 2000. References to tables in U.S. Customary units and tables in SI units are in accordance with ASME Boiler and Pressure Vessel Code, 2013, Section VIII, Division 1, Appendix GG-2(b): "The table designation (e.g., table number) is the same for both the U.S. Customary and SI tables, with the addition of suffix 'M' to the designator for the SI table, if a separate table is provided. For some small tables, where interpolation is not required, SI units are placed in parentheses after the U.S. Customary unit." In general, separate SI tables are provided when product nominal sizes are in SI units.

ASME B107.110-2019 was approved by the B107 Standards Committee on April 5, 2019, and by the Board on Standards and Testing on August 19, 2019. It was approved as an American National Standard on August 29, 2019.

ASME B107 COMMITTEE

Hand Tools and Accessories

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

J. S. Foote, *Chair*
B. Price, *Vice Chair*
D. Papert, *Secretary*

STANDARDS COMMITTEE PERSONNEL

N. C. Cantlon, Jore Corp.
J. D. Davidson, IDEAL Industries, Inc.
D. M. Eggert, Snap-On, Inc.
J. S. Foote, Trade Association Management, Inc.
D. R. Kritikos, Channellock, Inc.
C. Kuznia, General Services Administration
B. List, Apex Tool Group, Inc.
G. E. Olson, Gene Olson Engineering Consultant, Ltd.
W. T. Pagac, Forever Associates
D. Papert, The American Society of Mechanical Engineers

B. Price, Consultant
W. C. Snyder, Wright Tool Co.
H. Yin, Microalloying International, Inc.
B. Solar, *Alternate*, SK Hand Tool, LLC
C. J. Hyatt, *Contributing Member*, Air Force Metrology and Calibration
C. S. Rakurty, *Contributing Member*, The M. K. Morse Co.
J. L. Reynertson, Jr., *Contributing Member*, Sturtevant Richmond
Division of Snap-On, Inc.
D. D. Schmick, *Contributing Member*, Midwest Tool and Cutlery Co.

CORRESPONDENCE WITH THE B107 COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions or a case, and attending Committee meetings. Correspondence should be addressed to:

Secretary, B107 Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Proposing a Case. Cases may be issued to provide alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Interpretations. Upon request, the B107 Standards Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the B107 Standards Committee.

Requests for interpretation should preferably be submitted through the online Interpretation Submittal Form. The form is accessible at <http://go.asme.org/InterpretationRequest>. Upon submittal of the form, the Inquirer will receive an automatic e-mail confirming receipt.

If the Inquirer is unable to use the online form, he/she may mail the request to the Secretary of the B107 Standards Committee at the above address. The request for an interpretation should be clear and unambiguous. It is further recommended that the Inquirer submit his/her request in the following format:

- Subject: Cite the applicable paragraph number(s) and the topic of the inquiry in one or two words.
- Edition: Cite the applicable edition of the Standard for which the interpretation is being requested.
- Question: Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. Please provide a condensed and precise question, composed in such a way that a “yes” or “no” reply is acceptable.
- Proposed Reply(ies): Provide a proposed reply(ies) in the form of “Yes” or “No,” with explanation as needed. If entering replies to more than one question, please number the questions and replies.
- Background Information: Provide the Committee with any background information that will assist the Committee in understanding the inquiry. The Inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in the format described above may be rewritten in the appropriate format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

Moreover, ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the inquiry information submitted, it is the opinion of the Committee that the Inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings. The B107 Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the B107 Standards Committee. Future Committee meeting dates and locations can be found on the Committee Page at <http://go.asme.org/B107committee>.

SOCKET WRENCHES, HANDLES, AND ATTACHMENTS

1 SCOPE

This Standard provides performance and safety requirements for socket wrenches (sockets), handles used with these wrenches, nutdrivers, and attachments used with socket wrenches, hereinafter collectively referred to as tools. The tools covered in this Standard are listed by Category number in [Table 3-1](#). The names and intended uses given in [Table 3-1](#) are those generally recognized.

Inclusion of dimensional data in this Standard is not intended to imply that all of the products described herein are stock production sizes. Manufacturers may produce sizes not listed in this Standard. Consumers are requested to consult with manufacturers concerning lists of stock production sizes and lengths.

2 REFERENCES

The following is a list of publications referenced in this Standard. The latest edition shall be used.

ASME B107.4, Driving and Spindle Ends for Portable Hand, Impact, Air, and Electric Tools (Percussion Tools Excluded)

ASME B107.17, Gages and Mandrels for Wrench Openings
Publisher: The American Society of Mechanical Engineers (ASME), Two Park Avenue, New York, NY 10016-5990 (www.asme.org)

ASTM B117, Standard Practice for Operating Salt Spray (Fog) Apparatus

ASTM B537, Standard Practice for Rating of Electroplated Panels Subjected to Atmospheric Exposure

ASTM B571, Standard Practice for Qualitative Adhesion Testing of Metallic Coatings

ASTM D968, Standard Test Methods for Abrasion Resistance of Organic Coatings by Falling Abrasive

ASTM D2240, Standard Test Method for Rubber Property — Durometer Hardness

ASTM E18, Standard Test Methods for Rockwell Hardness of Metallic Materials

Publisher: The American Society for Testing and Materials (ASTM International), 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959 (www.astm.org)

Guide to Hand Tools — Selection, Safety Tips, Proper Use and Care

Publisher: Hand Tools Institute (HTI), 25 North Broadway, Tarrytown, NY 10591-3201 (www.hti.org)

SAE J1703, Motor Vehicle Brake Fluid

Publisher: Society of Automotive Engineers (SAE International), 400 Commonwealth Drive, Warrendale, PA 15096 (www.sae.org)

3 CLASSIFICATION

Categories, Types, Classes, and Styles of tools covered in this Standard are shown in [Table 3-1](#) and the applicable figures indicated therein.¹

4 PERFORMANCE REQUIREMENTS

The illustrations shown herein are descriptive and not restrictive, and are not intended to preclude the manufacture of tools that are otherwise in accordance with this Standard. Dimensions shall be in accordance with the applicable tables unless otherwise specified. Lengths in U.S. Customary tables are in inches; lengths in SI tables are in millimeters. Tools shall pass all applicable tests in [section 5](#) and meet category requirements as applicable.

4.1 Design

4.1.1 Nut End Socket Opening. The internal wrench opening of a single-hexagon (6-point) or a double-hexagon (12-point) configuration, or a single-square (4-point) or a double-square (8-point) configuration shall conform to one of the following wrench opening designs.

(a) *Standard Single- or Double-Hexagon Configuration.* This design consists of a simple geometric single-hexagon (6-point) or a double-hexagon (12-point) configuration having an across-flats and an across-corner shape for fitting with commercial hexagon fasteners.

(b) *Modified Single- or Double-Hexagon Configuration.* This design consists of a geometric single-hexagon (6-point) or a double-hexagon (12-point) configuration that does not contact on the fastener's corners.

(c) *Standard Single- or Double-Square Configuration.* This design consists of a simple geometric single-square (4-point) or a double-square (8-point)

¹ Length classes are provided for Categories 1 and 2 socket wrenches in Tables 4.2.5-2 through 4.2.5-7M. Length ranges are provided for Category 10, Type II, Class 2, Style A attachments in Tables 4.2.3-2 and 4.3.2-3.