

Please be aware that this PDF has been created from the original hardcopy document, which might not be in good condition and so the PDF might reflect this.

OFFICE COPY

13 April

BRITISH STANDARD CODE

B.S. 1042:1943

Flow Measurement

BRITISH STANDARDS INSTITUTION

RECEIVED
APR 13 1943

BRITISH STANDARDS INSTITUTION

The British Standards Institution was founded in 1901 and incorporated by Royal Charter in 1929.

The principal objects of the Institution are to co-ordinate the efforts of producers and users for the improvement, standardisation and simplification of engineering and industrial materials; to simplify production and distribution; to eliminate the waste of time and material involved in the production of an unnecessary variety of patterns and sizes of articles for one and the same purpose; to set up standards of quality and dimensions, and promote the general adoption of British Standards.

In all its endeavours the Institution maintains the community of interest of purchaser and producer. It does not embark on any work without first ascertaining that there is a consensus of opinion in favour of its being proceeded with, and that it is to fulfil a recognised want.

This national work is carried on largely by means of grants received from the Government, professional institutions and industrial and trade organisations, as well as by sales of its publications. The amount derived from these sources is, however, not sufficient, and the Institution has to look to industry as a whole for the further funds necessary to enable it to meet the increasing demands made upon its organisation.

Membership of the Institution is open to British subjects, companies, technical and trade associations, and local and public authorities.

The Institution is not a profit-making concern, its only expenses being staff salaries, office expenses and printing.

BRITISH STANDARDS

The following lists of British Standards are available on application:

HANDBOOK

Issued half-yearly and including Subject Index, Numerical List and list of new Standards in preparation 1s. 10d. post free.

NUMERICAL LIST Issued quarterly. Gratis.

SECTIONAL INDUSTRY LISTS. Gratis.

| | |
|--|---------------------------------------|
| Aircraft | Illumination and Lighting Fittings |
| Building | Iron and Steel |
| Chemical Engineering | Mechanical Engineering |
| Chemical, Fats, Oils, Scientific Apparatus | Non-Ferrous Metals |
| Cinematography and Photography | Packaging |
| Coal and Colliery Requisites | Paints, Varnishes and Paint Materials |
| Electrical Engineering | Public Works |
| Gas and Solid Fuel | Shipbuilding |

BRITISH STANDARDS INSTITUTION, 28 VICTORIA STREET, LONDON, S.W.1

BRITISH STANDARD CODE

FLOW MEASUREMENT

B.S. 1042 : 1943

Price ~~1s. 6d.~~ 15/- net, post free

BRITISH STANDARDS INSTITUTION

INCORPORATED BY ROYAL CHARTER

28 VICTORIA STREET, LONDON, S.W.1

TELEGRAMS : STANDARDS, SOWEST, LONDON

TELEPHONE : ABBEY 3333

CONTENTS

| Page | Page | Page |
|---|------|--|
| | | Part FOUR : Methods of Measurement, Application and Data required |
| 1. General | 5 | A. PRESSURE PIPES FROM DIFFERENTIAL PRODUCER TO METER |
| 2. Types of differential-pressure device | 5 | a. Liquids |
| 3. Coefficients, tolerances and overall accuracy | 6 | b. Steam |
| 4. Methods of use | 6 | c. Air and gases |
| 5. Requirements respecting fluid to be measured | 6 | d. Long pressure pipe runs |
| 6. Flow requirements | 6 | e. Sealing chambers |
| 7. Correction factors for application to meter reading | 6 | |
| | | B. MEASUREMENT OF PRESSURE DIFFERENCE |
| Part TWO : Standard Pressure Difference Devices | | C. MEASUREMENT OF DENSITY |
| A. ISA 1932 NOZZLE | 7 | D. VISCOSITY OF FLUIDS |
| 8. Size limitation | 7 | Part FIVE : Working Formulae |
| 9. Construction | 7 | Part SIX : Reynolds Number |
| 10. Accuracy of manufacture | 7 | Part SEVEN : Coefficients of Discharge and Tolerances |
| 11. Pressure tappings | 7 | Part EIGHT : Special cases of Orifice or Nozzle Installation |
| 12. Coefficients, corrections and tolerances | 7 | Part NINE : Choice and use of Pitot Tubes for Flow Measurement |
| B. ORIFICE PLATE WITH CORNER TAPS | | |
| 13. Size limitation | 7 | APPENDICES |
| 14. Construction | 7 | A. List of symbols |
| 15. Accuracy of manufacture | 7 | B. Derivation of working formulae |
| 16. Pressure tappings | 7 | C. Loss of pressure due to orifices, nozzles and venturi tubes |
| 17. Coefficients, corrections and tolerances | 8 | D. Moisture in gases |
| C. ORIFICE PLATE WITH D AND D/2 TAPS | | E. Viscosity tables and conversion factors |
| 18. Size limitation | 8 | F. Correction factors for application to meter readings |
| 19. Construction | 8 | G. Application of the working formulae and examples |
| 20. Accuracy of manufacture | 8 | H. Density of steam, tables |
| 21. Pressure tappings | 8 | |
| 22. Coefficients, corrections and tolerances | 8 | |
| D. VENTURI TUBES | | |
| 23. Size limitation | 8 | |
| 24. Construction | 8 | |
| 25. Accuracy of manufacture | 8 | |
| 26. Pressure tappings | 8 | |
| 27. Coefficients, corrections and tolerances | 9 | |
| Part THREE : Standard Methods of Installation of Pressure Difference Devices | 9 | |

NOTE : Sixteen Data Sheets are listed on page 3.

DATA SHEETS

| | |
|--|---------|
| 1. STANDARD NOZZLES AND ORIFICES | |
| Fig. 1. Standard ISA nozzle when $m < 0.45$ | |
| Fig. 2. Standard ISA nozzle when $m > 0.45$ | |
| Fig. 3. Orifice plate with corner tappings | |
| Fig. 4. Orifice plate with D and $\frac{D}{2}$ tappings | |
| 2. STANDARD VENTURI TUBES | |
| Fig. 5. Conical type Venturi tube | |
| Fig. 6. Nozzle type Venturi tube | |
| 3. STRAIGHT PIPE REQUIREMENTS AFTER VARIOUS IRREGULARITIES | |
| Fig. 7. Fully open sluice valves | |
| Fig. 8. Right angle bend : two right angle bends in same plane | |
| Fig. 9. Three bends at right angles : two bends at right angles : branches | |
| Fig. 10. Fully open globe valves | |
| 4. PRESSURE PIPES TO METER | |
| Fig. 11. Steam and liquids—meter above main | |
| Fig. 12. Steam and liquids—meter below main | |
| Fig. 13. Condensation chambers for non-horizontal steam main | |
| Fig. 14. Condensation chambers | |
| Fig. 15. Air and gases—meter above main | |
| Fig. 16. Air and gases—meter below main | |
| 5. COEFFICIENTS AND TOLERANCES—ISA 1932 NOZZLE AND ISA NOZZLE VENTURI | |
| Fig. 17. a. Coefficient of discharge 'C' | |
| Fig. 17. b. Corrections for R_d | |
| Fig. 17. c. Corrections for 'D' | |
| Fig. 17. d. Tolerance : basic | |
| Fig. 17. e. Tolerance : extra for 'D' | |
| 6. COEFFICIENTS AND TOLERANCES—ORIFICE WITH CORNER TAPS | |
| Fig. 18. a. Coefficient of discharge 'C' | |
| Fig. 18. b. Corrections for R_d | |
| Fig. 18. c. Corrections for 'D' | |
| Fig. 18. d. Tolerance : basic | |
| Fig. 18. e. Tolerance : extra for 'D' | |
| 7. COEFFICIENTS AND TOLERANCES—ORIFICE WITH D AND $\frac{D}{2}$ TAPS | |
| Fig. 19. a. Coefficient of discharge 'C' | |
| Fig. 19. b. Corrections for R_d | |
| Fig. 19. c. Corrections for 'D' | |
| Fig. 19. d. Tolerance : basic | |
| Fig. 19. e. Tolerance : extra for 'D' | |
| 8. COEFFICIENTS AND TOLERANCES—VENTURI CONICAL TYPE | |
| Fig. 20. a. Coefficient of discharge 'C' | |
| Fig. 20. b. Corrections for R_d | |
| Fig. 20. c. Corrections for 'D' | |
| Fig. 20. d. Tolerance : basic | |
| Fig. 20. e. Tolerance : extra for 'D' | |
| 9. LONG RANGE mE CALCULATING CHART | Fig. 21 |
| 10. THERMAL EXPANSIONS OF PRESSURE DIFFERENCE DEVICES | |
| Fig. 22. Temperature correction for the diameter of the orifice | |
| 11. VALUES OF ϵ FOR ORIFICES AND NOZZLES | |
| Fig. 23. a. Values of expansion coefficients for diatomic gases | |
| Fig. 23. b. Values of expansion coefficients for superheated steam | |
| 12. COMPRESSIBILITY CORRECTION K | |
| 13. MOISTURE CORRECTION FACTOR N | Fig. 24 |
| 14. PITOT TUBES | |
| Fig. 25. N.P.L. hemispherical head | |
| Fig. 26. N.P.L. sharp-ended head | |
| Fig. 27. Single hole Pitot tube with separate static tapping | |
| Fig. 28. Illustrating test points required for 96 in. X 48 in. duct | |
| Fig. 29. Showing additional points to be taken in corner rectangle | |
| 15. PITOT TUBES—CIRCULAR MAINS | |
| Fig. 30. Methods of making traverses. | |
| 16. PRESSURE LOSS. | |
| Fig. 31. Approximate net pressure loss curves for nozzles, orifices and Venturi tubes giving equal differential at equal flows | |