



BSI Standards Publication

Zhaga interface specification Book 1 and Book 12

National foreword

This Published Document is the UK implementation of IEC PAS 63328:2020.

The UK participation in its preparation was entrusted to Technical Committee CPL/34/1, Electric lamps.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 539 14310 2

ICS 29.140.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 October 2020.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



IEC PAS 63328

Edition 1.0 2020-10

PUBLICLY AVAILABLE SPECIFICATION



Zhaga interface specification Book 1 and Book 12

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140.99

ISBN 978-2-8322-8944-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
Subdivision 1	13
Zhaga Interface Specification Book 12	13
Summary (informative)	13
Background.....	13
Contents	13
Intended Use.....	13
1 General	14
1.1 Introduction.....	14
1.2 Scope	14
1.3 Conformance and references	14
1.3.1 Conformance	14
1.3.2 References	14
1.4 Definitions.....	14
1.5 Acronyms.....	15
1.6 Symbols.....	15
1.7 Conventions.....	15
1.7.1 Precedence	15
1.7.2 Cross references	15
1.7.3 Informative text.....	15
1.7.4 Terms in capitals	15
1.7.5 Units of physical quantities	15
1.7.6 Decimal separator	15
1.7.7 Limits	16
2 Overview (Informative)	16
2.1 General.....	16
2.2 Description of the LED Array and the Holder.....	16
2.3 Outline of this Book.....	17
Part 1: Interface Definition	18
3 Mechanical interface	18
3.1 Drawing principles	18
3.2 Mechanical references and definitions	18
3.3 Mechanical interface of the LED Array	18
3.3.1 Mechanical references for a LED Array.....	19
3.3.2 Dimensions depending on the LED Array category	19
3.3.3 Dimensions depending on LED Array category and LES Category	25
3.4 Mechanical interface of the Holder	27
3.4.1 Mechanical references for a Holder	27
3.4.2 Dimensions depending on the LED Array category	28
3.4.3 Dimensions depending on LED Array category and maximum LES Category.....	30
4 Photometric interface	31
4.1 Light Emitting Surface.....	31
4.2 Operating conditions	31
4.3 Luminous flux	31

4.4	Luminous intensity distribution	31
4.5	Luminance uniformity	32
4.6	Correlated color temperature	33
4.7	Color rendering index.....	33
5	Electrical interface of the LED Array	33
5.1	Electrical interface of the LED Array	33
5.2	Electrical insulation of the LED Array (informative).....	33
6	Thermal interface	33
6.1	Background information (informative).....	33
6.2	Generic thermal interface model	33
6.2.1	General case	33
6.2.2	Rated Operating Temperature and safety (informative).....	33
6.2.3	Thermal overload protection (informative).....	34
6.2.4	Thermal compatibility check.....	34
6.2.5	Thermal Interface Material.....	34
6.2.6	Surface planarity and roughness	34
6.2.7	Aging of LED Array (informative)	34
Part 2: Compliance Tests.....		35
7	Compliance test tools	36
7.1	LED Array test tools.....	36
7.1.1	Test Fixture PETF	36
7.2	Holder test tools.....	36
7.2.1	Gauges for Holder cavity test.....	36
7.2.2	Gauges for Holder contact test	37
8	LED Array Compliance Tests	38
8.1	LED Array mechanical interface tests.....	38
8.1.1	Test of the demarcation of the LED Array without mounting holes and without mouse bites	38
8.1.2	Test of the demarcation of the LED Array C28x28 or C24x24 with mounting holes	39
8.1.3	Test of the demarcation of the LED Array C20x24, C19x19, C13.5x13.5 or C12x15 with mouse bites.....	39
8.1.4	Test of the electrical contact areas (+) and (-) of the LED Array.....	40
8.1.5	Test of the keep-in zone of the LED Array	40
8.1.6	Test of the thickness of the PCB of the LED Array	41
8.2	LED Array photometric interface tests	41
8.2.1	Test on luminous flux.....	41
8.2.2	Test on relative partial luminous flux and beam angle	41
8.2.3	Test on correlated color temperature (CCT).....	41
8.2.4	A.1.2.4 Test on color rendering index	42
8.2.5	Test on luminance uniformity & LES diameter	42
8.3	LED Array thermal interface tests	42
8.3.1	Test on thermal power (P_{th}).....	42
8.3.2	Temperature stabilization	42
8.3.3	Position of measurement point for the Reference Temperature	42
8.4	LED Array electrical interface tests	42
8.5	LED Array Product Data Set test.....	42
9	Holder Compliance Tests.....	42
9.1	Holder mechanical interface tests	42

9.1.1	Test of the outline of the cavity of the Holder	42
9.1.2	Test of the electrical contacts (+) and (-) of the Holder	43
9.1.3	Test of the keep-out zone of the Holder	44
9.2	Holder Product Data Set test.....	45
Annexes	46
Annex A	Product Data Set requirements	47
A.1	LED Array Product Data Set	47
A.2	Holder Product Data Set	47
Annex B	Definition of the cavity outline and mechanical reference of the Holder	48
Annex C	Guidelines for LES and Luminance measurements (informative).....	49
C.1	Test equipment	49
C.2	Test conditions	49
C.3	Test procedure.....	49
Annex D	History of Changes	51
Subdivision 2	52
Zhaga Interface Specification Book 1	52
Summary (informative)	52
Background	52
Contents	52
Intended Use	52
1	General	53
1.1	Introduction.....	53
1.2	Scope	53
1.3	Conformance and references	53
1.3.1	Conformance	53
1.3.2	Normative references.....	53
1.3.3	Informative references	54
1.4	Common definitions	54
1.5	Common acronyms	56
1.6	Common symbols	57
1.7	Common conventions.....	57
1.7.1	Cross references	57
1.7.2	Informative text.....	57
1.7.3	Terms in capitals	57
1.7.4	Units of physical quantities	57
1.7.5	Decimal separator.....	58
2	Overview of Zhaga (informative)	58
2.1	About Zhaga	58
2.2	Zhaga building blocks and interfaces	58
2.3	Compatibility and Interchangeability.....	60
2.4	Product Data Set	61
2.5	Compliance testing	61
2.5.1	Certification	61
2.5.2	Market surveillance.....	62
2.6	Compatibility check.....	62
2.7	Zhaga product certification.....	63
3	Mechanical interface	63
3.1	Drawing principles	63

3.2	Mechanical interface between Separate ECG and Luminaire.....	63
3.3	Thermal expansion	63
3.4	Demarcation (Informative).....	63
4	Photometric interface.....	65
4.1	Light Emitting Surface.....	65
4.1.1	LES categories	66
4.2	Operating conditions for measuring photometric parameters	66
4.3	Luminous flux	67
4.4	Luminous intensity distribution	68
4.4.1	Beam angle and beam angle categories.....	69
4.5	Luminance uniformity.....	69
4.6	Correlated color temperature (CCT).....	69
4.7	Color rendering index (CRI)	70
4.8	Luminaire Optics (informative)	70
5	Electrical interface.....	70
5.1	Electrical insulation (informative)	70
6	Thermal interface	70
6.1	Background information (informative).....	70
6.2	Generic thermal interface model	71
6.2.1	General case	71
6.2.2	Test Fixture TPTF.....	72
6.2.3	Rated Operating Temperature and safety (informative)	73
6.2.4	Thermal overload protection (Informative).....	73
6.2.5	Ambient Temperature	73
6.2.6	Luminaires with multiple LLEs or multiple LED Modules	74
6.2.6.1	Separate heat sinks	74
6.2.6.2	One heat sink	74
6.2.7	Thermal compatibility check.....	74
6.2.8	Thermal uniformity	75
6.2.9	Thermal Interface Material	76
6.2.10	Surface planarity and roughness.....	76
6.2.11	Aging of LED Light Engine or LED Module/LED Array (informative).....	76
6.2.12	Empty	76
6.2.13	Ambient Temperature and thermal resistance (R_{th}).....	76
6.3	Simplified thermal interface model	77
6.3.1	General case	77
6.3.2	Rated Operating Temperature and safety (informative)	77
6.3.3	Thermal overload protection (informative).....	77
6.3.4	Thermal compatibility check.....	77
6.3.5	Thermal Interface Material	78
6.3.6	Surface planarity and roughness.....	78
6.3.7	Aging of LED Light Engine or LED Module/LED Array (informative).....	78
7	Control interface.....	78
Annex A	Compliance tests	79
A.0	LED Module/LED Array compliance tests.....	79
A.0.1	LED Module/LED Array mechanical interface test	79
A.0.1.1	Test in the mechanical interface or the LED Module/LED Array	79
A.0.1.1.1	Test equipment.....	79

A.0.1.1.2	Test conditions	79
A.0.1.1.3	Test procedure	79
A.0.1.1.4	Pass criteria	79
A.0.2	LED Module/LED Array photometric interface tests	79
A.0.2.1	Test on Luminous Flux.....	79
A.0.2.1.1	Test equipment.....	79
A.0.2.1.2	Test conditions	79
A.0.2.1.3	Test procedure	79
A.0.2.1.4	Pass criteria	80
A.0.2.2	Test on Relative Partial Luminous Flux and beam angle	80
A.0.2.2.1	Test equipment.....	80
A.0.2.2.2	Test conditions	80
A.0.2.2.3	Test procedure	80
A.0.2.2.4	Pass criteria	80
A.0.2.3	Test on correlated color temperature (CCT).....	81
A.0.2.3.1	Test equipment.....	81
A.0.2.3.2	Test conditions	81
A.0.2.3.3	Test procedure	81
A.0.2.3.4	Pass criteria	81
A.0.2.4	Test on color rendering index	81
A.0.2.4.1	Test equipment.....	81
A.0.2.4.2	Test conditions	82
A.0.2.4.3	Test procedure	82
A.0.2.4.4	Pass criteria	82
A.0.2.5	Test on Luminance Uniformity	82
A.0.3	LED Module/LED Array thermal interface tests.....	82
A.0.3.1	Test on thermal power (P_{th}).....	82
A.0.3.1.1	Test equipment.....	82
A.0.3.1.2	Test conditions	82
A.0.3.1.3	Test procedure	82
A.0.3.1.4	Pass criteria	83
A.0.4	LED Module/LED Array electrical interface tests	83
A.0.5	LED Module/LED Array Product Data Set test.....	83
A.0.5.1	Test.....	83
A.0.5.2	Pass criteria	83
A.1	LLE compliance tests.....	83
A.1.1	LLE mechanical interface tests	83
A.1.1.1	Test of the mechanical interface of the Integrated LLE	83
A.1.1.1.1	Test equipment.....	83
A.1.1.1.2	Test conditions	83
A.1.1.1.3	Test procedure	83
A.1.1.1.4	Pass criteria	84
A.1.2	LLE photometric interface tests.....	84
A.1.2.1	Test on Luminous Flux.....	84
A.1.2.1.1	Test equipment.....	84
A.1.2.1.2	Test conditions	84
A.1.2.1.3	Test procedure	84
A.1.2.1.4	Pass criteria	84
A.1.2.2	Test on Relative Partial Luminous Flux and beam angle	84

A.1.2.2.1	Test equipment.....	84
A.1.2.2.2	Test conditions	85
A.1.2.2.3	Test procedure	85
A.1.2.2.4	Pass criteria	85
A.1.2.3	Test on correlated color temperature (CCT).....	85
A.1.2.3.1	Test equipment.....	85
A.1.2.3.2	Test conditions	85
A.1.2.3.3	Test procedure	86
A.1.2.3.4	Pass criteria	86
A.1.2.4	Test on color rendering index	86
A.1.2.4.1	Test equipment.....	86
A.1.2.4.2	Test conditions	86
A.1.2.4.3	Test procedure	86
A.1.2.4.4	Pass criteria	87
A.1.2.5	Test on Luminance Uniformity	87
A.1.3	LLE thermal interface tests	87
A.1.3.1	Test on thermal power (P_{th}).....	87
A.1.3.1.1	Test equipment.....	87
A.1.3.1.2	Test conditions	87
A.1.3.1.3	Test procedure	87
A.1.3.1.4	Pass criteria	87
A.1.3.2	Test on Thermal power through the Thermal Interface Surface ($P_{th,rear}$)	87
A.1.3.2.1	Test equipment.....	88
A.1.3.2.2	Test conditions	88
A.1.3.2.3	Calibration of $P_{th,rear}$ test setup	89
A.1.3.2.4	Measurement of $P_{th,rear}$ of the LLE.....	90
A.1.3.2.5	Pass criteria	90
A.1.3.3	Empty	90
A.1.3.4	Empty	91
A.1.3.5	Temperature stabilization	91
A.1.3.6	Position of measurement point for the temperature t_r	91
A.1.4	LLE electrical interface tests	91
A.1.5	LLE control interface tests	91
A.1.6	LLE Product Data Set test.....	91
A.1.6.1	Test	91
A.1.6.2	Pass criteria	91
A.2	Luminaire compliance tests	92
A.2.1	Luminaire mechanical interface tests	92
A.2.1.1	Test of the mechanical dimensions of the Luminaire	92
A.2.1.1.1	Test equipment.....	92
A.2.1.1.2	Test conditions	92
A.2.1.1.3	Test procedure	92
A.2.1.1.4	Pass criteria	92
A.2.2	Luminaire photometric interface tests.....	92
A.2.3	Luminaire thermal interface tests	92
A.2.3.1	Empty	92
A.2.4	Luminaire electrical interface tests.....	92
A.2.5	Luminaire control interface tests	92
A.2.6	Luminaire Product Data Set test.....	93

A.2.6.1	Test	93
A.2.6.2	Pass criteria	93
Annex B	Guidelines for Demarcation measurement.....	94
Annex C	History of changes.....	96
Figure 2-1	– 3D-drawings of a Book 12 LED Array and Holder (informative).....	16
Figure 3-1	– Positions of the reference point and the reference plane of the LED Array	18
Figure 3-2	– Definition of the LED Array Border and mechanical references	19
Figure 3-3	– Demarcation model for the outline of the LED Array without mounting holes and without mouse bites	20
Figure 3-4	– Demarcation model – top view for the outline and mounting holes of the LED Array in one of the categories C28x28 or C24x24.....	21
Figure 3-5	– Demarcation model – top view for the outline of the LED Array with mouse bites in one of the categories C20x24, C19x19, C16x19, C13.5x13.5 or C12x15	22
Figure 3-6	– Definition of the minimum electrical contact area for the (+) and (-) contacts – top view	23
Figure 3-7	– Requirement on the minimum size contact area for the (+) and (-) contacts	23
Figure 3-8	– Requirement on the overlap area for the (+) and (-) contacts – top view.....	24
Figure 3-9	– Definition of the keep-in zone.....	25
Figure 3-10	– Definition of the maximum electrical contact area – top view	26
Figure 3-11	– Definition of the Cavity Border and mechanical references.....	27
Figure 3-12	– Demarcation model for the outline of the cavity for the LED Array	28
Figure 3-13	– Definition of the position of the electrical contacts of the Holder.....	29
Figure 3-14	– Definition of the keep-out zone.....	30
Figure 4-1	– Luminance property evaluation areas.....	33
Figure 7-1	– Definition of the gauges for the holder cavity compliance test	36
Figure 7-2	– Definition of the gauges for the holder contacts compliance test	37
Figure 9-1	– LED array in ‘Concept 1’ Holder.....	43
Figure 9-2	– LED array in ‘Concept 2’ Holder.....	44
Figure B-1	– Examples of cavity outlines in a Holder.....	48
Figure B-2	– Definition of the effective cavity outline of a Holder.....	48
Figure C-1	– Set-up for measurement of luminance uniformity and LES diameter	49
Figure 2-1	– Schematic overview of a Luminaire and one or more non-integrated LED Light Engines.....	59
Figure 2-2	– Schematic overview of a Luminaire and one or more integrated LED Light Engines	59
Figure 2-3	– Schematic overview of a LED Light Engine with Integrated ECG	60
Figure 2-4	– Schematic overview of a LED Light Engine with Separate ECG.....	60
Figure 2-5	– Overview of test and certification of Zhaga products	62
Figure 2-6	– Compatibility check.....	63
Figure 3-1	– Example of a Demarcation Model (2-dimensional).....	64
Figure 3-2	– Example of a product which is compliant with the Demarcation Model.....	64
Figure 3-3	– Example of a product which is not compliant with the Demarcation Model.....	64
Figure 3-4	– Example of a product which is not compliant with the Demarcation Model.....	65

Figure 4-1 – Rotationally symmetric solid angle bounded by the polar angles γ_1 and γ_2 which is used to define the Relative Partial Luminous Flux.....	69
Figure 6-1 – Thermal model of a LLE – Luminaire or a LED Module – Luminaire combination	71
Figure 6-2 – Power conversion	72
Figure 6-3 – Position of the Thermal Interface Surface in case of a configuration with TIM	76
Figure A-1 – Heat sensor equipment with Test Fixture and LLE-under-test	88
Figure A-2 – Calibration of the heat flux measurement setup	89
Figure A-3 – Position of measurement point for the temperature t_r	91
Figure B-1 – Example of a LED Array	94
Figure B-2 – Example of a LED Array with sections	94
Figure B-3 – Example of a LED Array with measurement points	95
Table 3-1 – Values of dimensions for the Book 12 LED Array categories	25
Table 3-2 – Values of dimension $\varnothing_{\text{keep-in}}$ depending on the LED Array category and the LES Category	26
Table 3-3 – Values of Holder dimensions depending on the Book 12 LED Array categories.....	29
Table 3-4 – Values of dimension $\varnothing_{\text{keep-out}}$ depending on the LED Array category and the maximum LES Category.....	30
Table 4-1 – Relative partial luminous flux requirements	32
Table 7-1 – Values of dimensions of the gauges for the Holder cavity compliance test.....	36
Table 7-2 – Values of dimensions of the gauges for the Holder contacts compliance test	38
Table D-1 – Changes from Edition 1.1 to Edition 1.2.....	51
Table 4-1 – Definition of circular LES categories.....	66
Table 4-2 – Test voltages for different Rated input voltages of the LLE.....	67
Table 4-3 – Definition of luminous flux categories	68
Table 4-4 – Definition of beam angle categories	69
Table C-1 – Changes from Edition 1.7 to Edition 1.8.....	96

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ZHAGA INTERFACE SPECIFICATION BOOK 1 AND BOOK 12

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is an intermediate specification made available to the public and needing a lower level of consensus than an International Standard to be approved by vote (simple majority).

IEC PAS 63328 has been processed by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
34A/2195/DPAS	34A/2205/RVDPAS

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 2 years starting from the publication date. The validity may be extended for a single period up to a maximum of 2 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This PAS is a reproduction of Zhaga Book 1 Edition 1.8 and Book 12 Edition 1.2 with no changes introduced.

The document layout, terms and definitions, etc within this PAS therefore do not follow the normal IEC drafting rules that would be applied for an International Standard.

Subdivision 1 comprises Zhaga Book 12 Edition 1.2 – Rectangular LED arrays with circular LES and corresponding holders.

Subdivision 2 comprises Zhaga Book 1 Edition 1.8 – Overview and common information, which is essential to the interpretation of Zhaga Book 12 (and future Zhaga books).

The future intention is for the content of this PAS to be incorporated within one or more International Standards and at this time any conflict with IEC Directives and drafting rules will be addressed.

Subdivision 1

Zhaga Interface Specification Book 12

Summary (informative)

Background

The Zhaga Consortium is a global lighting-industry organization that aims to standardize components of LED luminaires, including LED light engines, LED modules, LED arrays, holders, electronic control gear (LED drivers) and connectivity fit systems.

Zhaga has created a set of interface specifications, known as Books. Each Book defines one or more components of an LED luminaire by means of the mechanical, photometric, electrical, thermal, and control interfaces of the component to its environment. This makes such products interchangeable in the sense that it is easy to replace one product with another, even if they have been made by different manufacturers.

Contents

This Book 12 defines LED arrays with a rectangular shape and a circular light emitting surface. For each LED array, this Book 12 also defines the mechanical interface between the LED array and the corresponding holder. The mechanical interface between the holder and the luminaire is defined in another Zhaga book.

This book should be read together with Zhaga Book 1.

Intended Use

The LED arrays defined in this specification are intended to be mounted on a heat sink by means of a holder and to be connected to a separate electronic control gear. The light output is essentially Lambertian to enable the luminaire optics to shape the application's desired light distribution from a defined input.

The LED arrays and holders defined in this Book 12 are intended to be installed and replaced by luminaire manufacturers only.

1 General

1.1 Introduction

The Zhaga Consortium is a global organization that aims to standardize components of LED Luminaires. A LED Luminaire is a lighting fixture for general lighting that contains a light source based on solid-state technology. Such light sources, including LED Modules and LED Light Engines, typically consist of one or more LEDs combined with an Electronic Control Gear (LED driver). Other components of LED Luminaires include LED Arrays, Holders, and connectivity fit systems.

Zhaga has created a set of interface specifications, known as Books, which define the interfaces between a component and its environment. Book 1 is a special Book in the sense that it provides common information, which is relevant to all other Books in the series. In addition, Book 1 defines requirements and compliance tests, which are applicable across multiple Zhaga books. Such Books refer to those requirements and compliance tests as applicable.

1.2 Scope

This Book 12 defines LED Arrays with a rectangular shape and a circular light emitting surface. For each LED Array, this Book 12 also defines the mechanical interface between the LED Array and the corresponding Holder. The mechanical interface between the Holder and the Luminaire (e.g. outline, OCA and mounting holes) is defined in [Book-10].

The LED Arrays defined in this specification are intended to be mounted on a heat sink by means of a Holder and to be connected to a separate Electronic Control Gear. The light output is essentially Lambertian to enable the Luminaire Optics to shape the application's desired light distribution from a defined input. The LED Arrays and Holders defined in this Book 12 are intended to be installed and replaced by Luminaire manufacturers only.

Although this Book 12 has been developed with "Chip-on-board" in mind, the specification is in no way limited to this technology.

1.3 Conformance and references

1.3.1 Conformance

All provisions in the Zhaga interface Specifications are mandatory, unless specifically indicated as recommended, optional or informative. Verbal expressions of provisions in the Zhaga interface specifications follow the rules provided in Clause 7 of ISO/IEC Directives, Part 2:2018. For clarity, the word "shall" indicates a requirement that is to be followed strictly in order to conform to the Zhaga interface specifications, and from which no deviation is permitted. The word "should" indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited.

1.3.2 References

For references which are not listed in this section, see [Book 1]. For undated references, the most recently published edition applies.

[Book 1] Zhaga Interface Specification, Book 1: Overview and Common Information.

[Book 10] Zhaga Interface Specification, Book 10: Circular LED modules for spot lighting.

1.4 Definitions

This section defines terms that have a specific meaning in the context of this Book 12. Terms that have a specific meaning across all Zhaga Books are defined in [Book 1].