

BS 8666:2020



BSI Standards Publication

**Scheduling, dimensioning, cutting and
bending of steel reinforcement for
concrete — Specification**

bsi.

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 539 06628 9

ICS 77.140.15; 91.080.40

The following BSI references relate to the work on this document:

Committee reference ISE/104

Drafts for comment 20/30403583 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	iii
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	1
4 Notation	3
<i>Table 1 — Notation of steel reinforcement</i>	3
5 Form of schedule	3
5.1 General	3
5.2 Special bar end preparation	4
5.3 Paper-based schedules	4
5.4 Electronic data files	4
6 Form of bar or fabric label	5
<i>Figure 1 — Form of bar schedule (with example information included)</i>	6
<i>Figure 2 — Form of fabric schedule</i>	7
<i>Figure 3 — Purpose made fabric example</i>	8
7 Dimensions	9
8 Scheduling	9
8.1 General	9
8.2 Bends not at right angles	10
<i>Figure 4 — Dimensioning of an acute angle</i>	10
<i>Figure 5 — Dimensioning of an obtuse angle</i>	11
<i>Figure 6 — Dimensioning of cranked bars</i>	11
<i>Figure 7 — Dimensioning of shape codes 48 and 52</i>	12
<i>Table 2 — Minimum scheduling radii, mandrel diameters and end projections</i>	13
8.3 Scheduling allowable deviations between two concrete faces	13
<i>Table 3 — Standard deductions between two concrete faces</i>	14
8.4 Shapes with two or more bends	14
<i>Table 4 — Minimum allowances between two bends</i>	14
<i>Table 5 — Standard shapes, their method of measurement and calculation of length</i>	15
<i>Table 6 — Standard fabric types and stock sheet size</i>	24
9 Allowable deviations on cutting and bending dimensions	25
<i>Table 7 — Allowable deviations on cutting and bending dimensions</i>	25
10 Radius of bending	25
<i>Table 8 — Maximum limit for which a preformed radius is required</i>	25
11 Bending of fabric reinforcement	26
<i>Figure 8 — Bending instruction sketches</i>	26
<i>Figure 9 — Position of welded transverse bars</i>	26
12 Fabrication and routine inspection	27
12.1 Fabrication	27
12.2 Routine inspection of product	27
<i>Table 9 — Frequency of inspection</i>	28
12.3 Processed coil product – audit testing	28
12.4 Processed coil product – factory control	29
Annex A (informative) Third-party certification and batch testing	30
Bibliography	32

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 32, an inside back cover and a back cover.

Foreword

Publishing Information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 December 2020. It was prepared by Technical Committee, ISE/104, *Concrete reinforcing and pre-stressing steels*. A list of organizations represented on this committee can be obtained on request to the committee manager.

Supersession

This British Standard supersedes [BS 8666:2005](#) incorporating Amendment No.1:2008, which is withdrawn.

Information about this document

This is a full revision of the standard, and introduces the following principal changes:

- restructure and renaming of clauses and tables;
- addition of shape code specified in BS EN 1992-1-1;
- revision to terms and definitions;
- revision to [Table 1](#) to include dowel bars and the note to stainless steel;
- revisions to form of schedule [5.1](#) and [5.2](#);
- revisions to text of form of bar or fabric labels;
- revision to form of schedule, [Figure 1](#);
- revision to purpose made fabric example, [Figure 3](#);
- revision to dimensions, [7.2](#), [7.4](#) and [7.5](#);
- revision to scheduling, [Figure 4](#), [5](#) and [6](#) additional dimensioning added;
- revision to scheduling, [Figure 7](#) added;
- revision of [Table 2](#) to include an allowance for spring back;
- addition of [Table 3](#);
- revision of [Table 4](#) to include both Z-bars and U-bars;
- addition in [Table 5](#) of new shape codes 48 and 52;
- addition in [Table 5](#) of extra dimensions on most shapes with sloping legs;
- revision to [Table 5](#) to update the length formulae and dimension limits on some shapes;
- amendment of [Table 6](#) areas;
- revision of [Table 7](#) to allowable deviations on cutting and bending dimensions;
- addition of note to [Table 7](#);
- revision of [Table 8](#); and
- revision to fabrication and routine inspection, [12.3](#).

Assessed capability. Users of this are advised to consider the desirability of quality system assessment and registration against the appropriate standard in the BS EN ISO 9000 series by an accredited third-party certification body.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This British Standard specifies requirements for the scheduling, dimensioning, cutting and bending of steel for the reinforcement of concrete conforming to [BS 4449](#), [BS 4483](#) and [BS 6744](#) designed to BS EN 1992-1-1, BS EN 1992-2, BS EN 1992-3 and [BS 8110-1](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document¹⁾. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[BS 4449:2005+A3:2016](#), *Carbon steel bars for the reinforcement of concrete – Specification*

[BS 4483](#), *Steel fabric for the reinforcement of concrete – Specification*

[BS 6744](#), *Stainless steel bars – Reinforcement of concrete – Requirements and test methods*

[BS 8110-1](#), *Structural use of concrete – Code of practice for design and construction*

BS EN 1992-2, *Eurocode 2: Design of concrete structures – Part 2: Concrete bridges – Design and detailing rules*

BS EN 1992-3, *Eurocode 2: Design of concrete structures – Part 3: Liquid retaining and containment structures*

BS EN ISO 216, *Writing paper and certain classes of printed matter – Trimmed sizes – A and B series*

BS EN 10080, *Steel for the reinforcement of concrete – Weldable reinforcing steel – General*

BS EN 13877-3, *Concrete pavements – Specification for dowels to be used in concrete pavements*

3 Terms, definitions and symbols

3.1 For the purposes of this British Standard the following terms and definitions apply.

3.1.1 bar

steel product of any cross-section

NOTE Where the term “bar” is used in this British Standard, it refers to a bar conforming to either [BS 4449](#) or [BS 6744](#).

3.1.2 bend angle

angle by which a bar leg is bent out of line from the preceding leg

3.1.3 nominal size

diameter of a circle, d , with an area equal to the effective cross-sectional area of the bar, sometimes referred to as its size

3.1.4 bar mark

identifying mark which cross-refers individual line entries on the schedule to the detailed drawing

NOTE 1 The bar mark also appears on the delivery label.

NOTE 2 The bar mark is also known as the fabric mark.

¹⁾ Documents that are referred to solely in an informative manner are listed in the Bibliography.