



BSI Standards Publication

HVDC Grid Systems and connected Converter Stations — Guideline and Parameter Lists for Functional Specifications

Part 1: Guidelines

National foreword

This Published Document is the UK implementation of CLC/TS 50654-1:2020. It supersedes PD CLC/TS 50654-1:2018, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/8, Systems Aspects for Electrical Energy Supply.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 539 06426 1

ICS 29.240.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2020.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CLC/TS 50654-1

June 2020

ICS 29.240.01

Supersedes CLC/TS 50654-1:2018

English Version

**HVDC Grid Systems and connected Converter Stations -
Guideline and Parameter Lists for Functional Specifications -
Part 1: Guidelines**

Réseaux CCHT et stations de conversion connectées -
Lignes directrices et listes de paramètres pour les
spécifications fonctionnelles - Partie 1: Lignes directrices

Hochspannungsgleichstrom-Netzsysteme - Leitfaden und
Parameter-Listen für funktionale Spezifikationen - Teil 1:
Leitfaden

This Technical Specification was approved by CENELEC on 2020-04-13.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	6
Introduction.....	7
1 Scope.....	8
1.1 General.....	8
1.2 About the Present Release.....	8
2 Normative references.....	9
3 Terms, definitions and abbreviations.....	10
3.1 Terms and definitions.....	10
3.2 Abbreviations.....	12
4 Coordination of HVDC Grid System and AC Systems.....	13
4.1 General.....	13
4.2 Purpose of the HVDC Grid System and Power Network Diagram.....	13
4.3 AC/DC Power Flow Optimisation.....	14
4.4 Converter Operational Functions.....	15
4.4.1 General.....	15
4.4.2 Basic Operation Functions – Converter Normal Operation State.....	15
4.4.3 Basic Operation Functions – Converter Abnormal Operation State.....	16
4.4.4 Ancillary Services.....	18
5 HVDC Grid System Characteristics.....	23
5.1 HVDC Circuit Topologies.....	23
5.1.1 Availability and Reliability.....	23
5.1.2 Basic Characteristics and Nomenclature.....	23
5.1.3 Attributes of HVDC Grid Systems or HVDC Grid Sub-Systems.....	27
5.1.4 Attributes of a Station.....	28
5.2 Connection Modes.....	29
5.3 Grid Operating States.....	29
5.3.1 General.....	29
5.3.2 Normal State.....	29
5.3.3 Alert State.....	29
5.3.4 Emergency State.....	29
5.3.5 Blackout State.....	29
5.3.6 Restoration.....	30
5.4 DC Voltages.....	30
5.4.1 General.....	30
5.4.2 Nominal DC System Voltage.....	30
5.4.3 Steady-State DC Voltage.....	30
5.4.4 Temporary DC Voltage.....	31
5.4.5 Neutral Bus Voltages.....	32
5.5 Insulation Coordination.....	33
5.6 Short-Circuit Characteristics.....	33
5.6.1 Calculation of Short-Circuit Currents in HVDC Grid Systems.....	33
5.6.2 Short-Circuit Current Design Requirements.....	34

5.7	Steady-State Voltage and Current Distortions	34
5.7.1	Voltage and Current Distortion Limits	34
5.7.2	Frequency Dependent DC System Impedance	36
5.8	DC System Restoration	37
5.8.1	General.....	37
5.8.2	Post DC Fault Recovery.....	37
5.8.3	Restoration from Blackout.....	37
6	HVDC Grid System Control.....	37
6.1	Closed-Loop Control Functions.....	37
6.1.1	General.....	37
6.1.2	Core Control Functions	38
6.1.3	Coordinating Control Functions.....	38
6.2	Controller Hierarchy	38
6.2.1	General.....	38
6.2.2	Internal Converter Control.....	39
6.2.3	DC Node Voltage Control.....	40
6.2.4	Coordinated HVDC Grid System Control.....	41
6.2.5	AC/DC Grid Control.....	43
6.3	Propagation of Information	44
6.4	Open-Loop Controls	45
6.4.1	Coordination of Connection Modes between Stations and their PoC-DCs.....	45
6.4.2	Operating Sequences for HVDC Grid System Installations	45
6.4.3	Post DC Fault Recovery.....	46
7	HVDC Grid System Protection	47
7.1	General.....	47
7.2	DC Fault Separation.....	47
7.3	Protection System Related Installations and Equipment	48
7.3.1	AC/DC Converter Station	48
7.3.2	HVDC Grid System Topology and Equipment.....	48
7.4	HVDC Grid System Protection Zones	49
7.4.1	General.....	49
7.4.2	Permanent Stop P.....	51
7.4.3	Permanent Stop PQ	53
7.4.4	Temporary Stop P	54
7.4.5	Temporary Stop PQ	56
7.4.6	Continued Operation	56
7.4.7	Example of a Protection Zone Matrix.....	58
7.5	DC Protection	59
7.5.1	General.....	59
7.5.2	DC Converter Protections	60
7.5.3	HVDC Grid System Protections	60
7.5.4	DC Grid Protection Communication	61
8	AC/DC Converter Stations	62
8.1	Introduction.....	62
8.2	AC/DC Converter Station Types	62
8.3	Overall Requirements.....	63
8.3.1	Robustness of AC/DC Converter Stations	63
8.3.2	Availability and Reliability.....	63

8.3.3	Active Power Reversal.....	64
8.4	Main Circuit Design.....	64
8.4.1	General Characteristics	64
8.4.2	DC Side.....	65
8.4.3	AC Side.....	74
8.5	Controls.....	75
8.5.1	General	75
8.5.2	Automated vs. Manual Operation	75
8.5.3	Control Modes & Support of Coordination	75
8.5.4	Limitation Strategies	75
8.5.5	Operating Sequences for AC/DC Converter Station	75
8.5.6	Dynamic Behaviour.....	78
8.6	Protection.....	79
8.6.1	General	79
8.6.2	Configuration Requirements	79
8.6.3	Function Requirements.....	79
8.6.4	DC Grid Interface.....	81
8.6.5	Fault Separation Strategy for Faults inside the AC/DC Converter Station.....	81
8.6.6	Coordination of the DC Protection with the HVDC Grid System	82
8.6.7	Example for Coordination of the DC Protection with the HVDC Grid System.....	82
9	HVDC Grid System Installations.....	84
9.1	General	84
9.2	DC Switching Station	87
9.2.1	Overall Requirements.....	87
9.2.2	Main Circuit Design.....	88
9.2.3	Controls.....	98
9.2.4	Protection.....	99
9.3	Transmission Lines and Transition Stations	102
9.4	DC/DC Converter Stations.....	102
9.5	DC Line Power Flow Controllers.....	102
10	Models and Validation.....	102
10.1	Introduction	102
10.2	HVDC Grid System Studies.....	102
10.2.1	Type of Studies	102
10.2.2	Tools and Methods	104
10.3	Model General Specifications	104
10.3.1	Introductory note	104
10.3.2	Model Capability	104
10.3.3	Model Format and Data Type	105
10.3.4	Model Aggregation.....	105
10.4	Model Specific Recommendations	105
10.4.1	Load Flow Models.....	105
10.4.2	Short-Circuit Models	106
10.4.3	Protection System Models	106
10.4.4	Insulation Coordination Related Models.....	106
10.4.5	Electromechanical Transient Models.....	107
10.4.6	Electromagnetic Transient Models	107
10.4.7	Power Quality Models.....	108

10.5	Model Validation	109
10.6	Compliance Simulation.....	111
10.7	Outputs/Results	111
10.7.1	Model Data	111
10.7.2	Model Documentation	111
10.7.3	Model Example.....	112
10.7.4	Model Compliance Documentation	112
10.7.5	Model Validation Documentation – Model Final Version	112
10.7.6	Model Guarantee.....	112
11	HVDC Grid System Integration Tests.....	112
11.1	Off-Site Testing of the HVDC Control and Protection System	113
11.2	Dynamic Performance Study/Tests (DPS) Performed with Offline Models	114
11.2.1	DPS Simulations in a Multi-Vendor Environment.....	114
11.2.2	DPS Simulations Scenarios	115
11.3	Factory Tests.....	115
11.3.1	General.....	115
11.3.2	Factory Test Scenarios	115
11.3.3	Factory Tests when Existing System C&P Replicas are Available	116
11.3.4	Factory Tests when Existing System C&P Replicas are not Available.....	119
11.4	On Site Testing.....	121
	Bibliography	123

European foreword

This document (CLC/TS 50654-1:2020) has been prepared by CLC/TC 8X “*System aspects of electrical energy supply*”.

This document supersedes CLC/TS 50654-1:2018.

CLC/TS 50654-1:2020 includes the following significant technical changes with respect to CLC/TS 50654-1:2018:

- new content concerning AC/DC converter stations;
- new content concerning HVDC Grid System installations, including DC switching stations;
- new content concerning HVDC Grid System integration tests.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Introduction

HVDC Grid Systems are a new field of technology. There are very few systems with a small number of converter stations in operation; some more are in execution or in detailed planning.

The Guidelines and Parameter Lists to Functional Specifications are presented featuring planning, specification and execution of multi-vendor HVDC Grid Systems in Europe. Being elaborated by a team of experts from leading vendors of HVDC technology, Transmission System Operators (TSO's), Academia and Institutions in Europe, the present document provides a commonly agreed basis for an open market of compatible equipment and solutions for HVDC Grid Systems. Executing such systems and gaining operational experience is seen an important prerequisite for developing corresponding technical standards in the future.

By elaborating this document, special care has been taken to as far as possible describe the requirements in a technologically independent way. In order to achieve that, a function of interest is described by a comprehensive set of parameters. The parameters are selected based on a systematic analysis of physical phenomena relevant to achieve the requested functionality. The physical phenomena are categorized in order to show the mutual dependence of the individual parameters and ensure completeness of the physical aspects to be considered. Based on a clearly defined common language describing the functionalities requested, existing technologies can be applied, or new dedicated technical solutions can be developed.

Reflecting the early stage of technology, these Guidelines and Parameter Lists to Functional Specifications need comprehensive explanations and background information for the technical parameters. This dual character of the content will be represented by two corresponding parts:

- Part I “Guidelines” containing the explanations and the background information in context with the Parameter Lists.
- Part II “Parameter Lists” containing the essential lists of parameters and values describing properties of the AC respectively DC system (operating conditions) and parameters describing the performance of the newly installed component (performance requirements).

1 Scope

1.1 General

These Guidelines and Parameter Lists to Functional Specifications describe specific functional requirements for HVDC Grid Systems. The terminology “HVDC Grid Systems” is used here describing HVDC systems for power transmission having more than two converter stations connected to a common DC circuit.

While this document focuses on requirements, that are specific for HVDC Grid Systems, some requirements are considered applicable to all HVDC systems in general, i.e. including point-to-point HVDC systems. Existing IEC, Cigré or other documents relevant have been used for reference as far as possible.

Corresponding to electric power transmission applications, this document is applicable to high voltage systems, i.e. having typically nominal DC voltages higher than 50 kV with respect to earth are considered in this document.

NOTE While the physical principles of DC networks are basically voltage independent, the technical options for designing equipment get much wider with lower DC voltage levels, e.g. in case of converters or switchgear.

Both parts have the same outline and headlines to aid the reader.

1.2 About the Present Release

The present release of the Guidelines and Parameter Lists for Functional Specifications describes technical guidelines and specifications for HVDC Grid Systems which are characterized by having exactly one single connection between two converter stations, often referred to as radial systems. When developing the requirements for radial systems, care is taken not to build up potential showstoppers for meshed systems. Meshed HVDC Grid Systems can be included into this specification at a later point in time.

The Guidelines and Parameter List to the Functional Specification of HVDC Grid Systems cover technical aspects of:

- coordination of HVDC grid and AC systems
- HVDC Grid System characteristics
- HVDC Grid System control
- HVDC Grid System protection
- AC/DC converter stations
- HVDC Grid System installations, including DC switching stations
- models and validation
- HVDC Grid System integration tests

Beyond the present scope, the following content is proposed for future work:

- transmission lines and transition stations
- DC/DC converter stations
- DC line power flow controllers