



BSI Standards Publication

Process management for avionics — Atmospheric radiation effects

Part 8: Proton, electron, pion, muon, alpha-ray fluxes and single event effects in avionics electronic equipment — Awareness guidelines

National foreword

This Published Document is the UK implementation of IEC TR 62396-8:2020.

The UK participation in its preparation was entrusted to Technical Committee GEL/107, Process management for avionics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 580 96566 1

ICS 03.100.50; 31.020; 49.060

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2020.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------



TECHNICAL REPORT



**Process management for avionics – Atmospheric radiation effects –
Part 8: Proton, electron, pion, muon, alpha-ray fluxes and single event effects
in avionics electronic equipment – Awareness guidelines**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 03.100.50; 31.020; 49.060

ISBN 978-2-8322-8010-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions, abbreviated terms and acronyms	8
3.1 Terms and definitions.....	9
3.2 Abbreviated terms and acronyms	10
4 Technical awareness	12
4.1 Basic knowledge of atmospheric secondary particles	12
4.2 Four typical hierarchies of faulty conditions in electronic equipment: Fault – error – hazard – failure	15
4.3 General sources of radiation	18
4.3.1 General sources of terrestrial radiation	18
4.3.2 Atmospheric radiation particles.....	19
4.3.3 Spectra at the avionics altitude.....	22
4.4 Particle considerations.....	25
4.4.1 General	25
4.4.2 Alpha particles.....	25
4.4.3 Protons.....	26
4.4.4 Muons and pions	30
4.4.5 Low-energy neutrons	32
4.4.6 High-energy neutrons	33
4.5 Conclusion and guidelines	43
Annex A (informative) CMOS semiconductor devices	45
Annex B (informative) General description of radiation effects.....	48
B.1 Radiation effects in semiconductor materials by a charged particle – Charge collection and bipolar action.....	48
B.2 Radiation effects by protons.....	49
B.3 Radiation effects by low-energy neutrons.....	51
B.4 Radiation effects by high-energy neutrons	52
B.5 Radiation effects by heavy ions.....	53
Bibliography.....	54
Figure 1 – Cosmic rays as origin of single event effects.....	13
Figure 2 – Initial stage of secondary particle production.....	14
Figure 3 – Differential high-energy neutron spectrum at sea level in NYC	14
Figure 4 – Long-term cyclic variation in neutron flux measured at Moscow Neutron Monitor Center.....	15
Figure 5 – Differential proton spectra originating from solar-minimum sun, from big flares on the sun, and from the galactic core.....	15
Figure 6 – Typical hierarchy of fault conditions: Fault-error-failure	18
Figure 7 – Sources of atmospheric ionizing radiation: Nuclear reactions and radioactive decay.....	19
Figure 8 – Differential flux of secondary cosmic rays at avionics altitude (10 000 m) above NYC sea level	22
Figure 9 – Differential flux of terrestrial radiation at NYC sea level.....	23

Figure 10 – Measured differential flux of high-energy neutrons at NYC sea level and at avionics altitudes (5 000 m, 11 000 m and 20 000 m).....	24
Figure 11 – Cumulative flux of terrestrial radiation at avionics altitude above NYC sea level25	
Figure 12 – Comparison of measured cross section of memory devices irradiated by high-energy protons and neutrons.....	27
Figure 13 – Simplified scheme of muon/pion irradiation system	30
Figure 14 – Nuclear capture of cross section of cadmium isotopes	32
Figure 15 – Neutron energy spectra of monoenergetic neutron beam facilities	35
Figure 16 – Neutron energy spectra from radioisotope neutron sources	35
Figure 17 – Simplified high-energy neutron beam source in a quasi-monoenergetic neutron source.....	37
Figure 18 – Neutron energy spectra of quasi-monoenergetic neutron beam facilities	38
Figure 19 – Conceptual illustration of cross section data obtained by (quasi-) monoenergetic neutron sources and fitting curve by Weibull fit	39
Figure 20 – Simplified high-energy neutron beam source in a spallation neutron source	41
Figure 21 – Neutron energy spectra of spallation neutron sources and terrestrial field	42
Figure A.1 – Basic substrate structure used for CMOSFET devices on the stripe structure of p- and n-wells and cross sections of triple and dual wells	45
Figure A.2 – SRAM function and layout.....	46
Figure A.3 – Example of logic circuit	46
Figure A.4 – Example of electronic system implementation	47
Figure A.5 – Example of stack layers in an electronic system	47
Figure B.1 – Charge collection in a semiconductor structure by funnelling	48
Figure B.2 – Bipolar action model in a triple well n-MOSFET structure.....	49
Figure B.3 – Charge deposition density of various particles in silicon as a function of particle energy	50
Figure B.4 – Total nuclear reaction cross section of high-energy proton and neutron in silicon	50
Figure B.5 – Microscopic fault mechanism due to spallation reaction of high-energy neutron and proton in a SRAM cell.....	51
Figure B.6 – (n, α) reaction cross section of low-energy neutrons with ^{10}B	52
Figure B.7 – Calculated energy spectra of Li and He produced by neutron capture reaction with $^{10}\text{B}(n, \alpha)^7\text{Li}$ reaction	52
Figure B.8 – Ranges of typical isotopes produced by nuclear spallation reaction of high-energy neutron in silicon	53
Figure B.9 – Calculated energy spectra of elements produced by nuclear spallation reaction of high-energy neutrons in silicon at Tokyo sea level.....	53
Table 1 – General modes of faults	17
Table 2 – Properties of atmospheric radiation particles	19
Table 3 – Selected data sources for spectra of atmospheric radiation particles	22
Table 4 – Non-exhaustive list of methods for alpha-particle SEE measurements.....	26
Table 5 – Non-exhaustive list of facilities for proton irradiation.....	27
Table 6 – Non-exhaustive list of facilities for muon irradiation	31
Table 7 – Non-exhaustive list of facilities for thermal/epi-thermal neutron irradiation.....	33

Table 8 – Non-exhaustive list of facilities for low-energy neutron irradiation.....	36
Table 9 – Non-exhaustive list of facilities for quasi-monoenergetic neutron irradiation	40
Table 10 – Non-exhaustive list of facilities for nuclear spallation neutron irradiation	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PROCESS MANAGEMENT FOR AVIONICS –
ATMOSPHERIC RADIATION EFFECTS –****Part 8: Proton, electron, pion, muon, alpha-ray fluxes and single event
effects in avionics electronic equipment – Awareness guidelines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62396-8, which is a Technical Report, has been prepared by IEC technical committee 107: Process management for avionics.

The text of this Technical Report is based on the following documents:

Draft TR	Report on voting
107/355/DTR	107/365/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62396 series, published under the general title *Process management for avionics – Atmospheric radiation effects*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Atmospheric radiation can be responsible for causing single event effects (SEEs) in electronic equipment. Beside neutrons and protons, there are other atmospheric radiation sources (for example electrons, pions and muons), which are currently regarded as minor sources, which can also affect electronics in avionics and terrestrial applications. This is currently a new emerging topic with a limited amount of test data and supporting information.

This document, as part of the IEC 62396 series, provides awareness on this new emerging topic in order to inform avionics systems designers, electronic equipment manufacturers and component manufacturers and their customers of the kind of ionising radiation environment that their electronic devices can be subjected to in aircraft and the potential effects this radiation environment can have on those electronic devices.

This awareness is unavoidable due to the aggressive scaling of electronic semiconductor devices to smaller and smaller transistor feature sizes where the impact of these radiation sources can become visible or even significant in the future. For example, some evidence of muon effects has appeared in the literature, in which the impact of muons seems to be negligible at present. This document gives a comprehensive survey on the nature of these particles, atmospheric spectra, induced phenomena and possible testing facilities with their radiation sources; it also provides orientation in order to prepare avionics in the future.

PROCESS MANAGEMENT FOR AVIONICS – ATMOSPHERIC RADIATION EFFECTS –

Part 8: Proton, electron, pion, muon, alpha-ray fluxes and single event effects in avionics electronic equipment – Awareness guidelines

1 Scope

This part of IEC 62396 is intended to provide awareness and guidance with regard to the effects of small particles (that is, protons, electrons, pions and muon fluxes) and single event effects on avionics electronics used in aircraft operating at altitudes up to 60 000 feet (18 300 m). This is an emerging topic and lacks substantive supporting data. This document is intended to help aerospace or ground level electronic equipment manufacturers and designers by providing awareness guidance for this new emerging topic.

Details of the radiation environment are provided together with identification of potential problems caused as a result of the atmospheric radiation received. Appropriate methods are given for quantifying single event effect (SEE) rates in electronic components.

NOTE 1 The overall system safety methodology is usually expanded to accommodate the single event effects rates and to demonstrate the suitability of the electronics for application at the electronic component, electronic equipment and system level.

NOTE 2 For the purposes of this document the terms "electronic device" and "electronic component" are used interchangeably.

Although developed for the avionics industry, this document can be used by other industrial sectors at their discretion.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62396-1:2016, *Process management for avionics – Atmospheric radiation effects – Part 1: Accommodation of atmospheric radiation effects via single event effects within avionics electronic equipment*

3 Terms, definitions, abbreviated terms and acronyms

For the purposes of this document, the terms, definitions, abbreviated terms and acronyms given in IEC 62396-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>