



BSI Standards Publication

## Marine energy — Wave, tidal and other water current converters

---

Part 3: Measurement of mechanical loads

## National foreword

This Published Document is the UK implementation of IEC TS 62600-3:2020.

The UK participation in its preparation was entrusted to Technical Committee PEL/114, Marine energy - Wave, tidal and other water current converters.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020  
Published by BSI Standards Limited 2020

ISBN 978 0 580 99494 4

ICS 27.140

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2020.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---



# IEC TS 62600-3

Edition 1.0 2020-05

# TECHNICAL SPECIFICATION

---

**Marine energy – Wave, tidal and other water current converters –  
Part 3: Measurement of mechanical loads**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 27.140

ISBN 978-2-8322-8105-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
1.1 General.....	11
1.2 Subdivision of marine energy converter types.....	11
2 Normative references.....	14
3 Terms and definitions.....	15
4 Symbols, units and abbreviated terms.....	15
4.1 Symbols.....	15
4.2 Greek symbols.....	16
4.3 Subscripts.....	17
4.4 Abbreviated terms.....	17
5 General.....	17
5.1 Document structure.....	17
5.2 Safety during testing.....	18
5.3 Technology qualification.....	18
5.4 Load measurement.....	18
6 Test requirements.....	18
6.1 General.....	18
6.2 Test site requirements all WEC and CEC.....	19
6.3 Subsystem or structural component laboratory load testing.....	19
6.4 Measurement load cases all WEC and CEC.....	19
6.4.1 General.....	19
6.4.2 MLCs during steady-state operation.....	20
6.4.3 MLCs during transient events.....	21
6.4.4 MLCs for dynamic characterization.....	21
6.4.5 MLC for abnormal operating condition.....	22
6.4.6 Capture matrices.....	22
6.5 Measurement load cases for MECs with blades connected to a rotor shaft.....	23
6.5.1 General.....	23
6.5.2 MLCs for dynamic characterization.....	23
6.5.3 Capture matrices.....	24
6.6 Quantities to be measured for all WEC and CEC.....	25
6.6.1 General.....	25
6.6.2 Load quantities.....	25
6.6.3 Meteorological and oceanographic quantities.....	26
6.6.4 MEC operation quantities.....	26
6.7 Quantities to be measured for MECs with blades connected to a rotor shaft.....	27
6.7.1 General.....	27
6.7.2 Load quantities.....	28
6.7.3 Oceanographic and meteorological quantities.....	28
6.7.4 MEC operation quantities.....	28
6.8 MEC configuration changes.....	29
7 Instrumentation.....	29
7.1 Load quantities for all WEC and CEC.....	29
7.1.1 General.....	29

7.1.2	Types of sensors .....	30
7.1.3	Choice of sensor location .....	30
7.1.4	The connection between prime mover and PTO .....	30
7.1.5	The connection between PTO and substructure and/or foundation .....	31
7.1.6	The connection between PTO and floating device .....	31
7.1.7	Measurement of station keeping loads .....	31
7.1.8	Prime mover absolute and relative position .....	31
7.1.9	PTO absolute and relative position .....	32
7.1.10	Substructure or floating device absolute and relative position .....	32
7.1.11	Water pressure measurements .....	32
7.2	Operation quantities for all WEC and CEC .....	32
7.2.1	General .....	32
7.2.2	Electrical power .....	32
7.2.3	Hydraulic power .....	33
7.2.4	Generator speed .....	33
7.2.5	Brake moment or force .....	33
7.2.6	MEC status .....	33
7.2.7	Brake status .....	33
7.2.8	Draft or freeboard measurement .....	33
7.3	Load quantities for MECs with blades connected to a rotor shaft .....	33
7.3.1	General .....	33
7.3.2	Blade root bending moments .....	33
7.3.3	Blade bending moment distribution .....	34
7.3.4	Blade torsion frequency/damping .....	34
7.3.5	Rotor yaw and tilt moment .....	34
7.3.6	Rotor torque .....	34
7.3.7	Tubular column bending .....	34
7.3.8	Darrieus style rotor bending .....	35
7.3.9	PTO and blade absolute and relative position .....	35
7.4	Operation quantities for MECs with blades connected to a rotor shaft .....	35
7.4.1	General .....	35
7.4.2	Rotor speed or generator speed .....	35
7.4.3	Yaw misalignment .....	35
7.4.4	Rotor azimuth angle .....	35
7.4.5	Pitch position .....	35
7.4.6	Pitch speed .....	36
7.4.7	Brake moment .....	36
7.5	Oceanographic and meteorological quantities .....	36
7.5.1	General .....	36
7.5.2	Measurement and installation requirements .....	36
7.5.3	Sea or river ice loads and ice accretion .....	36
7.6	Data acquisition system (DAS) .....	36
7.6.1	General .....	36
7.6.2	Resolution and sampling frequency .....	36
7.6.3	Anti-aliasing .....	37
8	Determination of calibration factors .....	37
8.1	Overview .....	37
8.2	General .....	37

8.3	Calibration of load channels for all WEC and CEC .....	38
8.4	Calibration of non-load channels for all WEC and CEC .....	38
8.5	Calibration of load channels for MECs with blades connected to a rotor shaft .....	38
8.5.1	General .....	38
8.5.2	Blade bending moments .....	39
8.5.3	Main shaft moments .....	40
8.5.4	Tubular column bending moments .....	40
8.6	Calibration of non-load channels for MECs with blades connected to a rotor shaft .....	41
8.6.1	Pitch angle .....	41
8.6.2	Rotor azimuth angle.....	41
8.6.3	Yaw angle.....	41
8.6.4	Oceanographic and meteorological.....	41
8.6.5	Brake moment or force .....	41
9	Data verification .....	42
9.1	Overview.....	42
9.2	General.....	42
9.3	Verification checks for all WEC and CEC .....	42
9.4	Verification checks for MECs with blades connected to a rotor shaft .....	43
9.4.1	General .....	43
9.4.2	Blade moments.....	43
9.4.3	Main rotor shaft .....	44
9.4.4	Tubular column.....	44
10	Processing of measured data .....	45
10.1	Overview.....	45
10.2	General.....	45
10.3	Load quantities .....	45
10.4	Current speed and/or sea state trend detection.....	45
10.5	Statistics.....	46
10.6	Rainflow counting .....	46
10.7	Cumulative rainflow spectrum .....	46
10.8	Damage equivalent load (DEL) .....	46
10.9	Current speed or wave energy flux binning .....	47
10.10	Power spectral density (PSD) .....	48
11	Uncertainty estimation .....	48
12	Reporting.....	48
Annex A	(normative) Full-scale structural laboratory testing of rotor blades .....	52
A.1	General.....	52
A.2	Coordinate systems .....	52
A.3	General principles.....	54
A.3.1	Purpose of tests .....	54
A.3.2	Limit states .....	55
A.3.3	Practical constraints .....	55
A.3.4	Results of test .....	55
A.4	Documentation and procedures for test blade .....	56
A.5	Blade test program.....	56
A.5.1	Areas to be tested .....	56
A.5.2	Test program .....	57

A.6	Test plans .....	58
A.6.1	General .....	58
A.6.2	Blade description .....	58
A.6.3	Loads and conditions .....	58
A.6.4	Instrumentation .....	58
A.6.5	Expected test results .....	58
A.7	Load factors for testing .....	59
A.7.1	General .....	59
A.7.2	Partial safety factors used in the design .....	59
A.7.3	Factors on materials .....	59
A.7.4	Partial factors on loads .....	59
A.7.5	Application of load factors to obtain the target load .....	60
A.8	Test loading and test load evaluation .....	61
A.8.1	General .....	61
A.8.2	Influence of load introduction .....	62
A.8.3	Static load testing .....	62
A.8.4	Fatigue load testing .....	63
A.9	Test requirements .....	64
A.9.1	Test records .....	64
A.9.2	Instrumentation calibration .....	64
A.9.3	Measurement uncertainties .....	64
A.9.4	Root fixture and test stand requirements .....	64
A.9.5	Environmental conditions monitoring .....	65
A.9.6	Deterministic corrections .....	65
A.9.7	Static test .....	65
A.9.8	Fatigue test .....	66
A.9.9	Other blade property tests .....	66
A.10	Test results evaluation .....	67
A.10.1	General .....	67
A.10.2	Catastrophic failure .....	67
A.10.3	Permanent deformation, loss of stiffness or change in other blade properties .....	67
A.10.4	Superficial damage .....	68
A.10.5	Failure evaluation .....	68
A.11	Renewed testing .....	68
A.12	Reporting .....	69
A.12.1	General .....	69
A.12.2	Test report content .....	69
A.12.3	Evaluation of test in relation to design requirements .....	70
Annex B (informative) Example coordinate systems for MECs with blades connected to a rotor shaft .....		71
B.1	General .....	71
B.2	Blade coordinate system .....	71
B.3	Hub coordinate system .....	71
B.4	Nacelle coordinate system .....	72
B.5	Tubular column coordinate system .....	73
B.6	Yaw misalignment .....	74
B.7	Cone angle and tilt angle .....	74
B.8	Rotor azimuth angle .....	75

B.9	Blade pitch angle .....	75
Annex C (informative)	Recommendations for design and testing of MECs with respect to ice loading and ice accretion.....	76
Annex D (informative)	Offshore load measurements .....	77
D.1	General.....	77
D.2	Fibre optic strain sensors .....	77
D.3	Published experience.....	78
D.4	Operational sound.....	79
Annex E (informative)	Uncertainty analysis .....	80
Annex F (informative)	Load model validation.....	82
F.1	General.....	82
F.2	Methods for loads comparison .....	82
F.2.1	Statistical binning .....	82
F.2.2	Spectral functions .....	83
F.2.3	Fatigue spectra.....	83
F.2.4	Data point by data point.....	83
Annex G (informative)	Formulation of test load for rotor blade testing .....	84
G.1	Static target load.....	84
G.2	Fatigue target load.....	84
Annex H (informative)	Difference between design and test load condition for rotor blade testing .....	85
H.1	General.....	85
H.2	Load introduction .....	85
H.3	Bending moments and shear.....	85
H.4	Radial loads.....	87
H.5	Torsion loads .....	87
H.6	Environmental conditions .....	87
Annex I (informative)	Influence of the number of load cycles on fatigue tests of rotor blades.....	88
I.1	General.....	88
I.2	Background.....	88
I.3	The approach used .....	88
Bibliography	.....	92
Figure 1	– General scheme of marine energy converters fixed to the seabed or shore .....	12
Figure 2	– General scheme of floating marine energy converters moored to the seabed or shore.....	13
Figure 3	– Marine energy converter with blades connected to a rotor shaft supported by a fixed substructure.....	13
Figure 4	– Marine energy converter with blades connected to a rotor shaft supported by a floating device.....	14
Figure 5	– Turbine loads: rotor, blade and base of tubular column loads.....	28
Figure A.1	– Chordwise (flatwise, edgewise) coordinate system.....	53
Figure A.2	– Rotor (flapwise, lead-lag) coordinate system.....	54
Figure B.1	– Blade coordinate system.....	71
Figure B.2	– Hub coordinate system .....	72
Figure B.3	– Nacelle coordinate system .....	73

Figure B.4 – Tubular column coordinate system.....	73
Figure B.5 – Yaw misalignment.....	74
Figure B.6 – Cone angle and tilt angle .....	74
Figure H.1 – Difference of moment distribution for target and actual test load .....	85
Figure H.2 – Distribution of the shear force as a function of the spanwise location for different numbers of load application point.....	86
Figure H.3 – Distribution of the bending moment as a function of the spanwise location for different numbers of load application points .....	86
Figure I.1 – Simplified Goodman diagram .....	88
Figure I.2 – Test load factor $\gamma_{ef}$ as a function of the reduction factor $H_r$ .....	91
Table 1 – MLCs during steady-state operation .....	21
Table 2 – Measurement of transient load cases .....	21
Table 3 – MLCs for dynamic characterization.....	22
Table 4 – Capture matrix for parked condition.....	23
Table 5 – Capture matrix for normal transient events .....	23
Table 6 – Capture matrix for other than normal transient events .....	23
Table 7 – MLCs for dynamic characterization.....	24
Table 8 – Capture matrix for parked condition.....	24
Table 9 – All WEC and CEC load quantities .....	26
Table 10 – Oceanographic and meteorological quantities.....	26
Table 11 – MEC operation quantities .....	27
Table 12 – MECs with blades connected to a rotor shaft load quantities .....	28
Table 13 – MEC with blades connected to a rotor shaft operation quantities .....	29
Table 14 – Summary of suitable calibration methods .....	39
Table A.1 – Blade test program.....	57
Table A.2 – Recommended values for $\gamma_{ef}$ as a function of the reduction factor $H_r$ .....	60
Table A.3 – Examples of situations typically requiring or not requiring renewed testing.....	69
Table E.1 – List of uncertainty components.....	81
Table I.1 – Recommended values for $\gamma_{ef}$ as a function of the reduction factor $H_r$ .....	91

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARINE ENERGY – WAVE, TIDAL AND  
OTHER WATER CURRENT CONVERTERS –****Part 3: Measurement of mechanical loads**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62600-3, which is a Technical Specification, has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters.

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
114/326/DTS	114/336A/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy – Wave, tidal and other water current converters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

This part of IEC 62600 outlines specifications for the full-scale mechanical loads measurement on hydrodynamic marine energy converters (MECs). It is directed at a technology readiness level (TRL) of 7 to 9, meaning the last prototype or the first production device. This document also outlines the demands for full-scale structural testing of rotor blades as well as the interpretation and evaluation of test results.

In the process of structural design of marine energy converters, thorough understanding and accurate quantification of the loading is of utmost importance. In the design stage, loads can be predicted with simulation models and codes. However, such models have their modelling restrictions and uncertainties, and they always need to be validated by measurement.

Mechanical load measurements can be used both as the basis for design and as the basis for certification. The design of marine energy converters is covered by IEC 62600-2: Marine Energy – Wave, tidal and other water current converters – Part 2: Design requirements for marine energy systems.

This document is aimed at the test institute, the marine energy converter manufacturer and the certifying body and defines the requirements for mechanical loads tests resulting in consistent and reproducible test results.

There exists a large variety of marine energy converter working principles. This document aims to cover most hydrodynamic marine energy converter working principles. Therefore, generalised tests are presented at the level of the common subsystems. For Tidal Energy Converters (TECs) and for other water current converters, the most common working principle is a turbine comprising blades connected to a rotor shaft. Therefore, detailed tests are specified for this working principle. For marine energy converter working principles that do not fit partly or completely in the scope of this document, the technology qualification process is introduced. Through the technology qualification process, the user can adapt the test programme to their specific marine energy converter.

This document is comparable to the international wind standards IEC 61400-13: Wind turbines – Part 13: Measurement of mechanical loads and IEC 61400-23: Wind turbines – Part 23: Full-scale structural testing of rotor blades. Since testing laboratories and certification bodies already have experience with these wind standards, it is convenient to adapt the same methods where possible.

There is not much published experience with offshore mechanical load measurement on marine energy converters. This document is a first step towards a future International Standard which can be used as part of a type certification process of marine energy converters. First, experience should be gained with offshore mechanical load measurement and with the application of this document.

Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

# MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

## Part 3: Measurement of mechanical loads

### 1 Scope

#### 1.1 General

This part of IEC 62600 describes the measurement of mechanical loads on hydrodynamic marine energy converters such as wave, tidal and other water current converters (including river current converters) for the purpose of load simulation model validation and certification. This document contains the requirements and recommendations for the measurement of mechanical loads for such activities as site selection, measurand selection, data acquisition, calibration, data verification, measurement load cases, capture matrix, post-processing, uncertainty determination and reporting.

Informative annexes are also provided to improve understanding of testing methods. The methods described in this document can also be used for mechanical loads measurements for other purposes such as obtaining a measured statistical representation of loads, direct measurements of the design loads, safety and function testing, or measurement of subsystem or component structural loads.

Through a technology qualification process, the test requirements can be adapted to the specific marine energy converter.

This document also defines the requirements for full-scale structural testing of subsystems or parts with a special focus on full-scale structural testing of marine energy converter rotor blades and for the interpretation and evaluation of achieved test results. This document focuses on aspects of testing related to an evaluation of the structural integrity of the blade. The purpose of the tests is to confirm to an acceptable level of probability that the whole installed production of a blade type fulfils the design assumptions.

#### 1.2 Subdivision of marine energy converter types

There is a wide variety of marine energy converter types, especially concerning wave energy converters (WECs). For tidal energy converters and other current energy converters (CECs) the working principle of a turbine comprising blades connected to a rotor shaft, is common, whether seabed mounted or mounted to floating structures. However, there are also other types of tidal energy converters under development without blades connected to a rotor shaft and there are wave energy converters under development with blades connected to a rotor shaft. This document aims to cover all types of hydrodynamic marine energy converters, being wave energy converters (WECs) and current energy converters (CECs). Therefore, this document provides requirements and recommendations for all wave energy converters and current energy converters. For wave energy converters and current energy converters with blades connected to a rotor shaft, the requirements are specified in more detail, since in this case there is more knowledge about the technical components of the device.

For all wave and current energy converters a subdivision can be made between seabed (or shore) mounted devices (see Figure 1) and floating devices (see Figure 2). The seabed can also be a riverbed and the shore can also be a pier, a bridge girder, a canal lock gate or another artificial construction. The seabed (or shore) mounted devices generally consist of the following subsystems:

- prime mover;