

ANSI/IES LP-3-20



**LIGHTING PRACTICE:
DESIGNING AND SPECIFYING
DAYLIGHTING FOR BUILDINGS**
AN AMERICAN NATIONAL STANDARD



www.ies.org

ANSI/IES LP-3-20

**LIGHTING PRACTICE:
DESIGNING AND SPECIFYING
DAYLIGHTING FOR BUILDINGS
AN AMERICAN NATIONAL STANDARD**

Publication of this document
has been approved by IES.
Suggestions for revisions
should be directed to IES.

**Prepared by
The IES Daylighting Committee**



Copyright 2020 by the Illuminating Engineering Society.

Approved by the IES Standards Committee April 16, 2020 as a Transaction of the Illuminating Engineering Society.

Approved June 30, 2020 as an American National Standard.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005.

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, they should be forwarded to Brian Liebel, Director Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-392-8

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Prepared by the IES Daylighting Committee.

Konstantinos Papamichael, *Chair*

Neill E. Digert, *Vice Chair*

Members

J. T. Berg

H. Cai

I. Elzeyadi

L. L. Fernandes

M. D. Franks

L. Heschong

E. G. Huffman

A. Keller

K. S. Konis

R. Labib

K. A. Mansy

W. R. McCluney

R. G. Mistrick

B. Protzman

Z. L. Rogers

A. W. Serres

D. F. Souza

M. Tanteri

Advisory Members

L. O. Beltran

S.-C. Chien

J. Christoffersen

D. C. Glaser

B. Gu

A. E. Hernandez

C. N. James

M. Illangasooriya

F. J. Krahe

A. Laouadi

A. Nezamdoost

G. M. Podesta

S. U. Rao

P. S. Scarazzato

J. Y. Suk

C. Suvagau

A. K. Ullestad

G. C. Wright

CONTENTS

1.0	Introduction and Scope	1
1.1	Introduction	1
1.2	Scope	1
2.0	Daylighting Benefits	2
2.1	Health, Wellness, and Human Performance	2
2.1.1	Productivity and Worker Satisfaction	2
2.1.2	Circadian Rhythms	3
2.2	The Visual Environment	3
2.3	Environmental Factors	4
2.4	Building Energy Efficiency	4
3.0	Daylighting Challenges	5
3.1	Daylight Glare	5
3.2	Unwanted Solar Heat Gain	9
3.3	Daylight’s Dynamic Nature	9
3.4	Electric Lighting Controls	11
3.5	Integrated Design	12
4.0	Daylighting Design	13
4.1	Daylighting Design and the Building Construction Process	13
4.1.1	Daylighting Goals	13
4.1.2	Prerequisites	13
4.1.3	Programming	14
4.1.4	Schematic Design: Building Form and Siting	15
4.1.5	Design Development	16
4.1.6	Construction Documentation	16
4.1.7	Construction Administration	16
4.1.8	Commissioning	16
4.2	Performance Parameters	17
4.2.1	Performance Metrics for Daylighting – General	18
4.2.2	Illuminance Metrics	19
4.2.2.1	Daylight Factor (DF)	19
4.2.2.2	Single-Point-in-Time Metrics	20
4.2.2.3	Annual Daylight Performance Metrics	20
4.2.3	Luminance-Based Metrics	24
4.2.3.1	Glare	24
4.2.3.2	Other Luminance-Based Metrics	24

5.0	Context Parameters	24
5.1	Daylight Sources	25
5.1.1	The Sun	25
5.1.1.1	The Solar Spectrum	27
5.1.1.2	Solar Angle and Sun Paths	29
5.1.1.3	Sun Path Diagrams	30
5.1.2	The Sky	33
5.1.2.1	Standard Sky Luminance Distributions	35
5.1.3	Daylight Availability	36
5.1.3.1	Perez and CIE Skies	37
5.1.4	Reflected Daylight	38
5.2	Daylight Characteristics	39
5.2.1	Magnitude of Illuminance	39
5.2.2	Spectral Distribution	39
5.2.3	Color Temperature	39
5.2.4	Color Rendering	40
5.2.5	Luminous Efficacy	40
5.2.5.1	Radiant Luminous Efficacy	41
5.2.5.2	Lighting System Luminous Efficacy	41
5.3	Programmatic Characteristics	42
5.3.1	Occupant Needs	42
5.3.2	Budget	42
5.3.3	Site and Climate	43
6.0	Design Parameters	43
6.1	Schematic Design Decisions	44
6.1.1	Operations and Maintenance	44
6.1.2	Apertures	44
6.1.3	Glazing Materials	44
6.1.4	Integration with Furnishings	45
6.1.5	Material Degradation	45
6.1.6	Energy	46
6.2	Building Shape and Mass	46
6.3	Building Orientation	48
6.3.1	Vertical Shadow Angle	49
6.3.2	Generalized Sun Positions	52
6.3.3	Horizontal Elements	54
6.3.4	Orientation Relative to Polar North	54
6.4	The Building Design	54
6.4.1	Layout of Interior Spaces	54
6.4.2	Exterior Landscape and Hardscape	56
6.4.3	Façade Design	56
6.4.4	Daylight Apertures	56
6.4.5	Reflective Properties of Surfaces	57

7.0	Daylight Delivery Methods	57
7.1	Sidelighting	58
7.1.1	View Window Size and Position	61
7.1.2	Light Shelves	63
7.1.3	Sidelighting and Interior Surfaces	65
7.1.4	Sloped Glazing	65
7.2	Toplighting	66
7.2.1	Skylights	68
7.2.1.1	Clear vs. Translucent	69
7.2.1.2	Skylight Wells	70
7.2.1.3	Skylight Shape, Size, and Spacing	71
7.2.1.4	Advanced Optical Systems for Skylights	72
7.2.2	Tubular Daylighting Devices (TDDs)	72
7.2.3	Clerestories, Monitors, and Sawtooth Roofs	73
7.3	Atria	75
7.4	Core Sunlighting	76
7.4.1	Possible Benefits of Incorporating Both Active Core Sunlighting and Conventional Daylighting Delivery Methods	78
8.0	Fenestration Technologies	78
8.1	Fenestration Properties	79
8.1.1	Solar and Optical Properties	79
8.1.2	Visible Transmittance	82
8.1.3	Dirt Factor	83
8.2	Thermal Properties	83
8.2.1	U-factor	83
8.2.2	Solar Heat Gain Coefficient (SHGC)	85
8.2.3	Light-to-Solar-Gain Ratio	85
8.3	Tuning the Glazing on Each Building Elevation	86
8.4	National Fenestration Rating Council (NFRC)	87
9.0	Glazing Systems	88
9.1	Glass	88
9.1.1	Architectural Glass	89
9.1.2	Insulated Glazing Units	89
9.1.3	Low Iron	89
9.1.4	Self-Cleaning Glass	89
9.1.5	Laminated Glass	89
9.1.6	Glass Strength	89
9.1.7	Acrylic and Polycarbonate	90
9.1.8	Prismatic Materials	90
9.1.9	Sandwich and Cellular Panels	90
9.1.10	Embedded Systems	90

9.2	Tinted Glazings	91
9.3	Reflective Glazings	92
9.4	Low-e and Spectrally Selective Coatings	92
9.5	Diffusing Glazings	93
9.6	Frits and Screens	94
9.7	Light-Redirecting Materials	95
9.8	Dynamic Glazings	96
9.9	Retrofit Films	97
10.0	Shading Systems	97
10.1	Shades and Daylighting Design	98
10.2	Interior Shading Systems	99
	10.2.1 Blinds	99
	10.2.2 Fabric Shades	99
10.3	Exterior Shading Systems	101
10.4	Exterior vs. Interior Shading Systems	102
10.5	Horizontal vs. Vertical Shading Elements	103
10.6	Top Shading: Static Systems	106
10.7	Dynamic Shading Systems	107
	10.7.1 Manual Operation	107
	10.7.2 Automatic Operation	107
11.0	Frame Systems	108
12.0	Electric Lighting Integration	108
12.1	Toplighting	109
12.2	Sidelighting	109
13.0	Electric Lighting Controls	110
13.1	Switching and Dimming	111
	13.1.1 Switching	111
	13.1.2 Dimming	111
13.2	Determining Available Daylight	112
13.3	Time-Based Strategies	112
13.4	Photosensing Strategies	112
	13.4.1 Open-Loop Strategy Implementation	113
	13.4.2 Closed-Loop Strategies	114
13.5	Photosensor Characteristics	114
	13.5.1 Spectral Sensitivity	114
	13.5.2 Directional Sensitivity	114
13.6	Control Algorithms	115
	13.6.1 Electric Lighting Zones	115
	13.6.2 Switching Algorithms	116

13.6.3	On/Off Switching	116
13.6.4	Stepped Switching: Closed-Loop	116
13.6.5	Stepped Switching: Open-Loop	117
13.6.6	Dimming Algorithms.....	117
13.6.7	Constant Set Point: Closed-Loop.....	117
13.6.8	Sliding Set Point: Open and Closed Loops.....	117
13.6.9	Single-Sensor Approaches.....	117
13.7	Photosensor Controls Commissioning.....	118
13.8	Emerging Technologies	119
13.8.1	Automated Continuous Calibration.....	119
13.8.2	Multi-sensor Systems.....	119
13.8.3	Customized Directional Sensitivities	120
14.0	Daylight Performance Simulation and Design Tools	120
14.1	Manual Methods and Tools.....	120
14.1.1	Determining Sunlight Penetration.....	120
14.1.2	Assessing Visual Comfort.....	122
14.1.3	Sun Path Diagrams.....	122
14.1.4	Physical Scale Models	124
14.1.5	Massing Models.....	124
14.1.6	Photometric Models	126
14.2	Computer-Based Methods and Tools	126
14.2.1	Daylight Performance Simulation Tools	127
14.2.2	Daylight Software Modeling Notes	129
14.2.3	Specific Daylighting Software Tools.....	130
14.2.4	Energy Performance Simulation Tools.....	131
Annex A – Formulary.....		132
A.1	Solar Position	132
A.1.1	Solar Time	132
A.1.2	Solar Angles	133
A.1.3	Solar Angles Relative to a Vertical Surface.....	135
A.2	Daylight Availability from IES Standard Skies.....	136
A.2.1	Sun Contribution.....	136
A.2.2	Sky Contribution.....	137
A.2.2.1	Illuminance	138
A.2.2.2	Sky Luminance	138
A.3	Lumen Method of Toplighting.....	140
A.3.1	Skylight Glazing Transmittance.....	141
A.3.2	Vertical Well Efficiency	142
A.3.3	Splayed Well Efficiency	142
References		144

1.0 Introduction and Scope

1.1 Introduction

Daylighting refers to the art and practice of admitting beam sunlight, diffuse sky light, and reflected light from exterior surfaces into a building to provide ambient and/or task lighting to meet the visual and biological needs of the occupants. The role of electric lighting in daylit spaces should be to complement daylight during daytime and supply the required illumination levels during nighttime, with energy savings acquired through the use of electric lighting controls. The design of a daylit building is a challenging task demanding an integrated design approach to simultaneously address occupant comfort, lighting quality, and energy efficiency across a wide range of daylight and weather conditions. Properly daylit buildings offer additional benefits that include occupant health and satisfaction, connection to the outdoor environment, and reductions in maintenance costs and greenhouse gas emissions.

Daylighting design requires a thorough understanding of the sources of daylight and the role that architectural design, space planning, material selection, envelope loads, and systems integration play in daylight system performance and occupant comfort.

It is important that daylighting be addressed early in the architectural design process; it should be a primary consideration in the development of the lighting design solution for a space. If not successfully addressed, poor performance will eliminate some or all of the potential benefits and can lead to unhappy and unproductive occupants.

The general goal is to provide sufficient, but not excessive, daylight illumination levels for various space activities while minimizing glare and, in some cases, providing a view to the outdoors. At the same time, the building siting, configuration, and envelope should be optimized for the orientation, geographic location, and climate to maximize energy savings from both lighting and HVAC systems. Successful daylighting requires managing the daylight distribution in the space across the wide-ranging sun and sky conditions that are present throughout the year.

The dynamic nature of daylight makes it a complex light source. The continuous apparent movement of the sun, coupled with changes in atmospheric conditions, causes the solar beam and sky-dome luminance distribution to vary in intensity and spectral content.

Daylighting involves the delivery and distribution of light from the sun and sky to a building interior. Daylight delivery systems include all elements that collect, transmit, reflect, control and distribute daylight to building interiors, which include the aperture, its glazing material, exterior and/or interior shading devices of all types, and any optical devices that help to direct or control daylight transmission or distribution to the interior while alleviating glare. The goal of most daylight delivery systems is to provide useful daylight to the visual tasks and room surfaces for a significant portion of the year, in an aesthetically pleasing, comfortable and energy efficient manner.

1.2 Scope

This document provides detailed discussions and guidelines on the design and performance of these systems. The contents of this document are of value to architects, electrical and mechanical engineers, interior designers, landscape architects, contractors, equipment and material manufacturers, as well as end users such as developers, building owners, and facility managers. Each of these individuals plays a role in defining how a daylight system will perform over its lifetime.