



TECHNICAL MEMORANDUM:
RAY FILE FORMAT FOR DESCRIPTION
OF THE EMISSION PROPERTIES
OF LIGHT SOURCES
AN AMERICAN NATIONAL STANDARD



ANSI/IES TM-25-20

**TECHNICAL MEMORANDUM:
RAY FILE FORMAT FOR DESCRIPTION
OF THE EMISSION PROPERTIES
OF LIGHT SOURCES
AN AMERICAN NATIONAL STANDARD**

Publication of this report
has been approved by IES.
Suggestions for revisions
should be directed to IES.

Prepared by:
The Subcommittee on Ray File format
The IES Computer Committee



Copyright 2020 by the Illuminating Engineering Society.

Approved by the IES Standards Committee June 30, 2019 as a Transaction of the Illuminating Engineering Society.

Approved February 7, 2020 as an American National Standard

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005.

IES Standards are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, they should be forwarded to Brian Liebel, Director Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

Printed in the United States of America.

ISBN# 978-0-87995-222-8

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

**Prepared by the IES Computer Committee.
IES Computer Committee**

Paul K. Ericson, *Chair*
Jianzhong Jiao, *Vice Chair*

Members

W. Dau	G. A. Hauser	r. J. Koshel	D. N. Randolph
G. Gregory	R. Kelley	L. K. Livingston	T. F. Saemisch
D. Hansen	R. M. King	J. L. Pimenta	

Advisory Members

D. Chabaud	R. D. Gananathan	A. M. Mor	J. W. Ouelette
------------	------------------	-----------	----------------

CONTENTS

1.0	Introduction and Scope	1
1.1	Introduction	1
1.2	Scope	1
2.0	Normative References	2
2.1	ANSI/IES LS-1-20	2
2.2	ISO 8601	2
2.3	IEEE 754-2008	2
2.4	The Unicode Standard	2
2.5	The International System of Units (SI)	2
2.6	ISO/IEC 8859-1:1998	2
3.0	Definitions and Nomenclature	2
3.1	ASCII	2
3.2	binary	2
3.3	binary32	2
3.4	byte	2
3.5	denormalized real	2
3.6	direction cosine	3
3.7	fatal error	3
3.8	light source	3
3.9	Little Endian	3
3.10	lumen	3
3.11	luminous flux, Φ_v	3
3.12	NAN (Quiet NAN, Signaling NAN)	3
3.13	normalized real	3
3.14	parser	3
3.15	radiant flux	3
3.16	ray	3
3.17	ray direction	4
3.18	ray start position	4
3.19	ray file	4
3.20	signaling NAN	4
3.21	Stokes Parameters	4

4.0	Ray File Format	4
4.1	File Type and Extension	4
4.2	Overall File Structure	4
4.3	Ray Ordering and Sampling	5
4.4	Units in File	5
4.5	Data Types in File	5
4.5.1	ASCII	5
4.5.2	Int	5
4.5.3	Float	5
4.5.4	String	5
4.5.5	Unsigned Long Int	5
4.6	Section and Block Breakdown	6
4.7	Header Section	9
4.7.1	File Header Block	9
4.7.1.1	File Type	9
4.7.1.2	File Version	9
4.7.1.3	Creation Method	9
4.7.1.4	Total Luminous Flux	10
4.7.1.5	Total Radiant Flux	10
4.7.1.6	Number of Rays	10
4.7.1.7	File Creation Date and Time	11
4.7.1.8	Ray Start Position	11
4.7.1.9	Spectral Data Identifier	12
4.7.1.10	Single Wavelength	12
4.7.1.11	Minimum Wavelength	13
4.7.1.12	Maximum Wavelength	13
4.7.1.13	Number of Spectral Tables	14
4.7.1.14	Number of Additional Ray Data Items per Ray	14
4.7.1.15	Size of Additional Text Block	14
4.7.1.16	Reserved for Future Use	14
4.7.2	Known Data Flags Block	15
4.7.2.1	Position Flag	15
4.7.2.2	Direction Flag	15
4.7.2.3	Radiant Flux Flag / Stokes S0 Vector Flag	16
4.7.2.4	Wavelength Flag	16
4.7.2.5	Luminous Flux / Y Tristimulus Flag	17
4.7.2.6	Stokes Flag	17
4.7.2.7	Tristimulus Flag	18
4.7.2.8	Spectrum Index Flag	18
4.7.3	Description Header Block	19
4.7.3.1	Name of Light Source	19
4.7.3.2	Manufacturer of Light Source	19
4.7.3.3	Creator of Optical Light Source Model	19
4.7.3.4	Creator of the Ray File	20
4.7.3.5	Measurement Equipment / Simulation Software	20

4.7.3.6	Camera Information	20
4.7.3.7	Light Source Operation Information	20
4.7.3.8	Additional Information	21
4.7.3.9	Data Reference to Light Source Geometry	21
4.7.4	Spectral Tables Block	21
4.7.4.1	Data Types	23
4.7.4.2	Error Conditions	23
4.7.5	Additional Ray Data Column Labels Block	23
4.7.6	Additional Text Block	23
4.8	Ray Data Section	24
4.8.1	Ray Data Lines Block	24
4.8.1.1	X Position	24
4.8.1.2	Y Position	24
4.8.1.3	Z Position	24
4.8.1.4	X Direction Cosine	25
4.8.1.5	Y Direction Cosine	25
4.8.1.6	Z Direction Cosine	25
4.8.1.7	Radiant Flux, Stokes S0	26
4.8.1.8	Wavelength	26
4.8.1.9	Luminous Flux, Y Tristimulus	27
4.8.1.10	Stokes S1	27
4.8.1.11	Stokes S2	27
4.8.1.12	Stokes S3	28
4.8.1.13	Polarization Ellipse Major Axis X Direction Cosine	28
4.8.1.14	Polarization Ellipse Major Axis Y Direction Cosine	28
4.8.1.15	Polarization Ellipse Major Axis Z Direction Cosine	29
4.8.1.16	X Tristimulus	29
4.8.1.17	Z Tristimulus	29
4.8.1.18	Spectrum Index	30
4.8.1.19	Additional User Defined Data	30
5.0	Branding – Logo and Name	30
	Annex A – File Format Selection	31
	Annex B – Spectral Data Commentary	32
	Annex C – Future Revisions and Compatibility	33

1.0 Introduction and Scope

1.1 Introduction

In the past few decades, the optical design of illumination systems (non-imaging optics) has benefited greatly from the advances in computer hardware and software. Many commercially available ray-tracing optical design and simulation software programs have been developed to support a wide variety of optical design tasks. All of these software packages can use ray files as source models. Ray files are typically generated by light source manufacturers using either an optical simulation or physical measurements using near field goniometers. These ray files are then put in a specific format for each optical design program, which allows optical engineers to integrate the light source characteristics into their optical system design simulations. Ray files describe light sources by a large number of rays with individual start location, direction, flux, and optional spectral and/or polarization data.

Ray files are mainly intended for optical engineers, who are designing optical systems using light sources. Ray files are a characterization of the near field characteristics of a light source. Users may also be familiar with files formatted according to *ANSI/IES LM-63-19, IES Standard File Format for the Electronic Transfer of Photometric Data and Related Information*. These are typically called "IES files" and are far-field characterizations of a lamp or luminaire. IES files are used by lighting engineers and designers to calculate predicted light levels. Although these far-field files are useful for calculating lighting application layouts, they are not adequate when designing optics placed in close proximity to the light source.

One complication in providing ray files for light source characterization is that each ray file can be very large, containing millions of rays and using more than 250 MB of data per file. Currently, a manufacturer needs to provide ray files for all of its light sources, in up to 16 unique file formats since none of the commercially available ray tracing software uses the same file format. This situation leads to a large amount of data that has to be created, managed, stored, and distributed to ray file users.

Because all ray files store essentially the same data, the industry has come together to create a single standard ray file format that all light source manufacturers can distribute and all optical design software can use for simulations. The format has been created by a group that includes LED manufacturers, optical simulation software vendors, near-field goniometer vendors, and academia. The new format is meant to allow simple conversion of all existing ray files into the new format, and it will be generally backward compatible in future revisions.

This document defines the IES standardized ray file format to describe the emission properties of light sources that can be used in all commercially available design, analysis, and metrology software.

(Note: IES TM-25-13 Addendum A has been incorporated into this document. Refer to **Section 3.21** for information on the polarization ellipse definition that was added via the Addendum.)

1.2 Scope

This document provides recommendations for a standard ray file format to describe the emission properties of light sources. The ray file format contains information necessary to interface between ray tracing or other optical design, simulation, analysis and metrology software used in lighting applications.