

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Surge arresters –
Part 5: Selection and application recommendations**

**Parafoudres –
Partie 5: Recommandations pour le choix et l'utilisation**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Surge arresters –
Part 5: Selection and application recommendations**

**Parafoudres –
Partie 5: Recommandations pour le choix et l'utilisation**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50; 29.240.10

ISBN 978-2-8322-9360-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	9
1 Scope	11
2 Normative references	11
3 Terms and definitions	12
4 General principles for the application of surge arresters	21
5 Surge arrester fundamentals and applications issues	22
5.1 Evolution of surge protection equipment	22
5.2 Different types and designs and their electrical and mechanical characteristics	23
5.2.1 General	23
5.2.2 Metal-oxide arresters without gaps according to IEC 60099-4	24
5.2.3 Metal-oxide surge arresters with internal series gaps according to IEC 60099-6	34
5.2.4 Externally gapped line arresters (EGLA) according to IEC 60099-8	36
5.2.5 Application considerations	39
6 Insulation coordination and surge arrester applications	52
6.1 General	52
6.2 Insulation coordination overview	52
6.2.1 General	52
6.2.2 IEC insulation coordination procedure	52
6.2.3 Overvoltages	53
6.2.4 Line insulation coordination: Arrester Application Practices	59
6.2.5 Substation insulation coordination: Arrester application practices	64
6.2.6 Insulation coordination studies	68
6.3 Selection of arresters	69
6.3.1 General	69
6.3.2 General procedure for the selection of surge arresters	70
6.3.3 Selection of line surge arresters, LSA	84
6.3.4 Selection of arresters for cable protection	93
6.3.5 Selection of arresters for distribution systems – special attention	95
6.3.6 Application and coordination of disconnectors	96
6.3.7 Selection of UHV arresters	98
6.4 Standard and special service conditions	99
6.4.1 Standard service conditions	99
6.4.2 Special service conditions	99
7 Surge arresters for special applications	103
7.1 Surge arresters for transformer neutrals	103
7.1.1 General	103
7.1.2 Surge arresters for fully insulated transformer neutrals	103
7.1.3 Surge arresters for neutrals of transformers with non-uniform insulation	104
7.2 Surge arresters between phases	104
7.2.1 General	104
7.2.2 6-arrester arrangement	104
7.2.3 4-arrester (Neptune) arrangement	104
7.3 Surge arresters for rotating machines	105
7.4 Surge arresters in parallel	106

7.4.1	General	106
7.4.2	Combining different designs of arresters	107
7.5	Surge arresters for capacitor switching	107
7.6	Surge arresters for series capacitor banks	109
8	Asset management of surge arresters	110
8.1	General.....	110
8.2	Managing surge arresters in a power grid	110
8.2.1	Asset database.....	110
8.2.2	Technical specifications.....	110
8.2.3	Strategic spares	110
8.2.4	Transportation and storage.....	111
8.2.5	Commissioning	111
8.3	Maintenance	111
8.3.1	General	111
8.3.2	Polluted arrester housing.....	112
8.3.3	Coating of arrester housings.....	112
8.3.4	Inspection of disconnectors on surge arresters	112
8.3.5	Line surge arresters.....	112
8.4	Performance and diagnostic tools	112
8.5	End of life	113
8.5.1	General	113
8.5.2	GIS arresters.....	113
8.6	Disposal and recycling	113
Annex A (informative)	Determination of temporary overvoltages due to earth faults	114
Annex B (informative)	Current practice	118
Annex C (informative)	Arrester modelling techniques for studies involving insulation coordination and energy requirements	119
C.1	Arrester models for impulse simulations.....	119
C.2	Application to insulation coordination studies	120
C.3	Summary of proposed arrester models to be used for impulse applications.....	120
Annex D (informative)	Diagnostic indicators of metal-oxide surge arresters in service.....	122
D.1	General.....	122
D.1.1	Overview	122
D.1.2	Fault indicators.....	122
D.1.3	Disconnectors.....	122
D.1.4	Surge counters	122
D.1.5	Monitoring spark gaps	123
D.1.6	Temperature measurements	123
D.1.7	Leakage current measurements of gapless metal-oxide arresters	123
D.2	Measurement of the total leakage current	128
D.3	Measurement of the resistive leakage current or the power loss.....	129
D.3.1	General	129
D.3.2	Method A1 – Using the applied voltage signal as a reference	129
D.3.3	Method A2 – Compensating the capacitive component using a voltage signal	130
D.3.4	Method A3 – Compensating the capacitive component without using a voltage signal	131
D.3.5	Method A4 – Capacitive compensation by combining the leakage current of the three phases.....	131

D.3.6	Method B1 – Third order harmonic analysis	132
D.3.7	Method B2 – Third order harmonic analysis with compensation for harmonics in the voltage	132
D.3.8	Method B3 – First order harmonic analysis	133
D.3.9	Method C – Direct determination of the power losses	133
D.4	Leakage current information from the arrester manufacturer	133
D.5	Summary of diagnostic methods	135
Annex E (informative) Typical data needed from arrester manufacturers for proper selection of surge arresters.....		136
Annex F (informative) Typical maximum residual voltages for metal-oxide arresters without gaps according to IEC 60099-4.....		137
Annex G (informative) Steepness reduction of incoming surge with additional line terminal surge capacitance		138
G.1	General.....	138
G.2	Steepness reduction factor	138
G.3	Equivalent capacitance associated with incoming surge fronts	140
G.3.1	General	140
G.3.2	Examples of incoming surge steepness change, f_S , using typical 550 kV & 245 kV circuit parameters	142
G.3.3	Change in coordination withstand voltage, U_{CW} , with steepness reduction, f_S :	142
G.4	EMTP & capacitor charging models for steepness change comparisons at line open terminal	142
G.5	Typical steepness ($S_0= 1000$ kV/ μ s), change comparisons with C_0 & C_S	144
G.6	Faster steepness (2000 kV/ μ s), change comparisons with C_0 & C_S	146
Annex H (informative) Comparison of the former energy classification system based on line discharge classes and the present classification system based on thermal energy ratings for operating duty tests and repetitive charge transfer ratings for repetitive single event energies.....		149
H.1	General.....	149
H.2	Examples.....	152
Annex I (informative) Estimation of arrester cumulative charges and energies during line switching.....		157
I.1	Simplified method of estimating arrester line switching energies	157
I.1.1	Introduction	157
I.1.2	Simplified method calculation steps	158
I.1.3	Typical line surge impedances with bundled conductors	160
I.1.4	Prospective switching surge overvoltages.....	160
I.1.5	Use of IEC 60099-4:2009 to obtain values for surge impedance and prospective surge voltages	161
I.2	Example of charge and energy calculated using line discharge parameters.....	162
I.3	Arrester line switching energy examples	166
I.3.1	General	166
I.3.2	Case 1 – 145 kV	169
I.3.3	Case 2 – 242 kV	169
I.3.4	Case 3 – 362 kV	169
I.3.5	Case 4 – 420 kV	170
I.3.6	Case 5 – 550 kV	170
Annex J (informative) End of life and replacement of old gapped SiC-arresters.....		182
J.1	Overview.....	182

J.2	Design and operation of SiC-arresters	182
J.3	Failure causes and aging phenomena	182
J.3.1	General	182
J.3.2	Sealing problems	182
J.3.3	Equalization of internal and external pressure and atmosphere	183
J.3.4	Gap electrode erosion	183
J.3.5	Ageing of grading components.....	184
J.3.6	Changed system conditions	184
J.3.7	Increased pollution levels	184
J.4	Possibility to check the status of the arresters	184
J.5	Advantages of planning replacements ahead	184
J.5.1	General	184
J.5.2	Improved reliability	185
J.5.3	Cost advantages.....	185
J.5.4	Increased safety requirements.....	185
J.6	Replacement issues.....	185
J.6.1	General	185
J.6.2	Establishing replacement priority	185
J.6.3	Selection of MO arresters for replacement installations	186
	Bibliography.....	187

Figure 1	– Example of GIS arresters of three mechanical/one electrical column (middle) and one column (left) design and current path of the three mechanical/one electrical column design (right)	29
Figure 2	– Typical deadfront arrester	30
Figure 3	– Internally gapped metal-oxide surge arrester designs.....	35
Figure 4	– Components of an EGLA acc. to IEC 60099-8	36
Figure 5	– Typical arrangement of a 420 kV arrester.....	41
Figure 6	– Examples of UHV and HV arresters with grading and corona rings.....	42
Figure 7	– Same type of arrester mounted on a pedestal (left), suspended from an earthed steel structure (middle) or suspended from a line conductor (right.....	43
Figure 8	– Installations without earth-mat (distribution systems)	44
Figure 9	– Installations with earth-mat (high-voltage substations)	45
Figure 10	– Definition of mechanical loads according to IEC 60099-4:2014.....	47
Figure 11	– Distribution arrester with disconnecter and insulating bracket.....	48
Figure 12	– Examples of good and poor connection principles for distribution arresters	50
Figure 13	– Typical voltages and duration example for differently earthed systems.....	54
Figure 14	– Typical phase-to-earth overvoltages encountered in power systems.....	56
Figure 15	– Arrester voltage-current characteristics	56
Figure 16	– Direct strike to a phase conductor with LSA	61
Figure 17	– Strike to a shield wire or tower with LSA	62
Figure 18	– Typical procedure for a surge arrester insulation coordination study	69
Figure 19	– Flow diagrams for standard selection of surge arrester	73
Figure 20	– Examples of arrester TOV capability	74
Figure 21	– Flow diagram for the selection of NGLA	87
Figure 22	– Flow diagram for the selection of EGLA.....	91

Figure 23 – Common neutral configurations	96
Figure 24 – Typical configurations for arresters connected phase-to-phase and phase-to-ground	105
Figure A.1 – Earth fault factor k on a base of X_0/X_1 , for $R_1/X_1 = R_1 = 0$	114
Figure A.2 – Relationship between R_0/X_1 and X_0/X_1 for constant values of earth fault factor k where $R_1 = 0$	115
Figure A.3 – Relationship between R_0/X_1 and X_0/X_1 for constant values of earth fault factor k where $R_1 = 0,5 X_1$	115
Figure A.4 – Relationship between R_0/X_1 and X_0/X_1 for constant values of earth fault factor k where $R_1 = X_1$	116
Figure A.5 – Relationship between R_0/X_1 and X_0/X_1 for constant values of earth fault factor k where $R_1 = 2X_1$	116
Figure C.1 – Schematic sketch of a typical arrester installation	119
Figure C.2 – Increase in residual voltage as function of virtual current front time	120
Figure C.3 – Arrester model for insulation coordination studies – fast- front overvoltages and preliminary calculation (Option 1)	121
Figure C.4 – Arrester model for insulation coordination studies – fast- front overvoltages and preliminary calculation (Option 2)	121
Figure C.5 – Arrester model for insulation coordination studies – slow-front overvoltages	121
Figure D.1 – Typical leakage current of a non-linear metal-oxide resistor in laboratory conditions	124
Figure D.2 – Typical leakage currents of arresters in service conditions	125
Figure D.3 – Typical voltage-current characteristics for non-linear metal-oxide resistors	126
Figure D.4 – Typical normalized voltage dependence at +20 °C	126
Figure D.5 – Typical normalized temperature dependence at U_C	127
Figure D.6 – Influence on total leakage current by increase in resistive leakage current	128
Figure D.7 – Measured voltage and leakage current and calculated resistive and capacitive currents ($V = 6,3$ kV r.m.s)	130
Figure D.8 – Remaining current after compensation by capacitive current at U_C	131
Figure D.9 – Error in the evaluation of the leakage current third harmonic for different phase angles of system voltage third harmonic, considering various capacitances and voltage-current characteristics of non-linear metal-oxide resistors	132
Figure D.10 – Typical information for conversion to "standard" operating voltage conditions	134
Figure D.11 – Typical information for conversion to "standard" ambient temperature conditions	134
Figure G.1 – Surge voltage waveforms at various distances from strike location (0,0 km) due to corona	140
Figure G.2 – Case 1: EMTP Model: Thevenin equivalent source, line (Z,c) & substation bus (Z,c) & Cap(C_S)	143
Figure G.3 – Case 2: Capacitor Voltage charge via line Z : $u(t) = 2 \times U_{\text{surge}} \times (1 - \exp[-t/(Z \times C)])$	144
Figure G.4 – EMTP model	144
Figure G.5 – Simulated surge voltages at the line-substation bus interface	145
Figure G.6 – Simulated Surge Voltages at the Transformer	146

Figure G.7 – EMTP model.....	146
Figure G.8 – Simulated surge voltages at the line-substation bus interface	147
Figure G.9 – Simulated surge voltages at the transformer.....	148
Figure H.1 – Specific energy in kJ per kV rating dependant on the ratio of switching impulse residual voltage (U_a) to the r.m.s. value of the rated voltage U_r of the arrester	150
Figure I.1 – Simple network used for Arrester Line Discharge Calculation and Testing according to IEC 60099-4:2009.....	157
Figure I.2 – Linearized arrester equation in the typical line switching current range (voltage values shown are for a 372 kV rated arrester used on a 420 kV system)	158
Figure I.3 – Graphical illustration of linearized line switching condition and arrester characteristic	160
Figure I.4 – Range of 2 % slow-front overvoltages at the receiving end due to line energization and re-energization.....	161
Figure I.5 – Arrester class 2 & 3 voltages calculated by EMTP calculations: U_{ps2} and U_{ps3} ($V \times 10^5$)	164
Figure I.6 – Class 2 & 3 arrester currents calculated by EMTP studies: I_{ps2} and I_{ps3} (A)	164
Figure I.7 – Arrester Class 2 & 3 cumulative charges calculated by EMTP simulation: Q_{rs2} and Q_{rs3} (C).....	165
Figure I.8 – Arrester Class 2 & 3 cumulative absorbed energies calculated by EMTP simulation: W_{s2} and W_{s3} (kJ/kV U_r).....	165
Figure I.9 – Typical Line Reclosing Computer Simulation Network	166
Figure I.10 – Typical 550 kV Reclose Switching Overvoltage Profile along 480 km Line.....	167
Figure I.11 – IEC LD based charge transfer, Q_{rs} with varying arrester protective ratios	168
Figure I.12 – IEC LD based switching energy, W_{th} with varying arrester protective ratios	168
Figure I.13 – U_{ps} for 145 kV system simulation ($V \times 10^5$)	172
Figure I.14 – I_{ps} for 145 kV system simulation (A)	172
Figure I.15 – 1 Cumulative charge (Q_{rs}) for 145 kV system simulation (C).....	173
Figure I.16 – Cumulative energy (W_{th}) for 145 kV system simulation (kJ/kV U_r)	173
Figure I.17 – U_{ps} for 245 kV system simulation ($V \times 10^5$)	174
Figure I.18 – I_{ps} for 245 kV system simulation (A)	174
Figure I.19 – Cumulative charge (Q_{rs}) for 245 kV system simulation (C).....	175
Figure I.20 – Cumulative energy (W_{th}) for 245 kV system simulation (kJ/kV U_r)	175
Figure I.21 – U_{ps} for 362 kV system simulation ($V \times 10^5$)	176
Figure I.22 – I_{ps} for 362 kV system simulation (A)	176
Figure I.23 – Cumulative charge (Q_{rs}) for 362 kV system simulation (C).....	177
Figure I.24 – Cumulative energy (W_{th}) for 362 kV system simulation (kJ/kV U_r)	177
Figure I.25 – U_{ps} for 420 kV system simulation ($V \times 10^5$)	178
Figure I.26 – I_{ps} for 420 kV system simulation (A)	178
Figure I.27 – Cumulative charge (Q_{rs}) for 420 kV system simulation (C).....	179

Figure I.28 – Cumulative energy (W_{th}) for 420 kV system simulation (kJ/kV U_r)	179
Figure I.29 – U_{ps} for 550 kV system simulation ($V \times 10^5$)	180
Figure I.30 – I_{ps} for 550 kV system simulation (A)	180
Figure I.31 – Cumulative charge (Q_{rs}) for 550 kV system simulation (C)	181
Figure I.32 – Cumulative energy (W_{th}) for 550 kV system simulation (kJ/kV U_r)	181
Figure J.1 – Internal SiC-arrester stack	183
Table 1 – Minimum mechanical requirements (for porcelain-housed arresters).....	46
Table 2 – Arrester classification	78
Table 3 – Definition of factor A in formulas (14 and 15) for various overhead lines	82
Table 4 – Examples for protective zones calculated by formula (16) for open-air substations	83
Table 5 – Example of the condition for calculating lightning current duty of EGLA in 77 kV transmission lines	90
Table 6 – Probability of insulator flashover in Formula (18).....	93
Table D.1 – Summary of diagnostic methods	135
Table D.2 – Properties of on-site leakage current measurement methods	135
Table E.1 – Arrester data needed for the selection of surge arresters	136
Table F.1 – Residual voltages for 20 000 A and 10 000 A arresters in per unit of rated voltage.....	137
Table F.2 – Residual voltages for 5 000 A, and 2 500 A arresters in per unit of rated voltage.....	137
Table G.1 – C_s impact on steepness ratio f_s and steepness S_n	141
Table G.2 – Change in coordination withstand voltage, U_{CW}	142
Table H.1 – Peak currents for switching impulse residual voltage test.....	149
Table H.2 – Parameters for the line discharge test on 20 000 A and 10 000 A arresters.....	150
Table H.3 – Comparison of the classification system according to IEC 60099-4:2009 and to IEC 6099-4 2014	151
Table I.1 – Typical Arrester Switching (U_{ps} vs I_{ps}) Characteristics	158
Table I.2 – Typical line surge impedances (Z_s) with single and bundled conductors	160
Table I.3 – Line Parameters Prescribed by IEC 60099-4:2009 Line Discharge Class Tests	161
Table I.4 – Line surge impedances and prospective surge voltages derived from line discharge tests parameters of IEC 60099-4:2009 for different system voltages and arrester ratings	162
Table I.5 – Comparison of energy and charge calculated by simplified method with values calculated by EMTP simulation – Base parameters from Table I.4, used for simplified method and for EMTP simulation.....	163
Table I.6 – Comparison of energy and charge calculated by simplified method with values calculated by EMTP simulation – Calculations using simplified method	163
Table I.7 – Comparison of energy and charge calculated by simplified method with values calculated by EMTP simulation – I.5.(c) Results from EMTP studies	163
Table I.8 – Results of calculations using the different methods described for different system voltages and arrester selection	171

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SURGE ARRESTERS –**Part 5: Selection and application recommendations****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60099-5 has been prepared by IEC technical committee 37: Surge arresters.

This third edition cancels and replaces the second edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition regarding the new surge arrester classification introduced in IEC 60099-4:2014:

- a) Expanded discussion of comparison between the old and new classification and how to calculate or estimate the corresponding charge for different stresses.
- b) New annexes dealing with:
 - Comparison between line discharge classes and charge classification
 - Estimation of arrester cumulative charges and energies during line switching

The text of this standard is based on the following documents:

FDIS	Report on voting
37/437/FDIS	37/439/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60099 series, published under the general title *Surge arresters*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SURGE ARRESTERS –

Part 5: Selection and application recommendations

1 Scope

This part of IEC 60099 provides information, guidance, and recommendations for the selection and application of surge arresters to be used in three-phase systems with nominal voltages above 1 kV. It applies to gapless metal-oxide surge arresters as defined in IEC 60099-4, to surge arresters containing both series and parallel gapped structure – rated 52 kV and less as defined in IEC 60099-6 and metal-oxide surge arresters with external series gap for overhead transmission and distribution lines (EGLA) as defined in IEC 60099-8. In Annex J, some aspects regarding the old type of SiC gapped arresters are discussed.

Surge arrester residual voltage is a major parameter to which most users have paid a lot of attention to when selecting the type and rating. Typical maximum residual voltages are given in Annex F. It is likely, however, that for some systems, or in some countries, the requirements on system reliability and design are sufficiently uniform, so that the recommendations of the present standard may lead to the definition of narrow ranges of arresters. The user of surge arresters will, in that case, not be required to apply the whole process introduced here to any new installation and the selection of characteristics resulting from prior practice may be continued.

Annexes H and I present comparisons and calculations between old line discharge classification and new charge classification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60071-1:2006, *Insulation co-ordination – Part 1: Definitions, principles and rules*
IEC 60071-1:2006/AMD1:2010

IEC 60071-2:1996, *Insulation co-ordination – Part 2: Application guide*

IEC TR 60071-4, *Insulation co-ordination – Part 4: Computational guide to insulation co-ordination and modelling of electrical networks*

IEC 60099-4:2009, *Surge arresters – Part 4: Metal-oxide surge arresters without gaps for a.c. systems*

IEC 60099-4:2014, *Surge arresters – Part 4: Metal-oxide surge arresters without gaps for a.c. systems*

IEC 60099-6:2002, *Surge arresters – Part 6: Surge arresters containing both series and parallel gapped structures – Rated 52 kV and less*

IEC 60099-8:2011, *Surge arresters – Part 8: Metal-oxide surge arresters with external series gap (EGLA) for overhead transmission and distribution lines of a.c. systems above 1 kV*