

NBS01

Dried Blood Spot Specimen Collection for Newborn Screening

This standard highlights specimen collection methods, discusses acceptable techniques for applying blood drops or aliquots to the filter paper section of the specimen collection device, and provides instructions on proper specimen drying, handling, and transport to ensure quality specimens are consistently obtained for newborn screening analysis.

A standard for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in medical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing medical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advances in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential and may be submitted by anyone, at any time, on any document. All comments are managed according to the consensus process by a committee of experts.

Appeal Process

When it is believed that an objection has not been adequately considered and responded to, the process for appeal, documented in the CLSI *Standards Development Policies and Processes*, is followed.

All comments and responses submitted on draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For additional information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute

P: +1.610.688.0100

F: +1.610.688.0700

www.clsi.org

standard@clsi.org

Dried Blood Spot Specimen Collection for Newborn Screening

Víctor R. De Jesús, PhD
Gustavo JC Borrajo, PhD
Joanne Mei, PhD
Will Adams
Kerry Chunko, BS
Saswati Das, MD, MBBS
M. Christine Dorley, MS, MT(ASCP)
Donald Dunbar, PBT(ASCP)
Houria El Mouden, MS
Roanna George, BSc, MSc, FRCPath
Patrice Karyn Held, PhD

Kellie B. Kelm, PhD
Jennifer O. Macdonald, MPH, BSN, RN
Christine McRoberts, MLT
Kimberly Noble Piper, BS, CPH, CPHG, RN
Joseph M. Quashnock, PhD, HCLD/CC(ABB), FAACC
Jeanette Schier-Pugsley, BS, MBA, RAC
Bradford L. Therrell, Jr., MS, PhD
Kim Turner, MSQA, MT(ASCP), CQA(ASQ)
Joesph Wiencek, PhD
Raquel Yahyaoui, MD, PhD

Abstract

Clinical and Laboratory Standards Institute standard NBS01—*Dried Blood Spot Specimen Collection for Newborn Screening* provides descriptive, stepwise processes and procedures for collecting blood spot specimens for newborn screening. This standard was developed and continues to be updated to promote uniform practices for demographic newborn data and specimen collection. This standard informs and instructs health care professionals who collect and submit dried blood spot specimens on procedures for skin puncture and pain management; application of blood collected by heelstick directly onto the preprinted circles of the filter paper; blood source recommendations and other blood spot specimen collection techniques; filter paper, handling, and mailing package specifications; specimen collection device specifications; handling blood spots collected on filter paper for DNA and/or RNA analysis; and storage and retention of residual specimens. An expanded appendix section provides additional images and descriptions of unacceptable blood spot specimens.

Clinical and Laboratory Standards Institute (CLSI). *Dried Blood Spot Specimen Collection for Newborn Screening*. 7th ed. CLSI standard NBS01 (ISBN 978-1-68440-108-6 [Print]; ISBN 978-1-68440-109-3 [Electronic]). Clinical and Laboratory Standards Institute, USA, 2021.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI catalog and posted on our website at www.clsi.org.

If you or your organization is not a member and would like to become one, or to request a copy of the catalog, contact us at:

P: +1.610.688.0100 **F:** +1.610.688.0700 **E:** customerservice@clsi.org **W:** www.clsi.org

Copyright ©2021 Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, derivative product, or other material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedures manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

Suggested Citation

CLSI. *Dried Blood Spot Specimen Collection for Newborn Screening*. 7th ed. CLSI standard NBS01. Clinical and Laboratory Standards Institute; 2021.

Previous Editions:

September 1982, March 1985, December 1988, July 1992, October 1997, July 2003, July 2007, July 2013

NBS01-Ed7

ISBN 978-1-68440-108-6 (Print)

ISBN 978-1-68440-109-3 (Electronic)

ISSN 1558-6502 (Print)

ISSN 2162-2914 (Electronic)

Volume 41, Number 5

.....

Committee Membership

Consensus Council

James R. Petisce, PhD
Chairholder
BD Diagnostic Systems
USA

Avis Danishefsky, PhD
 FDA Center for Devices and
 Radiological Health
 USA

M. Laura Parnas, PhD, DABCC
 Roche Diagnostics
 USA

Tania Motschman, MS, MT(ASCP)SBB
Vice-Chairholder
USA

Collette Fitzgerald, PhD
 Centers for Disease Control and
 Prevention
 USA

Victoria Petrides, MS
 Abbott
 USA

Deirdre Astin, MS, MT(ASCP)
 USA

Michelle McLean, MS, MT(ASCP), BS
 Greiner Bio-One, Inc.
 USA

Matthew A. Wikler, MD, FIDSA, MBA
 IDTD Consulting
 USA

Anne T. Daley, MS, MT(ASCP)DLM,
 CMQ/OE(ASQ)CSBB
 USA

James H. Nichols, PhD, DABCC, FAACC
 Vanderbilt University School of
 Medicine
 USA

Document Development Committee on Blood Collection on Filter Paper for NBS Programs

Víctor R. De Jesús, PhD
Chairholder
Centers for Disease Control and
Prevention
USA

Kerry Chunko, BS
 PerkinElmer Health Sciences, Inc.
 USA

Jennifer O. Macdonald, MPH, BSN, RN
 Virginia Department of Health
 USA

Gustavo JC Borrajo, PhD
Vice-Chairholder
Fundación Bioquímica Argentina
Argentina

Donald Dunbar, PBT(ASCP)
 Greiner Bio-One
 USA

Christine McRoberts, MLT
 Newborn Screening Ontario
 Canada

Joanne Mei, PhD
Committee Secretary
Centers for Disease Control and
Prevention
USA

Patrice Karyn Held, PhD
 Wisconsin State Laboratory of
 Hygiene
 USA

Bradford L. Therrell, Jr., MS, PhD
 University of Texas Health Science
 Center at San Antonio
 USA

Will Adams
 EBF, Inc.
 USA

Kellie B. Kelm, PhD
 FDA Center for Devices and
 Radiological Health
 USA

Staff

Clinical and Laboratory Standards
 Institute
 USA

Megan L. Tertel, MA, ELS
Editorial Manager

Kristy L. Leirer, MS
Editor

Lori T. Moon, MS, MT(ASCP)
Project Manager

Catherine E.M. Jenkins, ELS
Editor

Laura Martin
Editor

Acknowledgment for the Expert Panel on Newborn Screening

CLSI, the Consensus Council, and the Document Development Committee on Blood Collection on Filter Paper for NBS Programs gratefully acknowledge the Expert Panel on Newborn Screening for serving as technical advisors and subject matter experts during the revision of this standard.

Expert Panel on Newborn Screening

Ronald J. Whitley, PhD, DABCC, FACB
Chairholder
University of Kentucky Medical Center
USA

Uttam Garg, PhD, DABCC
 The Children's Mercy Hospital
 USA

Scott Shone, PhD, HCLD(ABB)
 RTI International
 USA

Amy Gaviglio, MS, CGC
Vice-Chairholder
Minnesota Department of Health
USA

Kellie B. Kelm, PhD
 FDA Center for Devices and
 Radiological Health
 USA

Bradford L. Therrell, Jr., MS, PhD
 University of Texas Health Science
 Center at San Antonio
 USA

Ralph Fingerhut, PhD, FAMH
 University Children's Hospital Zurich
 Switzerland

Joanne Mei, PhD
 Centers for Disease Control and
 Prevention
 USA

Raquel Yahyaoui, MD, PhD
 Málaga Regional University Hospital
 Spain

Debra Freedenberg, MD, PhD,
 FFACMG
 Texas Department of State Health
 Services
 USA

Vamsee Pamula, PhD
 Baebies, Inc.
 USA

Acknowledgment

CLSI, the Consensus Council, and the Document Development Committee on Blood Collection on Filter Paper for NBS Programs gratefully acknowledge the following volunteers for their important contributions to the revision of this standard:

Saswati Das, MD, MBBS
 School of Medical Science & Research
 India

Kimberly Noble Piper, BS, CPH, CPHG,
 RN
 Iowa Department of Public Health
 USA

Kim Turner, MSQA, MT(ASCP),
 CQA(ASQ)
 Kentucky Blood Center
 USA

M. Christine Dorley, MS, MT(ASCP)
 Tennessee Department of Health
 USA

Joseph M. Quashnock, PhD,
 HCLD/CC(ABB), FAACC
 PerkinElmer Genetics, Inc.
 USA

Joesph Wiencek, PhD
 Vanderbilt University of Medicine
 USA

Houria El Mouden, MS
 Bio-Rad Laboratories, Inc.
 USA

Jeanette Schier-Pugsley, BS, MBA, RAC
 Olympus Corp.
 USA

Raquel Yahyaoui, MD, PhD
 Málaga Regional University Hospital
 Spain

Roanna George, BSc, MSc, FRCPath
 University Hospitals Plymouth NHS
 Trust
 United Kingdom

Contents

Abstract	i
Committee Membership	iii
Foreword	vii
Chapter 1: Introduction	1
1.1 Scope	2
1.2 Background	3
1.3 Standard Precautions	4
1.4 Terminology	4
Chapter 2: Path of Workflow	9
Chapter 3: Specimen Collection Device Considerations	11
3.1 Filter Paper Specifications	12
3.2 Specimen Collection Device Design	13
3.3 Laboratory Considerations	16
3.4 Specimen Collection Device Production	16
Chapter 4: Preparation and Sources of Blood	19
4.1 Providing Information on Consent Practices	20
4.2 Timing of Specimen Collection	20
4.3 Identifying the Patient	20
4.4 Recording Patient Information on the Specimen Collection Device	21
4.5 Verifying Patient and Specimen Identification at the Time of Collection	21
4.6 Selecting Blood Specimen Sources and Collection Sites	21
Chapter 5: Techniques for Blood Collection, Application, and Drying	25
5.1 Preventing Specimen Contamination and Preanalytical DNA Analysis Considerations	26
5.2 Heelstick Collection With Direct Application (Preferred Method)	26
5.3 Heelstick With Capillary Tube Collection and Application	32
5.4 Venous Blood Collection Site Preparation, Specimen Collection, and Application	35
5.5 Other Sources of Blood Specimens	37
5.6 Blood Spot Specimen Drying	40
5.7 Specimen Acceptability and Quality	40

Contents (Continued)

.....

Chapter 6: Specimen Handling, Transport, Receipt, and Storage 43

 6.1 Dried Blood Spot Specimen Handling, Packaging, and Transport 44

 6.2 Specimen Receipt, Handling, Storage, and Disposal 45

 6.3 Extended Storage of Residual Dried Blood Spot Specimens 46

Chapter 7: Conclusion 47

Chapter 8: Supplemental Information 49

References 50

Additional Resource 58

Appendix A. How to Collect an Acceptable Blood Spot Specimen 59

Appendix B. How to Collect and Identify a Good-Quality Dried Blood Spot Specimen 62

Appendix C. Protocol for Testing the Absorption Characteristics of Filter Paper. 65

Appendix D. Patient Conditions and Treatments Affecting Newborn Screening Results 73

Appendix E. Specimen Collection and Drying Devices 75

Appendix F. Long-Term Storage and Retention of Residual Specimens 77

The Quality Management System Approach 80

Related CLSI Reference Materials 81

Foreword

Since 1982, CLSI has acknowledged the need to provide and update instructions to health care professionals who collect and submit dried blood spot (DBS) specimens for newborn screening (NBS), manufacturers who develop testing methodologies and equipment, and NBS programs that perform testing. This standard is written with primary emphasis on the specimen collection device and specimen collection. Specimens for NBS may be collected by hospital personnel, midwives, or other health care workers during the first few days of the newborn's life. This standard informs and instructs personnel on the essentials of correctly collecting a high-quality specimen, handling it after it has been collected, transporting it to the testing facility, and storing the residual specimen that remains after laboratory testing. Additionally, this standard is applicable to other testing procedures for which blood collected on filter paper is used as a specimen source (eg, fingerstick collections on filter paper to test for specific antibodies and DNA and/or RNA testing). CLSI documents GP42¹ and MM13² are essential reference documents to use alongside this standard.

In this edition of NBS01, several chapters and appendixes were revised, as outlined in the Overview of Changes. One of the main updates is the reformatting of the standard to follow a sequential process. An overview of this process is provided in the newly added flow chart (see Figure 1 in Chapter 2). Substantial efforts were made by the document development committee and its contributors, international experts representing many countries (ie, Argentina, Canada, India, Spain, United Kingdom, and United States), to better serve the global community and harmonize the collection and application of high-quality DBS specimens for NBS worldwide.

Overview of Changes

This standard replaces the previous edition of the approved standard, NBS01-A6, published in 2013. Several changes were made in this edition, including:

- Revising title
- Introducing easy-to-follow step-action tables that include comments for each action (as applicable), consistent with CLSI's goal to make standards and guidelines more user friendly
- Adding definitions for check sum character, collection device//specimen collection device (for newborn screening), dried blood spot, expected range, false-negative screening result, false-positive screening result, incision, in-range result, medical device, newborn screening program, newborn screening system, out-of-range result, puncture, re-collection, and specimen acceptability
- Adding information clarifying use of the term "filter paper" as the blood collection (specified filter paper) section of the specimen collection device, which also has a section for recording demographic and other requested information covered in Subchapters 1.1, 3.1, and 3.1.1 and in the Chapter 3 introduction
- Updating filter paper considerations (see Subchapters 3.2 and 3.2.1) and shelf life (see Subchapter 3.4.4)
- Adding information on identifying the patient (see Subchapter 4.3) and verifying patient and specimen identification at the time of collection (see Subchapter 4.5)
- Adding information and references for acceptable blood specimen sources and collection sites (see Subchapter 4.6), including new Figures 2 and 3 and optimal capillary puncture depth (see Subchapter 4.6.1)
- Adding discussion on preventing specimen contamination and preanalytical DNA analysis considerations (see Subchapter 5.1)

- Adding information regarding proper documentation, which includes using a procedures manual, confirming patient identification, documenting consent or refusal, and confirming the demographic data and the expiration date on the collection device (see Subchapter 5.2.1.1)
- Adding an alternative for warming the newborn’s heel (see Subchapter 5.2.2.1)
- Clarifying the benefits of single-use permanently retractable puncture devices for both the newborn and worker safety (see Subchapter 5.2.3)
- Adding comment on making a single puncture that the specimen collector must not perform immediate repeat puncture at the same site (see Subchapter 5.2.3, step-action table step 8)
- Adding instructions on postcollection care (see Subchapter 5.2.4, step-action table step 10, and Subchapter 5.3.3, step-action table step 9)
- Adding information about anticoagulants to heelstick with capillary tube collection and application (see Subchapter 5.3)
- Updating information on DBS specimen acceptability and added an image of a good-quality DBS specimen in the new Figure 4 (see Subchapter 5.7.3.1)
- Indicating that records should include documentation showing delivery date and time, as well as the individual who received the specimen (see Chapter 6 introduction)
- Revising Appendix A to maintain consistency with the updated collection method instructions, which are covered in Chapter 5, and:
 - Adding preliminary precaution steps (see Appendix A, section A1) before site preparation
 - Dividing former sampling techniques section into three sections:
 - Site preparation (see Appendix A, section A2)
 - Puncture (see Appendix A, section A3)
 - Direct application, collection, and preparation for transport (see Appendix A, section A4)
 - Revising former section on pitfalls to precautions (see Appendix A, section A5)
 - Revised bullets to provide more concise instructions
- Revising title of Appendix B and replacing previously used figures with new images of individual DBS, each with an explanation of the specimen quality issue shown
- Updating Appendix C per its source document and clarifying the scope and purpose of this protocol for testing the absorption characteristics of filter paper
- Adding interferences affecting NBS results to Table D1 in Appendix D:
 - Removing hypothyroidism treated with carbamazepine from the list of maternal conditions
 - Adding the following maternal conditions:
 - Intravenous iodinated contrast administration
 - Glutaric aciduria type I
 - Medium-chain acyl-CoA dehydrogenase deficiency

- Adding the following newborn conditions:
 - Biliary atresia, septicemia, and trisomies
 - Hemolytic anemia
 - Jaundice
 - Meconimum ileus
 - Renal insufficiency
 - Very low birth weight
- Adding the following treatments used in special care baby units/neonatal intensive care units:
 - Cefotaxime
 - Selected antiseizure medications
- Moving filter paper specifications formerly in Appendix E to Chapter 3, Specimen Collection Device Considerations (see Subchapter 3.1)
- Updating Appendix F (formerly Appendix G):
 - Added “Repeat analysis to validate previous NBS results” to list of possible uses for residual DBS specimens that need prioritization

NOTE: The content of this standard is supported by the CLSI consensus process and does not necessarily reflect the views of any single individual or organization.

KEY WORDS

Biobank

Dried blood spots

Newborn screening

Blood collection

Filter paper

Puncture device

DNA analysis

Heelstick puncture

Specimen collection device

Chapter 1

Introduction

This chapter includes:

- Standard's scope and applicable exclusions
- Background information pertinent to the standard's content
- Standard precautions information
- Terminology information, including:
 - Terms and definitions used in the standard
 - Abbreviations and acronyms used in the standard

Dried Blood Spot Specimen Collection for Newborn Screening

1 Introduction

1.1 Scope

This standard describes the collection of blood specimens for newborn screening (NBS) programs, including equipment, sources of blood, collection sites, and techniques for blood spot specimen collection.³ This standard is intended to improve and ensure the quality of dried blood spot (DBS) specimens collected from newborns to rapidly identify newborns at risk for some congenital disorders (eg, inborn errors of metabolism, endocrinopathies, immunodeficiency disorders).^{3,4}

NBS01 includes detailed instructions for the preferred method of blood collection (heelstick with direct application) and also provides easy-to-follow illustrated instructions (see Appendix A) for the steps to be taken by personnel who work at facilities other than the NBS laboratory to ensure acceptable-quality blood spot specimens are collected and to prevent the need for specimen re-collection. Poor-quality specimens (shown in Appendix B) may result in false-positive or false-negative NBS test results and/or the inability to screen the baby. The need for re-collection results in additional follow-up, which if not completed in a timely manner, could result in a missed or delayed diagnosis, unnecessary trauma to the newborn, and anxiety to the parents or guardians.

In all NBS programs, results turnaround time is critical if treatments to alter the adverse consequences of a screened disease (eg, irreversible brain damage or death) are to commence in a timely manner. The specimen criteria and handling procedures describe common variances among different sources of NBS specimens that might be tested and the influence of specimen quality on NBS test results and their interpretation.⁵

In addition, this standard specifies:

- Minimum necessary information to provide on or with the specimen collection device
- Requirements for the two collection device components:
 - A section for recording demographic and other requested information
 - A blood collection (specified filter paper) section for applying and drying the blood drops
- Minimum requirements for the filter paper matrix, including the protocol for testing the absorption characteristics of filter paper (see Appendix C) on which the blood spots are collected
- Acceptable alternative methods and instructions for collecting blood specimens for NBS testing from the following sources:
 - Venous blood
 - Umbilical catheter blood
 - Femoral catheter blood
- Requirements for handling, shipping, retention, and storage conditions for DBS specimens

Intended users of this standard include:

- Hospital personnel, midwives, or other health care workers who collect DBS specimens during the first few days of a newborn's life
- NBS laboratory personnel who perform testing
- NBS follow-up personnel